

LD-321-K100

Centralized Card Charging Cabinet

Introduction

CyraSecurity LD-321-K100 centralized card charging cabinet supports centralized power supply for UT-241-C, UT-320, UT-330 and other tags.

Main Features

- **Multiple Power Supply**
 - Supports 100 channels of centralized power supply for UT-241-C, UT-320, UT-330 and other positioning tags
- **Charging Status Prompt**
 - The light is off when not charging, the red light is on when charging, and the green light is on when fully charged.
- **Security**
 - Supports overload, over-temperature, and all-circuit protection
- **IP30 Protection Level**
 - Indoor dustproof

Product



LD-321-K100 Centralized Card Charging Cabinet

Product Specifications

Item	Description
------	-------------

Overview

Product Model	LD-321-K100	
Charging Interface	2pin thimble	
Supply Voltage	AC 220V	
Light Display Status	Not charged	Lights Off
	Charging	Red light
	Fully charged	Green light

Physical Specifications

Dimensions (mm)	About 850 (length) * 500 (width) * 1500 (height), including the height of the roller	
Weight (kg)	84	
Installation Method	Cabinet type	

Environmental Specifications

Temperature	Working Temperature	-20°C~60°C
	Storage Temperature	-30°C~70°C
Temperature	Humidity	5%~95% Without condensation

Dustproof	IP30
Flame Retardant Grade	UL94 V-0
RoHs	Compatible

Delivery Content

Name	Description	Quantity	Part number
LD-321-K100	Centralized charging cabinet	1	AA01LD321001
AC Power Cord	075 square meters 10A 2500W 3C certification	1	AE0803300100