


TFSFENCING

Delta
Polo
Axis



TFS FENCING





Design Options



High Quality

Powder coated finish
in black 9005

Quick & Simple Installation

Modular system with screw
on brackets

Strong Rails

40x40mm rails

Square Verticals

19x19mm for added
strength and better
appearance



Delta

Panel height ----- 1200mm
Panel length ----- 2250mm
Horizontal rails ----- 40x40mm
Vertical bars ----- 19x19mm
Vertical bar spacing ----- 95mm
Post size ----- 50mm / 65mm
Square



Design Features



Polo

Panel height ----- 1200mm
Panel length ----- 2250mm
Horizontal rails ----- 40x40mm
Vertical bars ----- 19x19mm
Vertical bar spacing ----- 95mm
Post size ----- 50mm / 65mm
Square



Axis

Panel height ----- 1200mm
Panel length ----- 2250mm
Horizontal rails ----- 25x25mm
Vertical bars ----- 50x25mm
Vertical bar spacing ----- 95mm
Post size ----- 50mm / 65mm
Square




Posts, Caps & Brackets



In-ground & Face Fixed Posts

Size ----- 50x25x2mm
50x50x2mm
65x65x2.5mm
Length ----- 1800mm
Finish ----- Black




Flanged Posts

Size ----- 50x25x2mm
50x50x2mm
65x65x2.5mm
Length ----- 1300mm
Finish ----- Black

Post Caps

Aluminium
Size ----- 50x50mm
65x65mm
Finish ----- Black


Plastic
Size ----- 50x25mm
50x50mm
65x65mm
Finish ----- Black



Brackets

FAPB2525-4
Size ----- 25x25mm
Finish ----- Black
Pack 4 with 16 TEK Screws
For Axis Range

FAPB4040-4
Size ----- 40x40mm
Finish ----- Black
Pack 4 with 16 TEK Screws
For Delta & Polo Range s





Pedestrian Gates



Delta

Height _____ 950 / 1200mm
Length _____ 950 / 1200mm
Horizontal rail _____ 40x40mm
Vertical bars _____ 19x19mm
Stiles _____ 50x50/40x40mm



Polo

Height _____ 1200mm
Length _____ 950mm
Horizontal rail _____ 40x40mm
Vertical bars _____ 19x19mm
Stiles _____ 50x50mm



Axis

Height _____ 1200mm
Length _____ 950mm
Horizontal rail _____ 25x25mm
Vertical bars _____ 50x25mm
Stiles _____ 50x25mm



Gate Hardware



KF3P

Kwik-Fit Hinges, un-sprung
packed with 12G-14x25mm self-
drilling metal screws



KF3A1BL

Kwik-Fit Hinges, Aluminium
packed with 12G-14x25mm self-drilling
metal screws



TCA1L2S3BT

Tru-Close Hinges, 30kg
2x Alignment Legs
packed with 12G-14x25mm
self-drilling metal screws



TCHD1AL2S3BT

Tru-Close Hinges, 70kg
2x Alignment Legs
packed with 12G-14x25mm self-drilling
metal screws



Gate Hardware

TCGS2

Gate Stop




LLAA

Lokk-Latch Single Sided




LLD3LDOK

Lokk-Latch Deluxe
(Heavy Duty)



LLD3LD

Lokk-Latch Deluxe
(Heavy Duty) with Outside Key



TFSDFENCING

www.tfsdirect.co.uk