

# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 4010 Cabinet Fan 12V DC 3000RPM		
Model	FDMB4010-12V	Material	Plastic
Size (LxWxT)	40x40x10mm	Material Spec	PBT
RPM	3000	Colour	Black
CFM	7	Weight (KG)	0.04
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	0.1 Amp	Packaging	Bubble wrapped
Wattage	1.8 Watt	Connector	2510H-2P
Noise	30 dB	Wire Length	300mm
Bearing	Sleeve	Wire Spec	24AWG
Voltage Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 65 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 4020 Cabinet Fan 5V DC 10000RPM			
Model	FDMB4020-5V	Material	Plastic	Pinout
Size (LxWxT)	40x40x20mm	Material Spec	PBT	P1 : Black : -Ve
RPM	10000	Colour	Black	P2 : Red : +Ve
CFM	15	Weight (KG)	0.1	
Voltage	5V DC	Included items	4 Nos Mounting Screw	
Ampere	0.5 Amp	Packaging	Bubble wrapped	
Wattage	2.5 Watt	Connector	2510H-2P	
Noise	42 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 4020 Cabinet Fan 12V DC 20000RPM		
Model	FDMB4020-12V	Material	Plastic
Size (LxWxT)	40x40x20mm	Material Spec	PBT
RPM	18500	Colour	Black
CFM	22	Weight (KG)	0.1
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	0.5 Amp	Packaging	Bubble wrapped
Wattage	6 Watt	Connector	2510H-2P
Noise	50 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 4020 Cabinet Fan 12V DC 20000RPM PWM			
Model	FDMB4020-PWM	Material	Plastic	Pinout
Size (LxWxT)	40x40x20mm	Material Spec	PBT	P1 : Black : -Ve
RPM	3000-18500	Colour	Black	P2 : Red : +Ve
CFM	8-22	Weight (KG)	0.1	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.5 Amp	Packaging	Bubble wrapped	
Wattage	6 Watt	Connector	2510H-4P	
Noise	28-50 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 6025 Cabinet Fan 12V DC 3000RPM			
Model	FDMB6025	Material	Plastic	Pinout
Size (LxWxT)	60x60x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	3000	Colour	Black	P2 : Red : +Ve
CFM	20	Weight (KG)	0.15	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.2 Amp	Packaging	Bubble wrapped	
Wattage	3 Watt	Connector	2510H-4P	
Noise	30 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 6025 Cabinet Fan 12V DC 5000RPM			
Model	FDMB6025H	Material	Plastic	Pinout
Size (LxWxT)	60x60x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	5000	Colour	Black	P2 : Red : +Ve
CFM	30	Weight (KG)	0.15	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.3 Amp	Packaging	Bubble wrapped	
Wattage	4 Watt	Connector	2510H-4P	
Noise	35 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 6025 Cabinet Fan 12V DC 5000RPM			
Model	FDMB6025-PWM	Material	Plastic	Pinout
Size (LxWxT)	60x60x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	1500-5000	Colour	Black	P2 : Red : +Ve
CFM	15-30	Weight (KG)	0.15	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.3 Amp	Packaging	Bubble wrapped	
Wattage	4 Watt	Connector	2510H-4P	
Noise	28-35 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 8025 Cabinet Fan 12V DC 2500RPM		
Model	FDMB8025	Material	Plastic
Size (LxWxT)	80x80x25mm	Material Spec	PBT
RPM	2500	Colour	Black
CFM	35	Weight (KG)	0.2
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	0.2 Amp	Packaging	Bubble wrapped
Wattage	3 Watt	Connector	2510H-4P
Noise	30 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 8025 Cabinet Fan 12V DC 2500RPM		
Model	FDSM8025	Material	Plastic
Size (LxWxT)	80x80x25mm	Material Spec	PBT
RPM	2500	Colour	Black
CFM	35	Weight (KG)	0.2
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	0.2 Amp	Packaging	Bubble wrapped
Wattage	3 Watt	Connector	Molex 8981
Noise	30 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 8025 Cabinet Fan 12V DC 3500RPM PWM			
Model	FDMB8025-PWM	Material	Plastic	Pinout
Size (LxWxT)	80x80x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	1500-3500	Colour	Black	P2 : Red : +Ve
CFM	20-40	Weight (KG)	0.2	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.4 Amp	Packaging	Bubble wrapped	
Wattage	5 Watt	Connector	2510H-4P	
Noise	25-35 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 9225 Cabinet Fan 12V DC 2500RPM			
Model	FDMB9225	Material	Plastic	Pinout
Size (LxWxT)	92x92x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	2500	Colour	Black	P2 : Red : +Ve
CFM	42	Weight (KG)	0.23	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.25 Amp	Packaging	Bubble wrapped	
Wattage	3 Watt	Connector	2510H-4P	
Noise	30 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 9225 Cabinet Fan 12V DC 2500RPM			
Model	FDSM9225	Material	Plastic	Pinout
Size (LxWxT)	92x92x25mm	Material Spec	PBT	P1 : Red : +Ve
RPM	2500	Colour	Black	P2 : Black : -Ve
CFM	42	Weight (KG)	0.23	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.25 Amp	Packaging	Bubble wrapped	
Wattage	3 Watt	Connector	Molex 8981	
Noise	30 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 9225 Cabinet Fan 12V DC 3500RPM PWM			
Model	FDMB9225-PWM	Material	Plastic	Pinout
Size (LxWxT)	92x92x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	800-3500	Colour	Black	P2 : Red : +Ve
CFM	20-50	Weight (KG)	0.23	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.4 Amp	Packaging	Bubble wrapped	
Wattage	5 Watt	Connector	2510H-4P	
Noise	20-35 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM




# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 9238 Cabinet Fan 12V DC 4000RPM			
Model	FDDU9238	Material	Plastic	Pinout C1
Size (LxWxT)	92x92x38mm	Material Spec	PBT	P1 : Black : -Ve
RPM	2000-4000	Colour	Black	P2 : Red : +Ve
CFM	80-110	Weight (KG)	0.27	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	1 Amp	Packaging	Bubble wrapped	
Wattage	12 Watt	Connector	2510H-4P, Molex 8981	Pinout C2
Noise	30-40 dB	Wire Length	300mm	P1 : Red : +Ve
Bearing	Ball Bearing	Wire Spec	24AWG	P2 : Black : -Ve
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	P3 : NC
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	P4 : NC

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 9238 Cabinet Fan 12V DC 8000RPM			
Model	FDDU9238-JET	Material	Plastic	Pinout C1
Size (LxWxT)	92x92x38mm	Material Spec	PBT	P1 : Black : -Ve
RPM	2500-7400	Colour	Black	P2 : Red : +Ve
CFM	80-170	Weight (KG)	0.3	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	3 Amp	Packaging	Bubble wrapped	
Wattage	36 Watt	Connector	2510H-4P, Molex 8981	Pinout C2
Noise	40-64 dB	Wire Length	300mm	P1 : Red : +Ve
Bearing	Ball Bearing	Wire Spec	24AWG	P2 : Black : -Ve
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	P3 : NC
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	P4 : NC

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12025 Cabinet Fan 12V DC 2000RPM			
Model	FDMB12025S	Material	Plastic	Pinout
Size (LxWxT)	120x120x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	2000	Colour	Black	P2 : Red : +Ve
CFM	70	Weight (KG)	0.27	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.2 Amp	Packaging	Bubble wrapped	
Wattage	3 Watt	Connector	2510H-4P	
Noise	30 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12025 Cabinet Fan 12V DC 3000RPM			
Model	FDMB12025	Material	Plastic	Pinout
Size (LxWxT)	120x120x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	3000	Colour	Black	P2 : Red : +Ve
CFM	110	Weight (KG)	0.27	P3 : NC
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : NC
Ampere	0.7 Amp	Packaging	Bubble wrapped	
Wattage	8.5 Watt	Connector	2510H-4P	
Noise	38 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12025 Cabinet Fan 12V DC 3000RPM		
Model	FDSM12025	Material	Plastic
Size (LxWxT)	120x120x25mm	Material Spec	PBT
RPM	3000	Colour	Black
CFM	110	Weight (KG)	0.27
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	0.7 Amp	Packaging	Bubble wrapped
Wattage	8.5 Watt	Connector	Molex 8981
Noise	38 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12025 Cabinet Fan 12V DC 3000RPM PWM			
Model	FDMB12025-PWM	Material	Plastic	Pinout
Size (LxWxT)	120x120x25mm	Material Spec	PBT	P1 : Black : -Ve
RPM	800-3000	Colour	Black	P2 : Red : +Ve
CFM	50-110	Weight (KG)	0.27	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.7 Amp	Packaging	Bubble wrapped	
Wattage	8.5 Watt	Connector	2510H-4P	
Noise	22-38 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12038 Cabinet Fan 12V DC 3000RPM PWM			
Model	FDMB12038-3KPWM	Material	Plastic	Pinout
Size (LxWxT)	120x120x38mm	Material Spec	PBT	P1 : Black : -Ve
RPM	1000-3000	Colour	Black	P2 : Red : +Ve
CFM	50-140	Weight (KG)	0.35	P3 : Yell : Tech
Voltage	12V DC	Included items	4 Nos Mounting Screw	P4 : Blu : PWM
Ampere	0.9 Amp	Packaging	Bubble wrapped	
Wattage	11 Watt	Connector	2510H-4P	
Noise	22-38 dB	Wire Length	300mm	
Bearing	Ball Bearing	Wire Spec	24AWG	
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)	
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty	

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12038 Cabinet Fan 12V DC 4000RPM		
Model	FDSM12038	Material	Plastic
Size (LxWxT)	120x120x38mm	Material Spec	PBT
RPM	3600	Colour	Black
CFM	170	Weight (KG)	0.35
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	1.5 Amp	Packaging	Bubble wrapped
Wattage	18 Watt	Connector	Molex 8981
Noise	40 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS


# DATASHEET

Product Name	Fourdot Coolings 12038 Cabinet Fan 12V DC 4000RPM PWM		
Model	FDMB12038-PWM	Material	Plastic
Size (LxWxT)	120x120x38mm	Material Spec	PBT
RPM	2000-3600	Colour	Black
CFM	70-170	Weight (KG)	0.35
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	1.5 Amp	Packaging	Bubble wrapped
Wattage	18 Watt	Connector	2510H-4P
Noise	30-40 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	24AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM



# FOURDOT COOLINGS

# DATASHEET

Product Name	Fourdot Coolings 12038 Cabinet Fan 12V DC 6000RPM		
Model	FDSM12038-JET	Material	Plastic
Size (LxWxT)	120x120x38mm	Material Spec	PBT
RPM	5300	Colour	Black
CFM	220	Weight (KG)	0.45
Voltage	12V DC	Included items	4 Nos Mounting Screw
Ampere	3 Amp	Packaging	Bubble wrapped
Wattage	36 Watt	Connector	Molex 8981
Noise	60 dB	Wire Length	300mm
Bearing	Ball Bearing	Wire Spec	20AWG
Power Range	7-14V DC	Life	60000 Hrs (Standard Condition)
Temperature	-10 to 70 Deg	Warranty	1 Year Carry in Warranty

Product Image :



Product Drawing : All Dimension are in MM

