





AJAX





Protection against any threat

Baseline product line comprises wireless devices to protect residential and commercial properties. A wide range of smart indoor and outdoor Ajax devices operate as a unified force to ensure protection against potential intrusion and deliver the best-in-class user experience.

Hubs



Hub 2 Plus Jeweller

Wireless control panel with support for photo verification. Connectable via Wi-Fi, Ethernet, and two SIM cards (2G/3G/LTE)

Color: ☐ ☒

Opening detectors



DoorProtect Jeweller

Wireless opening detector with reed switch

Color: ☐ ☒



DoorProtect Plus Jeweller

Wireless combined opening, shock and tilt detector with reed switch and accelerometer

Color: ☐ ☒

Glass break detectors



GlassProtect Jeweller

Wireless glass break detector with a microphone

Color: ☐ ☒

Motion detectors



MotionProtect Jeweller

Wireless IR motion detector

Color: ☐ ☒



MotionProtect Plus Jeweller

Wireless IR motion detector with an additional K-band microwave sensor

Color: ☐ ☒



CombiProtect Jeweller

Wireless IR motion and glass break detector with microphone

Color: ☐ ☒



MotionCam Jeweller

Wireless IR motion detector supporting photo by alarm feature

Color: ☐ ☒



MotionCam (PhOD) Jeweller

Wireless PIR motion detector with extended photo verification possibilities

Color: ☐ ☒



MotionProtect Curtain Jeweller

Wireless IR curtain motion detector

Color: ☐ ☒



Curtain Outdoor Jeweller

Wireless dual technology curtain motion detector for outdoor and indoor use

Color: ☐



DualCurtain Outdoor Jeweller

Wireless bidirectional curtain IR motion detector

Color: ☐



MotionProtect Outdoor Jeweller

Wireless IR motion detector for outdoor and indoor use

Color: ☐



MotionCam Outdoor Jeweller

Wireless PIR motion detector that takes photos by alarm. For outdoor and indoor use

Color: ☐



MotionCam Outdoor (PhOD) Jeweller

Wireless PIR motion detector with extended photo verification possibilities. For outdoor and indoor use

Color: ☐



MotionCam Outdoor HighMount (PhOD) Jeweller

Wireless PIR motion detector with extended photo verification possibilities. For outdoor installation at a height of 2–4 m.

Color: ☐ ☒

Sirens



StreetSiren DoubleDeck Jeweller

Wireless siren with a clip lock for a branded faceplate

Color: ☐ ☒



StreetSiren Jeweller

Wireless siren for indoor and outdoor use

Color: ☐ ☒



HomeSiren Jeweller

Wireless siren

Color: ☐ ☒

Buttons & key fobs



Button Jeweller

Wireless panic button / smart button

Color: ☐ ☒



DoubleButton Jeweller

Wireless hold-up device

Color: ☐ ☒



Ajax SpaceControl Jeweller

Wireless key fob with a panic button and control for security modes

Color: ☐ ☒

Voice modules



SpeakerPhone Jeweller

Wireless voice module for alarm verification

Color: ☐ ☒

Keypads



KeyPad TouchScreen Jeweller

Wireless keypad with a touch screen that supports authentication with smartphones, Pass, Tag, and codes

Color: ☐ ☒



KeyPad Plus Jeweller

Wireless touch keypad with support for encrypted contactless cards and key fobs

Color: ☐ ☒



KeyPad Jeweller

Wireless touch keypad

Color: ☐ ☒



KeyPad Outdoor Jeweller

Wireless keypad supporting authentication via Pass, Tag, smartphones, and codes. For outdoor and indoor use.

Color: ☐ ☒ ☐

Range extenders



ReX 2 Jeweller

Wireless radio signal range extender supporting Jeweller and Wings protocols

Color: ☐ ☒



ReX Jeweller

Wireless radio signal range extender

Color: ☐ ☒

Relays



WallSwitch Jeweller

Wireless power relay to control 110/230 V~ power supply remotely

Color: ☒



Relay Jeweller

Wireless dry contact relay

Color: ☒

Video surveillance

Wired and wireless cameras, doorbells, and network video recorders



Fast, smart, and secure

Ajax video surveillance devices combine NDAA-compliant hardware, cutting-edge software, and built-in AI to deliver an unrivaled user experience. Enjoy a clear image day or night, smooth and fast navigation empowered by proprietary video transmission technology, and top-level privacy safeguards.

Wired cameras



BulletCam HL (5 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam HL (5 Mp/4 mm)

Wired AI-powered security IP camera with a 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam HL (8 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam HL (8 Mp/4 mm)

Wired AI-powered security IP camera with a 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam (5 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam (5 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam (8 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



BulletCam (8 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini HL (5 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini HL (5 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini HL (8 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini HL (8 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini (5 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini (5 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini (8 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



DomeCam Mini (8 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam HL (5 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam HL (5 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam HL (8 Mp/2.8 mm)

Wired AI-powered security IP camera with a 110° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam HL (8 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, hybrid illumination, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam (5 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam (5 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam (8 Mp/2.8 mm)

Wired AI-powered security IP camera with an 110° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒



TurretCam (8 Mp/4 mm)

Wired AI-powered security IP camera with an 85° viewing angle, IR, TrueWDR, microphone, and PoE/12 V. For outdoor and indoor use.

Color: ☐ ☒

Wi-Fi cameras



IndoorCam

Indoor Wi-Fi security camera with a PIR motion sensor and built-in AI

Color: ☐ ☒

Doorbells



DoorBell

Video doorbell with built-in AI, PIR sensor, and control via apps

Color: ☐ ☐ ☐ ☒

NVRs



NVR HAC (8-ch)

8-channel network video recorder with HDMI output

Color: ☐ ☒



NVR HAC (16-ch)

16-channel network video recorder with HDMI output

Color: ☐ ☒



NVR (8-ch)

Network video recorder for 8 channels

Color: ☐ ☒



NVR (16-ch)

Network video recorder for 16 channels

Color: ☐ ☒



NVR DC (8-ch)

Network video recorder for 8 channels powered by a low-voltage power supply

Color: ☐ ☒



NVR DC (16-ch)

Network video recorder for 16 channels powered by a low-voltage power supply

Color: ☐ ☒

Comfort and automation

Wireless devices for automation, water leak prevention, and everyday comfort



Smart solutions for everyday comfort and security

Our products for comfort and automation enable users to control lighting and appliances, detect water leaks, manage water supply, and monitor air quality. Through automation scenarios, these devices take over routines and reinforce on-site security. Benefit from reliable operation, sleek design, intuitive in-app control, and hassle-free installation.

Light switches



LightSwitch (1-gang) [120] Jeweller

Smart touch 1-gang light switch

Color:



LightSwitch (3-way) [120] Jeweller

Smart touch 3-way light switch

Color:



LightSwitch (4-way) [120] Jeweller

Smart touch 4-way light switch

Color:

Sockets



Socket (type B) Jeweller

Smart plug with power consumption monitoring

Color:

Leak detectors



LeaksProtect Jeweller

Wireless water leak detector

Color: ☐ ☒

Shutoff valves



Ajax WaterStop 1" (DN 25) Jeweller

Wireless remotely controlled water shutoff valve

Color: ☐ ☒



Ajax WaterStop ½" (DN 15) Jeweller

Wireless remotely controlled water shutoff valve

Color: ☐ ☒



Ajax WaterStop ¾" (DN 20) Jeweller

Wireless remotely controlled water shutoff valve

Color: ☐ ☒

Air quality detectors



LifeQuality Jeweller

Wireless temperature, humidity, and CO₂ monitor

Color: ☐ ☒

Ajax Services

Added value for customers. Business growth for partners.



Services to enhance system performance

Ajax Services is an umbrella term covering a broad set of tools and capabilities designed to empower Ajax systems and enrich user experience. Relying on advanced digital and cloud infrastructure, Ajax Services can improve signal delivery, expand product features, streamline processes, and more. Whether used for protecting homes or managing systems for clients, Ajax Services save time and enhance security.

Ajax Sim

Pre-installed roaming SIM card for reliable connectivity and alarm transmission

Service subscription

Ajax Ultra DP

Presets for streamlining dual-path signaling configuration

Service subscription

Ajax Photo Mode

Service for photo verification of motion detected by Ajax video devices in third-party monitoring software

Service subscription

Ajax Cloud Storage

Secure cloud storage for event recordings from Ajax video surveillance products

Economy

- 7-day video storage for a single device
- 7-day video storage for a 4-device bundle
- 30-day video storage for a single device
- 30-day video storage for a 4-device bundle

Standard

- 7-day video storage for a single device
- 7-day video storage for a 4-device bundle
- 30-day video storage for a single device
- 30-day video storage for a 4-device bundle

Premium

- 7-day video storage for a single device
- 7-day video storage for a 4-device bundle
- 30-day video storage for a single device
- 30-day video storage for a 4-device bundle



Hilltop Systems, LLC

<https://hilltopsystems.net/>

justin@hilltopsystems.net

2145581678