

ENOXAM



**PRODUCT
CATALOGUE**





ABOUT US

We are an global business partner for trade and service offering a wide range of products and services internationally in the fields of Building and Construction materials, Oil & Gas, Chemicals, Paints & Coatings, Industrial Equipments, Forestry and Agriculture, etc.



OUR VISION

At Max1 Group International, we strive to provide top-notch international business and trade services that help our clients source their products. We pride ourselves on our attention to detail, expertise, and quality services.

We realize this vision by providing customers a strong leverage for success with the quality of our products, services and support.

Understanding our customer's needs and offering the best solutions. Strongly adhering to the best business practices and principles.

Complying to environmental obligations and adhering to health and safety standards at all times.



OUR EXPERTISE

Our team has years of experience in the field of international business and trade. We deal with Specialty Chemicals, Paints & Coatings, Building Construction Materials, Forestry and Agriculture Products . We keep up-to-date with the latest regulations and industry trends to ensure that we provide the best possible products and service to our clients.

We work with a variety of clients, from small businesses to large corporations. Our clients come from a wide range of industries, including manufacturing, general trading, agro foods and technology.





www.max1group-intl.com



OUR PRODUCTS AT A GLANCE

BUILDING & CONSTRUCTION MATERIALS

Our Business Partner ENOXAM Industries offer a wide range of Building and Construction products that cover a large scope of applications. Through focused research, result-driven design and manufacturing, we cater to almost all applications in the construction sector.

With our longstanding experience, we ensure delivering high quality products firmly keeping in mind cost-designs and maintain code of practices in accordance with international standards.

Our Global Partners have been operating in this domain for over a decade and have contributed to a wide footprint across many countries also providing tailor-made solutions based on varied environmental conditions of different locations.

We commit to the market by offering superior quality products and services, prompt and dependable delivery practices, with a strong focus on long term client relationships.





ENOXAM



PRODUCTS RANGE

- Adhesives & Glues
- Anchors & Repair Grouts
- Bonding Agents
- Cement & Mortars
- Concrete Admixtures
- Concrete Repair Systems
- Flooring Systems
- Joint Sealants & Fillers
- Surface Treatment & Primers
- Thermal Insulation
- Waterproofing Coatings
- Waterproofing Membranes
- Waterproofing Accessories
- Rubber Products



Adhesives & Glues



ENOXABOND

Solvent based synthetic rubber adhesive for bonding bitumen fiber boards, bitumen felt, plastic, laminates, veneer boards, rubber and plastic edging strips, rubber, leather, linoleum, felt, cork, foam to wood, chipboard, concrete, stone, metals and bitumen surfaces.

ENOXAGRIP

Wide range of Flexible tile adhesive mortars for indoor and outdoor areas for laying ceramic tile coverings and slabs on critical substrates such as Cement and cement-lime plasters, cement screeds and concrete substrates; Light weight AAC and concrete blocks ; Gypsum and anhydrite substrates (inside); Wet areas with periodic water penetration (e.g. bathrooms, kitchens and toilets, utility rooms); Balconies and terraces. Also special grades for laying glass mosaics or tiles not only where a uniform substrate colour is wanted, but also for the discoloration-proof fixing of bright and translucent marble, ceramics, fine stoneware and other natural stone slabs, using the thin-bed method.

Polymer modified tile adhesives for substrates subjected to slight deformation such as plasterboards, wood chip-boards, and heated floors, or even extended water holding areas like swimming pools. Also super flexible tile fibre induced adhesive used ideally on critical substrates and for installing large format tiles, supports high flex deformations.

Anchors & Repair Grouts



ENOXAGROUT

High Flow Cementitious Non-shrink Grout systems which when mixed with water gives a free flowing shrinkage compensated grout of excellent workability and performance. Generally used for machinery and equipment foundations; repair of pre-cast concrete; for anchoring of bolts, dowels etc; sealing of tie rod holes.



Bonding Agents



ENOXACURE

Single component acrylic polymer water based emulsion, used in modifying Regular Concrete/Glass Fibre Reinforced Concrete (GFRC) mixes to increase bond, tensile and flexural strengths. It is designed as an admixture for cementitious mortars and screeds and as a bonding and curing agent for concrete and patch repairs.



Cement & Mortars



ENOXACRETE

Wide Range of ready-to-use Micro Concrete, such as polymer modified fairing coat, high strength repair mortars with NS additives and fibre for repairing of beams, columns and slabs that are subjected to dynamic loads and traffic, Light-Weight concrete with special aggregates to produce mixes with much lower densities than normal concrete, etc.

ENOXAMOR

Premixed Cementitious Block Joint Mortar modified with polymers for laying / fixing of concrete block, clay brick, fly ash bricks and other similar masonry units

ENOXAPLAS SP

Cementitious Dry ready mix Spray plaster to carry out traditional plastering works for internal and external concrete or brick walls in a clean and speedy manner, while maintaining a homogeneous mix . It is particularly recommended for application by spraying machine, however can also be applied manually. Due to its content in additives, it allows better workability and curing.

Concrete Admixtures



ENOXAFLOW

Wide Range of High Performance Concrete Admixtures, Melament and Polycarboxylated ether based Super-plasticizers.



www.max1group-intl.com

Concrete Repair Systems



ENOXAGUARD RP

Phosphatic Rust Convertor, Remover and Inhibitor for Steel Surfaces used prior to primer and paint application

ENOXAPLUG NS

Non Shrink Fast Setting Hydraulic Cementitious Plugging Mortar. Formulated to stop leaks in concrete and masonry surfaces. It is particularly effective for stopping the flow of running water. Ready to use mortar and requires only the addition of water before plugging and sealing cracks.

ENOXAPRO 9000

Superior quality general purpose Concrete Repair Sealant for all weather conditions, wet or dry. Can be applied over wet/damp surfaces. It bonds underwater for temporary or permanent repairs. The modified properties provide excellent adhesion to most of the waterproofing systems except Silicon & TPO. It has excellent elongation and recovery characteristics and can be used on all flashings, crickets, around skylights, gutters, crevices, seams.

Flooring System



ENOXAFLOR

Wide Range of High Performance Floor Coatings based on Solvent based and Solvent-free Epoxies, and Polyurethane

ENOXASCREED

Solvent Free 3K Self Leveling Epoxy Heavyduty Coarse Industrial Flooring Screed. It has excellent mechanical properties, high resistance to wear and wide variety of chemicals. Designed as a heavy duty topping for industrial floor 2-5mm thickness.

ENOXATHANE FC

Single Component Polyurethane Based Elastomeric Waterproof Coating; heat resistant, water-resistant barrier with excellent adhesion to the substrate. Used for Retaining walls and foundations, Lift pits and concrete structures, Gutters, planter boxes and tanks, Wet areas like Toilets, Kitchens, Balconies, etc.

As Damp Proof Course (DPC) layer under block work for mitigating rising dampness, for Roof and wet areas and for indoor and outdoor waterproofing applications.

Joint Sealants & Fillers



ENOXAMASTIC

Single component, solvent based bitumen rubber mastic flexible joint sealant used in filling gaps of pipes / roof flashing and termination of waterproofing membranes

ENOXASEAL PS

Two component Polysulphide sealants ideal for industrial floor structures, warehouses, pavements and sidewalks, swimming pool floors, airport runways and aprons.

ENOXASIL

Wide application range of High Performance Silicone Sealants used for glass, mirrors, glazed surfaces, porcelain, steel and aluminium, wood, MDF, etc.

Surface Treatment & Primers



ENOXAPRIME

Wide Range of Surface Waterproofing Primers based on 2K epoxy, Bituminous coatings solvent based and waterbased emulsion.

ENOXAREL MRA

Solvent based and Water Based Mould Release agents are specially formulated blend of mineral oils low viscosity hydro carbon carrier, blended with a chemically active release agent and chemicals which helps in easy release of form work and provides an excellent finish to concrete. Can be applied to the formwork by spray in the form of a light uniform coating. Reacts with cement to impart excellent release properties to treated surfaces.

Thermal Insulation



ENOXAPLAS TI

Advanced modified cementitious Thermal Insulation Wall and Ceiling Plaster, blend of OPC, graded sand, light weight aggregates, and additives improving workability and adhesion. Can be applied to all types of masonry surfaces after proper substrate preparation with suitable primers. The product provides thermal insulation for building walls relying on advanced material technologies.



www.max1group-intl.com



Waterproofing Coatings

ENOXACOAT

Waterproof Coatings for all substrates such as concrete, membranes, flashing tapes, etc. formulated as Waterbased, Rubberized and Solvent Based with available various Solids content.

ENOXACRYL

Superior grade single component Acrylic based flexible elastomeric waterproof and protective coating for concrete & masonry surfaces. the coating is durable, flexible and has a high resistance to UV. The coating is suitable for both interior and exterior application.

ENOXALAN DP

Two component, tough elastomeric waterproof UV resistant coating. Forms a waterproof film with excellent adhesion, penetrates and covers minor cracks. Blocks water ingress to the substrate thus making it completely damp-proof

ENOXARUSH

Specially designed ready mixed mortar and mineral bonding agent, used as a mechanical key coat on substrates before rendering. It improves adhesion of plaster / cement render, applied on masonry block and concrete. Also used on aerated and light weight block work imparting high degree of bonding & hydrophobicity

ENOXASHIELD

Single and Two component acrylic co-polymer modified flexible cementitious waterproof coating. Forms excellent elastomeric, waterproof & protective layer over the substrate.

ENOXATHANE


Wide Range of Polyurethane Waterproofing and Floor Coatings, both single and two component systems. Used for Parking decks Bridge decks, Industrial floors, Food industry, Warehouses, Service stations, Chemical Plants, Metal treatment plants, Machinery service areas.

Waterproofing Membranes



ENOXABOARD T

Multilayer Fibre impregnated asphaltic protection board manufactured by thermally bonding polymer modified bitumen with selected additives which, sandwiched between a layer of saturated fibre-glass on one side and anti-stick polyethylene liner on the other.



ENOXAPROOF S

Self adhesive polymer modified bituminous sheet membrane, laminated onto a tough HDPE film on one side and a silicone release film on the other.



ENOXAPROOF APP

Plastomeric waterproofing Torch-On membrane, manufactured from a rich mixture of bitumen and selected APP (Atactic Polypropylene) polymers blended together to obtain excellent heat & UV resistance and waterproofing properties.

ENOXAPROOF SBS

Bituminous waterproofing membrane manufactured by blending a mixture of bitumen and SBS (Styrene Butadiene Styrene) polymers to obtain excellent waterproofing and low temperature flexibility properties.

Waterproofing Accessories



ENOXABAND AL

Aluminium surfaced self-adhesive bitumen modified Membrane used as a fast and economical method of flashing, sealing and repair for long lasting protection.



ENOXAMAT

Glass Fibre Mesh various gsm



ENOXASTOP

Internal and external PVC waterstop made with high grade PVC resin extrusions that are plasticized and stabilized to offer long life performance in concrete structures against water leakages.



ENOXASWELL

Polyurethane rubber-based water bar which swells in the presence of water and moisture. Used for sealing of structural joints in concrete structures and tunnels which are subjected to hydrostatic pressure.



ENOXATAPE TS

Non-reinforced twin side adhesive bitumen membrane which comprises of polymerized bitumen sandwiched between a plastic release film on either side. Mainly used as an adhesive for the fixing of Enoxaboard protection boards to the Enoxaproof S range of self adhesive waterproofing membranes.



ENOXATEX

Non-Woven Geotextiles of various gsm widely used in roofing, underlayment, wall wraps, foundation wrapping, embankments, soil reinforcements and stabilization, etc.

Rubber Products



CORNER GUARD

EPDM Rubber Corner Guards designed to protect the edges of columns in structures



WALL GUARD

EPDM Rubber Wall Guards for maximum impact protection to walls and columns in vehicular traffic and service areas, warehouse and parking areas



SPEED HUMPS

EPDM Rubber Speed Hump for vehicle speed control with maximum safety with less noise and least possible vehicle damage



WHEEL STOPPER

EPDM Rubber Wheel Stopper designed to protect the building areas, with good energy absorption, from the vehicle

Other Misc. Rubber Products



TRIANGULAR BUMPER



'D' FENDER



ANTI-VIBRATION PADS



CABLE PROTECTOR



PADS



BLOCK FENDERS

MAX 1 GROUP INTERNATIONAL

P.O.Box 73500 | Sharjah-U.A.E

+971 6 598 5128 | contact@max1group-intl.com

www.max1group-intl.com

CANADA



UAE