

PURE

VENETIAN
PLASTERING

Maintenance Manual



PURE

VENETIAN PLASTERING



MICROCEMENTO®



BAXAB® is the most technologically advanced micro-coating. Its 3x stronger than conventional microcements. Its high resistance allows an intensive and prolonged use, not only in dwellings but also in commercial stores, public spaces and other high foot transit areas.

Microcemento® has been the micro-coating benchmark since its launch. We know that time is a premium, that's why Microcemento® is open to foot traffic after 24hs. It is totally waterproof, so it can be applied on kitchens, bathrooms and any wet area.

FIRST PRECAUTIONS

In addition to rapid installation, one of the greatest advantages of our products is that the coated surface can be open for foot traffic 24 hours after the work has been completed.

However, in order to avoid any unnecessary damage, we recommend keeping to the following



24 hours: light foot traffic permitted.



7 days: avoid accumulation of water and in case of contact with water, dry it as soon as possible.



You can now cover your floor with a breathable material (we recommend MDF panels), removing it at night so the floor can keep curing.



5 days: you can now reposition your furniture or units with new, clean felt pads in order to prevent unnecessary damage.



21 days: the surface completely cures and obtains the final hardness of the product. Before this time be careful with bumps and scratches.







REGULAR CLEANING

No heavy machinery is required for the maintenance of our surfaces.

Our products only need simple periodic cleaning, removing the dirt particles to protect the colour. You should mop the surface 2/3 times per week with water and self-shine wax, or once a day if the floor is exposed to heavy traffic.





PURE VENETIAN PLASTERING

Recommended:

-  — Mr Muscle Neutral PH (cleaning solution)
-  — Self - Shine Wax (diluted with water)
-  — Pronto (furniture spray)
-  — Bleach
-  — Dishwasher detergent
-  — Alcohol

Do Not Use:



-  — Viakel (limescale remover)
-  — Most chemicals and solvents (Max. 10*)
-  — Hydrochloric acid based products
-  — Cilit bang (strong cleaner)

CLEANING FEATURE WALLS

Walls or vertical surfaces require much less maintenance;

- Microfibre dust cloth can be used to wipe over walls for everyday cleaning
- Wrung out/ damp microfibre cloth can be used to wipe wall over.
- Clean off any spills and marks as soon as possible as it can stain the product.
- Wipe off any excess water as soon as possible as it can penetrate the sealer.
- If required, household detergents with no abrasives can be used.

GUARANTEE & INSURANCE PROGRAMME

We offer a 3 year Guarantee with the installation of any of our products providing care instructions have been followed. It covers for a period of three years, the repair of any defects emerging as a result of any faulty installation or any problem inherent in the product.

NOTE: ALTHOUGH THE TECHNICAL DETAILS AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE TO THE BEST OF OUR KNOWLEDGE AND EXPERIENCE, ALL INFORMATION HEREIN IT SHOULD, IN ALL CASES, BE TAKEN AS INDICATIVE AND SUBJECT TO REVIEW AFTER A LONG-TERM APPLICATION AND FOR SPECIAL SITUATIONS; FOR THIS REASON ANYONE WHO INTENDS TO USE THE PRODUCT MUST ENSURE IN ADVANCE THAT IT IS SUITABLE FOR THE INTENDED APPLICATION. IN ALL CASES, ONLY THE USER IS TOTALLY RESPONSIBLE FOR THE CONSEQUENCES DERIVED FROM THE USE OF THE PRODUCT. CONSULT A TOPCRET SPECIALIST FOR ADDITIONAL DETAILS USING THE FOLLOWING EMAIL ADDRESS: INFO@TOPCRET.COM