



International, Inc.


5959 Seville Road  
 Duluth, MN 55811  
 218 729-9211  
 FAX: 218 729-7630  
 800 950-3183

2554 Como Avenue  
 St. Paul, MN 55108  
 651 644-6901  
 FAX: 651 644-3305  
 800 568-WIRE






*“Lifting Products For The Professional”*

www.liftpro.com



## Polyester Roundslings ENDLESS SLINGS

Part Number	Color Code	 Vertical	 Choker	 Vert. Basket	Min. Lgth.	Approx. Dia. (No Ld.)	Approx. Weight (Per Ft.)
ENR1	Purple	2,600	2,100	5,200	3'	0.625"	0.3 lb.
ENR2	Green	5,300	4,200	10,600	3'	0.875"	0.4 lb.
ENR3	Yellow	8,400	6,700	16,800	3'	1.125"	0.5 lb.
ENR4	Tan	10,600	8,500	21,200	3'	1.125"	0.6 lb.
ENR5	Red	13,200	10,600	26,400	3'	1.375"	0.8 lb.
ENR6	White	16,800	13,400	33,600	6'	1.375"	0.9 lb.
ENR7	Blue	21,200	17,000	42,400	6'	1.625"	1.3 lb.
ENR8	Orange	25,000	20,000	50,000	6'	1.750"	1.6 lb.
ENR9	Orange	31,000	24,800	62,000	6'	2.125"	2.0 lb.
ENR10	Orange	40,000	32,000	80,000	6'	2.350"	2.6 lb.
ENR11	Orange	53,000	42,400	106,000	8'	3.150"	3.4 lb.
ENR12	Orange	66,000	52,800	132,000	8'	3.950"	4.3 lb.
ENR13	Orange	90,000	72,000	180,000	8'	4.800"	5.9 lb.
ENR14	Black	100,000	80,000	200,000	8'	5.250"	6.1 lb.
ENR15	Black	110,000	88,000	220,000	8'	5.250"	6.1 lb.
ENR16	Black	120,000	96,000	240,000	8'	5.250"	6.1 lb.
ENR17	Black	130,000	104,000	260,000	8'	5.250"	6.1 lb.
ENR18	Black	140,000	112,000	280,000	8'	5.250"	6.1 lb.
ENR19	Black	150,000	120,000	300,000	8'	5.250"	6.1 lb.



International, Inc.


5959 Seville Road  
 Duluth, MN 55811  
 218 729-9211  
 FAX: 218 729-7630  
 800 950-3183

2554 Como Avenue  
 St. Paul, MN 55108  
 651 644-6901  
 FAX: 651 644-3305  
 800 568-WIRE






*“Lifting Products For The Professional”*

www.liftpro.com



## Polyester Roundslings EYE AND EYE SLINGS

Part Number	Color Code	 Vertical	 Choker	 Vert. Basket	Min. Lgth.	Std. Eye Length	Approx. Dia. (No Ld.)	Approx. Weight (Per Ft.)
EENR1	Purple	2,600	2,100	5,200	3'	10"	2.25"	0.4 lb.
EENR2	Green	5,300	4,200	10,600	3'	10"	2.50"	0.5 lb.
EENR3	Yellow	8,400	6,700	16,800	4'	12"	2.50"	0.6 lb.
EENR4	Tan	10,600	8,500	21,200	4'	12"	3.25"	0.7 lb.
EENR5	Red	13,200	10,600	26,400	5'	14"	3.50"	1.0 lb.
EENR6	White	16,800	13,400	33,600	7'	16"	3.50"	1.1 lb.
EENR7	Blue	21,200	17,000	42,400	7'	16"	4.25"	1.6 lb.
EENR8	Orange	25,000	20,000	50,000	6'	24"	5.00"	1.6 lb.
EENR9	Orange	31,000	24,800	62,000	6'	24"	6.50"	2.0 lb.
EENR10	Orange	40,000	32,000	80,000	6'	24"	8.50"	2.6 lb.
EENR11	Orange	53,000	42,400	106,000	8'	30"	10.00"	3.4 lb.
EENR12	Orange	66,000	52,800	132,000	8'	30"	11.50"	4.3 lb.
EENR13	Orange	90,000	72,000	180,000	8'	30"	14.00"	5.9 lb.
EENR14	Black	100,000	80,000	200,000	8'	30"	14.50"	6.1 lb.



International, Inc.

5959 Seville Road  
Duluth, MN 55811  
218 729-9211  
FAX: 218 729-7630  
800 950-3183

2554 Como Avenue  
St. Paul, MN 55108  
651 644-6901  
FAX: 651 644-3305  
800 568-WIRE



*“Lifting Products For The Professional”*

www.liftpro.com

## Endless Round VEHICLE RECOVERY SLINGS *Not for overhead lifting*

Part No.	Color Code	Rating of Sling	Min. Lgth.	Breaking Strength
ENRVR1	Purple	4,300	6'	12,900
ENRVR2	Green	8,800	6'	26,400
ENRVR3	Yellow	14,000	6'	42,000
ENRVR4	Tan	17,500	6'	52,500
ENRVR5	Red	22,000	6'	66,000
ENRVR6	White	28,000	6'	84,000
ENRVR7	Blue	35,300	6'	105,900
ENRVR8	Orange	41,500	10'	124,500
ENRVR9	Orange	51,500	10'	154,500
ENRVR10	Orange	66,500	10'	199,500
ENRVR11	Orange	88,000	10'	264,000
ENRVR12	Orange	110,000	12'	330,000
ENRVR13	Black	150,000	12'	450,000
ENRVR14	Black	165,000	12'	495,000

***VEHICLE RECOVERY SLINGS ARE not for overhead lifting***



International, Inc.

5959 Seville Road  
 Duluth, MN 55811  
 218 729-9211  
 FAX: 218 729-7630  
 800 950-3183

2554 Como Avenue  
 St. Paul, MN 55108  
 651 644-6901  
 FAX: 651 644-3305  
 800 568-WIRE



**“Lifting Products For The Professional”**

www.liftpro.com

**Environmental Considerations**

- Nylon and polyester are seriously degraded at temps above 180° F.
- Many chemicals have an adverse effect on nylon and polyester. This chart is a general guide. For specific temperature, concentration and time factors, please contact LiftPRO prior to purchase or use.

**Inspection and Removal Criteria for Roundslings**

**Remove from service when:**

- Cuts to the sling cover expose yellow & black striped white core yarns
- Holes, tears, snags or abrasions expose yellow & black striped white core yarns
- End fittings are pitted or corroded, cracked, distorted or broken
- The sling shows signs of melting, charring, or chemical damage
- Capacity tag is illegible or missing
- Other visible damage which causes doubt as to the strength of sling



**WARNING — Slings will fail if worn out, overloaded, misused, damaged, improperly maintained or abused. Sling failure may cause serious injury or death!**

**Protect yourself and others:**

- Always inspect slings for wear, damage or abuse before use
- Never use slings that are worn-out, damaged or abused
- Never overload slings
- Inform yourself: Read and understand manufacturer’s literature
- Refer to applicable codes, standards and regulations for inspection requirements and removal criteria

	Acid	Alcohol	Aldehydes	Strong Alkalis	Bleaching Agents	Dry Cleaning Solvents	Ethers	Halogenated Hydrocarbons	Hydrocarbons	Ketones	Oil, Crude	Oil, Lubricating	Soaps, Detergents	Water, Seawater	Weak Alkalis
NYLON	no	ok	ok	ok	no	ok	ok	ok	ok	ok	ok	ok	ok	ok	ok
POLYESTER	*	ok	no	**	ok	ok	no	ok	ok	ok	ok	ok	ok	ok	ok

\* Disintegrated by concentrated sulfuric acid \*\* Degraded by strong alkalis at elevated temperatures

**Distributed by:**



International, Inc.


5959 Seville Road  
Duluth, MN 55811  
218 729-9211  
FAX: 218 729-7630  
800 950-3183

2554 Como Avenue  
St. Paul, MN 55108  
651 644-6901  
FAX: 651 644-3305  
800 568-WIRE



*“Lifting Products For The Professional”*

www.liftpro.com



## Polyester Roundslings EIGHT PART FLAT BRAIDED

Part	Color Code	Rating of Sling	Vertical Rating	Choker Rating	Basket Rating	Base Sling Length	Standard Eye Length	Approx. Dia. No Load	Approx. Weight per Foot
8BNR1	Purple	9,360	2,600	7,488	18,720	6'	10"	2.50"	0.80 lb.
8BNR2	Green	19,080	5,300	15,264	38,160	6'	10"	2.50"	1.20 lb.
8BNR3	Yellow	30,240	8,400	24,192	60,480	6'	10"	3.50"	1.60 lb.
8BNR4	Tan	38,160	10,600	30,528	76,320	6'	12"	3.50"	2.00 lb.
8BNR5	Red	47,520	13,200	38,016	95,040	8'	12"	3.70"	2.70 lb.
8BNR6	White	60,480	16,800	48,384	120,960	8'	14"	3.80"	3.60 lb.
8BNR7	Blue	76,320	21,200	61,056	152,640	10'	16"	4.25"	6.00 lb.
8BNR8	Orange	90,000	25,000	72,000	180,000	10'	24"	5.00"	7.00 lb.
8BNR9	Orange	111,600	31,000	89,280	223,200	10'	24"	5.25"	8.50 lb.
8BNR10	Orange	144,000	40,000	115,200	288,000	10'	24"	5.50"	9.70 lb.
8BNR11	Orange	190,800	53,000	152,640	381,600	10'	30"	7.00"	12.00 lb.
8BNR12	Orange	237,600	66,000	190,080	475,200	10'	30"	8.00"	18.00 lb.
8BNR13	Black	324,000	90,000	259,200	648,000	10'	36"	12.00"	20.00 lb.
8BNR14	Black	360,000	100,000	288,000	720,000	14'	36"	12.50"	23.00 lb.



International, Inc.


5959 Seville Road  
 Duluth, MN 55811  
 218 729-9211  
 FAX: 218 729-7630  
 800 950-3183

2554 Como Avenue  
 St. Paul, MN 55108  
 651 644-6901  
 FAX: 651 644-3305  
 800 568-WIRE



*“Lifting Products For The Professional”*

www.liftpro.com



## Polyester Roundslings SIX PART FLAT BRAIDED

Part Number	Color Code	Rating of Sling	Choker Rating	Basket Rating	Base Sling Length	Standard Eye Length	Approx. Dia. No Load	Approx. Weight per Foot
6BNR1	Purple	7,020	5,616	14,040	6'	10"	2.50"	0.80 lb.
6BNR2	Green	14,310	11,448	28,620	6'	10"	2.50"	1.20 lb.
6BNR3	Yellow	22,680	18,144	45,360	6'	10"	2.50"	1.60 lb.
6BNR4	Tan	28,620	22,896	57,240	6'	12"	3.50"	2.00 lb.
6BNR5	Red	35,640	28,512	71,280	8'	12"	3.50"	2.70 lb.
6BNR6	White	45,360	36,288	90,720	8'	14"	3.70"	3.20 lb.
6BNR7	Blue	57,240	45,792	114,480	10'	16"	3.80"	4.40 lb.
6BNR8	Orange	67,500	54,000	135,000	10'	16"	4.25"	5.00 lb.
6BNR9	Orange	83,700	66,960	167,400	10'	24"	5.00"	6.50 lb.
6BNR10	Orange	108,000	86,400	216,000	10'	24"	5.25"	9.70 lb.
6BNR11	Orange	143,100	114,480	286,200	10'	30"	7.00"	12.00 lb.
6BNR12	Orange	178,200	142,560	356,400	10'	30"	8.00"	13.00 lb.
6BNR13	Black	243,000	194,400	486,000	10'	36"	12.00"	15.00 lb.
6BNR14	Black	270,000	216,000	540,000	12'	36"	12.50"	16.00 lb.