
Material Safety Data Sheet



United Phosphorus, Inc.



Issued Date 08-Feb-2007 **Revision Date** 09-Jan-2013 **Revision Number:** 9

1. PRODUCT AND COMPANY IDENTIFICATION

UPI

630 Freedom Business Center Suite 402

King of Prussia,PA 19406

Emergency Telephone Number

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887 Medical: Rocky Mountain Poison Control Center

(866) 673-6671 (24hrs)

Company Information Contact Information Phone Number Available Hrs

UPI Customer Service 1-800-438-6071 8:00 am to 5:00 pm EST R&D Technical Service 610-878-6100 8:00 am - 5:00 pm (EST)

Product Name AQUATHOL® Super K

EPA Reg # 70506-191
Recommended Use Aquatic herbicide

Product Code 12-388

2. HAZARDS IDENTIFICATION

Emergency Overview

May be fatal if swallowed Harmful if absorbed through skin Causes irreversible eye damage

DANGER!

Appearance Beige. Physical State Granular. Odor Odorless.

Potential Health Effects

- Inhalation

- Skin contact

EyesSeverly irritating to the eyes.SkinMay cause mild skin irritation.IngestionMay be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients Name

Chemical Name	CAS-No	Weight %	OSHA PEL	
Dipotassium endothall salt	2164-07-0	63	N/A	
2-propenamide polymer with potassium	31212-13-2	28	N/A	

4. FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.

Remove contact lenses, if present, after 5 minutes, then continue rinsing eye

Call a poison control center or doctor for treatment advice.

Skin Contact Take off contaminated clothing

Rinse skin immediately with plenty of water for 15-20 minutes Call poison control center or doctor for treatment advice.

Inhalation If breathing is irregular or stopped, administer artificial respiration

May cause allergic respiratory reaction

Call a poison control center or doctor for further treatment advice.

Ingestion Call a physician or poison control center immediately

May produce an allergic reaction

Do not induce vomiting unless told to do so by a poison control center or doctor

Never give anything by mouth to an unconscious person

Notes to Physician No information available

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Explosive Properties

Flash Point Not available
Autoignition Temperature Not available

Flammability Limits in Air Not available

Extrnguishing MediaUse: Water spray, Carbon dioxide (CO2), Foam, Dry chemical.

Fire/Explosion Hazard Firefighters and others who may be exposed to products of

combustion should wear full fire fighting turn out gear and self-contained breathing apparatus. Fire fighting equipment

should be thoroughly decontaminated after use.

Hazardous Combustion Products

No information available.

NFPA Health 3 Flammability 0 Instability 1

6. ACCIDENTAL RELEASE MEASURES

Personal PrecautionsUse personal protective equipment. Avoid contact with the skin and the eyes.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Consult a regulatory

specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other

requirements listed in pertinenet environmental permits.

Methods for Clean-up Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Avoid dust formation. Empty containers

may contain hazardous residues. Keep out of reach of children.

Storage Keep in properly labelled containers. Store in an area where cross-contamination

with pesticides, fertilizers, food or feed could not occur.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Engineering Controls Investigate engineering techniques to reduce exposures. Local mechanical exhaust

ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design

of exhaust systems.

Personal Protective Equipment

Eye/face Protection Skin Protection

Respiratory Protection

Avoid contact with eyes. Goggles.

Chemical resistant gloves. Long sleeved clothing. Long pants. Socks and footwear. Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is

appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134. NIOSH approved half- or full-face respirator with a cartridge or canister approved for dusts and mists or a cartridge with any N, R, P, or He filter. Note: the quarter face cupstyle repsirator does not meet this requirement.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceBeigeOdorOdorlessPhysical StateGranularpH6.9

Boiling Point/Range Not available Melting Point/Range Not available **Specific Gravity** 0.607 g/cm3 Solubility No data available **Evaporation Rate** Not available Vapor pressure Not available **Vapor Density** Not available **VOC Content** Not available **Viscosity** Not available no data available **Molecular Weight Bulk Density** no data available **Percent Solids** Not available

Percent Volatiles Not available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions

Conditions to Avoid No information available

Incompatible Materials No materials to be especially mentioned

Hazardous Decomposition Products Extreme temperatures may convert endothall product to

endothall anhydride, a strong vessicant, causing blistering

of eyes, mucous membranes and skin.

Possibility of Hazardous Polymerization Hazardous polymerisation does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information Single exposure studies indicate: Oral- Moderately toxic to Rats (LD50 98 mg/kg)

Dermal - No more than slightly toxic to rabbits (LD50 > 2,000 mg/kg)

Eye Irritation - Severely irritating to rabbits Skin Irritation - Slightly irritating to rabbits

No skin allergy was observed in guinea pigs following repeated exposure.

Component Information Endothal-potassium Although no allergic skin reactions were observed in guinea

pigs following exposure to this material in water, allergic skin reactions were observed following exposure to this material in ethanol. Repeated application to the skin of rats produced severe skin irritation, liver, and kidney effects considered

to be secondary to irritation, and increased mortality. Long-term dietary

administration produced no adverse effects in rats.

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Endothall dipotassium salt ecotoxicity

Acute Contact Toxicity Honey Bee (Apis mellifera)
For endothall acid, mono-amine salt, and dipotassium salt:
Practically non-toxic

Acute Toxicity Avian
Mallard duck(Anas platyrhynchos), LD50 = 328 mg/kg

Acute Toxicity Freshwater Fish
Bluegill sunfish(Lepomis macrochirus),flow-thru, EC50 = 1071 ppm
Rainbow trout(Oncorhynchus mykiss),flow-thru,EC50 = 363 ppm
Chanel catfish(Ictalurus punctatus), static, EC50 = >100 ppm

Acute Toxicity Freshwater Invertebrates
Waterflea(Daphnia magna), flow-thru 48hr, EC50 = 223 ppm
Scud(Gammarius lacustris), static 48hr, EC50 = 313 ppm

Acute Toxicity Estuarine/Marine Fish
Sheepshead minnow(Cyrinodon variegates), flow-thru 96hr,
EC50 = 340 ppm
Coho salmon(Oncorhynchus kisutch)static, 96hr, EC50 = >100ppm

Acute Toxicity Estuarine/Marine Invertebrates
Mysid shrimp(Mysidopsis bahia), flow-thru 96hr, EC50 = 257 ppm
Eastern oyster(Crassostrea virginica)shell deposition,

flow-thru 96hr, EC50 = 335 ppm. Chem Fate:. This material is rapidly degraded in aqueous systems by indigenous microbial population to CO2 and other non-toxic natural products.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated Packaging

Non refillable container. Do not reuse this container. Clean container promptly after emptying. (if plastic pail) Triple rinse (or equivalent). Then offer for recycling if available or puncture and dipose of in a sanitary landfill, or by incineration, or, if allowed by state and local suthorities, by burning. If burned, stay out of smoke.

(if plastic bag) Completely empty bag into application equipment. Then offer for recycling if available or dipose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

14. TRANSPORT INFORMATION

DOT When shipped as a limited quantity by domestic highway, as per 49 CFR 173.153(b) the

combination package, not exceeding a gross weight of 66 pounds (30kg), may contain inner packages not over 11 lbs (5 kg) each. Limited quantity designated packagings are excepted from labeling and packaging specification requirements. If the Limited Quantity

package is being shipped by air the package must conform to the applicable requirements

of 173.27

Proper Shipping Name Pesticides, solid, toxic, n.o.s. (Endothall)

Hazard Class6.1UN-No2588Packing GroupPG III

Reportable Quantity (RQ): 1,000 lbs (Endothall)

ICAO

<u>U</u>N-No 2588

Proper Shipping Name Pesticide, solid, toxic, n.o.s. (Endothall)

Hazard Class 6.1 Packing Group PG III

IATA

ŪN-No 2588

Proper Shipping Name Pesticide, solid, toxic, n.o.s. (Endothall)

Hazard Class6.1Packing GroupPG IIIERG Code6 L

IMDG/IMO

Proper Shipping Name Pesticide, solid, toxic, n.o.s. (Endothall)

Hazard Class 6.1
UN-No 2588
Packing Group PG III
EmS No. F-A, S-A

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS/ ELINCS	ENCS	CHINA	KECL	AICS
Dipotassium endothall salt	Present		X	X				
2-propenamide polymer with potassium	XU	Х			(6)-883	Х		Х

USA

Federal Regulations

SARA 313

γ

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values	
Dipotassium endothall salt	2164-07-0	63	1.0	

SARA 311/312 Hazardous Categorization

AQUATHOL® Super K

Chronic Health HazardNoAcute Health HazardYesFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs.

CERCLA

RCRA

Pesticide Information

State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dipotassium endothall salt		X			

International Regulations

Mexico - Grade

Not available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

Revision Date 09-Jan-2013

Revision Summary Update section 14

UPI, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPI, Inc. UPI, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS