

CRN LISTING

Bothwell

PROVINCE	CRN	EXPIRES (mo/yr)
Alberta	0A11939.52R2	Nov-2027
British Columbia	BC Opted Out	-
Manitoba	Manitoba Opted Out	-
New Brunswick	0A11939.57REV2	Nov-2027
Newfoundland	0A11939.50REV2	Nov-2027
Nova Scotia	0A11939.58REV2	Nov-2027
Ontario	0A11939.5R2	Nov-2027
P.E.I.	0A11939.59REV2	Nov-2027
Quebec	0A11939.56REV2	Nov-2027
Saskatchewan	Sask Opted Out	-
N.W.T.	0A11939.5TREV2	Nov-2027
Yukon	0A11939.5YREV2	Nov-2027
Nunavut	0A11939.5NREV2	Nov-2027

Office of the Fire Commissioner Inspections and Technical Services (ITS)



Exemption from Registration Requirements for Categories A, B, C and G Category Fittings

Date Issued: March 24, 2017
OFC ITSM 17 – 001

In an effort to better align Manitoba's requirements for pressure piping components and pressure relief valves with other provincial authorities, effective April 1, 2017, Category A, B, C and G fittings meeting the requirements in this bulletin will no longer require registration with Inspections and Technical Services.

The exemption from the registration requirements identified in paragraph 4.2 of the *CSA B51 code*, and paragraphs, and paragraphs 22(1)(e) and (f) of the *Steam and Pressure Plants Regulation* will apply to:

1. Piping components complying with the standards and specifications listed in ASME B31 Pressure Piping Codes, as identified in Category A, B and C below:

Category A

- Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

Category B

- Flanges complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

Category C

- Valves complying with a standard listed in Table 126.1 of ASME B31.1, Table 326.1 of ASME B31.3, Table 526.1 of ASME B31.5, or Table 926.1 of ASME B31.9

2. Certified pressure relief devices complying with ASME Boiler and Pressure Vessel Codes, as identified in Category G below:

Category G

- Pressure-relief devices marked with an ASME or NB stamp

Non-standard or unlisted piping components that do not comply with the specifications and standards listed in the ASME B31 Pressure Piping codes, and pressure relief devices that do not comply with the requirements of the ASME Boiler and Pressure Vessel Code, will continue to be required to be registered in accordance with the requirements of the CSA B-51 standard, and the *Steam and Pressure Plants Regulation* by submitting the documentation specified in CSA B51 section 4.2.8(b) to the following address:

Attn: Inspection and Technical Services
Office of the Fire Commissioner
508-401 York Avenue
Winnipeg, MB R3C 0P8

Note: Category A, B, C and G fitting registrations received prior to April 1, 2017 will continue to be registered by ITS

Reference Documents

- *The Steam and Pressure Plants Act and Regulation*
- *CSA B51 – Boiler, pressure vessel and pressure piping code*

508 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T: 204 945-3373
F: 204 948-2309
Toll Free: 1-866-888-8186 (in Manitoba only)
24 Hour Emergency Line: 204 931-2192
Website: www.firecomm.gov.mb.ca



ABSA
the pressure equipment safety authority
STATUTORY DECLARATION
Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



I, KEN-MEI WU,
PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of BOTH-WELL STEEL FITTINGS CO., LTD

(name of manufacturer)

located at NO. 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C (81460)
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME B16.11-B31.1-B31.3,BS3799,MSS-SP-79-83-95-97 which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY A (FORGED STEEL FITTINGS)

In support of this application, the following information, calculations and/or test data are attached:

案號: 106 Case No.: 106-7-3 日期: 7-3 本文件之簽名或蓋章, 在臺灣高雄地方法院公證處認證 公證人: 王寶 Attested at the Notary Public Office of Taiwan Kaohsiung District Court R.O.C, this the signature(s)/seal(s) on this document is/are authentic. Notary Public (sign) <u>Wang</u> (A Commissioner for Oaths)	001001400 & ISO CERTIFICATE (TUV) Hsiung Yuan Jen Tzu No. Date: JUL - 3 2017 KAOHSIUNG, TAIWAN COURT of KAOHSIUNG, TAIWAN R.O.C. 柏緯鐵工股份有限公司 BOTH-WELL STEEL FITTINGS CO., LTD. (Signature of Applicant) <u>KENMEI-WU. PRESIDENT</u>
---	--

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category A

Registration Number: **0A11939.52**

Date Registered: **NOV 20 2017**

(For the Administrator/Chief Inspector of Alberta)

Expiry Date: **2027, Nov. 13**

Scope of 2017 registration update. Ref Cat. No. 1705
CRN# OA11939.5 renewal

Page 13 to 25, fittings as per ASME B16.11, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 26 to 27, BOSS & HEX NIPPLE, dimension as per BS 3799, pressure temperature rating calculation per ASME B31.1; carbon & stainless (carbon max 375F, stainless max 1000F. Materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/F321H/F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 28 to 31, Unions, as per MSS-SP-83 classes #3000 & #6000, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/F321H/F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 32 to 33, Reducer Inserts, as per MSS-SP-79, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 37 to 44, branch outlet fittings, as per MSS-SP-97, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 45, Nipple, as per ASTM A733, materials A53 GR.B/C, ~~A106 GR. B/C, A333 GR.6,~~
A312GR.TP304/TP304H/TP316/TP316L/TP316H/
TP310S/TP317/TP317L/TP321/TP321H/TP347/TP347H/



OA11939.52



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, KEN-MEI WU / PRESIDENT
(Name and Position, e.g. President, Plant Manager, Chief Engineer)
of BOTH-WELL STEEL FITTINGS CO., LTD
(Name of Manufacturer)
Located at NO.303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN 886-7-3711536 886-7-3713864
(Plant Address) (Telephone No.) (Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B16.11-B31.1-B31.3, BS3799, MSS-SP-79-83-95-97
(Title of recognized North American Standard)
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008
which has been verified by the following authority, TUV

The items covered by this declaration, for which I seek registration, are category FORGED STEEL FITTINGS type fittings. In support of this application, the following information and/or test data are attached as follows:
CATALOG NO.1705 & ISO CERTIFICATE (TUV)

案號: 106 年度雄院認字第 001001396 (drawings, calculations, test reports, etc.)

Case No. 106 年度雄院認字第 001001396

日期: 106 年 7 月 3 日 Declared before me at Date: JUL - 3 2017 in the _____ of _____

本文件之簽名或蓋章, 在臺灣高雄地方法院公證處認證。

公證人: 王寶鋒 the _____ day of _____ AD 20 _____

Attested at the Notary Public Office of Taiwan Kaohsiung District

Court R.O. Commission for Seal(s) in this document is/are

authentic.

Notary Public

Wang (Printed name)
(Signature)

柏緯鐵工股份有限公司
BOTH-WELL STEEL FITTINGS CO., LTD.

KENMEI-WU. PRESIDENT

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category A.

CRN: 0A11939-5R2


Registered by: RUIMING YOU

Dated: SEPT. 26, 2017

NOTE: This registration expires on: NOV. 13, 2027

PV 09553 (11/12)

NOTE: SEE SCOPE OF REGISTRATION - ONE PAGE - ATTACHED
TWO PLANT SITE LOCATIONS.



Scope of 2017 registration update. Ref Cat. No. 1705
CRN# 0A11939.5 renewal

Page 13 to 25, fittings as per ASME B16.11, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.


Page 26 to 27, BOSS & HEX NIPPLE, dimension as per BS 3799, pressure temperature rating calculation per ASME B31.1; carbon & stainless (carbon max 375F, stainless max 1000F. Materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/F321H/F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 28 to 31, Unions, as per MSS-SP-83 classes #3000 & #6000, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/F321H/F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 32 to 33, Reducer Inserts, as per MSS-SP-79, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 37 to 44, branch outlet fittings, as per MSS-SP-97, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/F347H/F44/F5/F9/F91/F11/F22/F53/F51/F60.

Page 45, Nipple, as per ASTM A733, materials A53 GR.B/C, A106 GR. B/C, A333 GR.6, A312GR.TP304/TP304H/TP316/TP316L/TP316H/ TP310S/TP317/TP317L/TP321/TP321H/TP347/TP347H/



Annex to certificate

Standard **ISO 9001:2008**

Certificate Registr. No. 01 100 126923

No.	Location	Scope
/01	BOTH-WELL STEEL FITTING CO., LTD. HQ: No. 303, Ren-Sin Road, Ren-Wu District, Kaohsiung City 81460, Taiwan, R.O.C.	Manufacture and Supply of Forged High Pressure Carbon, Alloy, Stainless Steel Fittings and Flange
/02	BOTH-WELL STEEL FITTING CO., LTD. Factory: No. 46, Hua-Dong Road, Da-Fa Industrial Park, Da-Liao District, Kaohsiung City 83162, Taiwan, R.O.C.	Manufacture of Forged High Pressure Carbon, Alloy, Stainless Steel Fittings and Flange

THIS IS PART OF
CRN 0A11939-5 R2
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

2015-07-09

J. Ulrich

TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Page 1 of 1



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, KEN-MEI WU / PRESIDENT
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of BOTH-WELL STEEL FITTINGS CO., LTD
(Name of Manufacturer)

Located at NO.303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN 886-7-3711536 886-7-3713864
(Plant Address) (Telephone No.) (Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B16.11-B31.1-B31.3, BS3799, MSS-SP-79-83-95-97

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008 which has been verified by the following authority, TUV

The items covered by this declaration, for which I seek registration, are category FORGED STEEL FITTINGS type fittings. In support of this application, the following information and/or test data are attached as follows:

CATALOG NO.1705 & ISO CERTIFICATE (TUV)

案號: 106 年度雄院認字第001001398 drawings, calculations, test reports, etc.)

Case No.: Hsiung Yuan Jen Tzu No.

日期: 106 年 7 月 3 日 Declared before me at Date: JUL - 3 2017

本文件之簽名或蓋章, 在臺灣高雄地方法院公證處認證。

公證人: 王耀輝 day of AD 20

Attested at the Notary Public Office of Taiwan Kaohsiung District

Court R.O.C. and the signature(s) and seal(s) in this document is/are authentic.

Notary Public

(Printed name)

(Signature)

柏緯鐵工股份有限公司
BOTH-WELL STEEL FITTINGS CO., LTD.

KENMEI-WU. PRESIDENT

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category A

CRN:

CSA-0A11939.56R2

Registered by:

R. BARNES

Dated:

NOV 10, 2017

NOTE: This registration expires on:

NOV. 13. 2027

REGISTERED

CRN: CSA-0A11939.56R2

Registration Process administered by
CSA Group per CSA B51



*Note:
1. See attachment as the scope of registration.
2. Renewal registration without construction material, design specification & pressure rating change.



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: 416 734 3300
Fax: 416 231 1625
Toll Free: 1 877 682 8772

www.tssa.org

September 26, 2017

CARL PEACOCK
SEYBOLD INTERNATIONAL CORP
20 HOLLY ST. Suite 205
TORONTO ON M4S 3B1
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 2115468
Your Reference No.: **Renewal of CRN registration 0A11939.5C**
Registered to: BOTH-WELL STEEL FITTINGS CO. LTD.

Dear CARL PEACOCK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:


CRN No.: 0A11939.5R2
Main Design No.: CATALOG 1705, Scope of Registration
Expiry Date: 13-Nov-2027

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Ruiming You, P.Eng.
Mechanical Engineer, BPV
Tel.: 416-734-3428
Fax: 416-231-6183
Email: ryou@tssa.org



**Scope of 2017 registration update. Ref Cat. No. 1705
CRN# 0A11939.5 renewal**

Page 13 to 25, fittings as per ASME B16.11, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/ F44/ F5/ F9/ F91/ F11/ F22/ F53/ F51/ F60.

Page 26 to 27, BOSS & HEX NIPPLE, dimension as per BS 3799, pressure temperature rating calculation per ASME B31.1; carbon & stainless (carbon max 375F, stainless max 1000F. Materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/ F44/ F5/ F9/ F91/ F11/ F22/ F53/ F51/ F60.

Page 28 to 31, Unions, as per MSS-SP-83 classes #3000 & #6000, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/ F44/ F5/ F9/ F91/ F11/ F22/ F53/ F51/ F60.


Page 32 to 33, Reducer Inserts, as per MSS-SP-79, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/ F44/ F5/ F9/ F91/ F11/ F22/ F53/ F51/ F60.

Page 37 to 44, branch outlet fittings, as per MSS-SP-97, materials A105, A350 LF2, A182 GR. F304/ F304L/ F304H/ F316/ F316L/ F316H/ F310/ F317/ F317L/ F321/ F321H/ F347/ F347H/ F44/ F5/ F9/ F91/ F11/ F22/ F53/ F51/ F60.

Page 45, Nipple, as per ASTM A733, materials A53 GR.B/C, A105 GR. B/C, A333 GR. 6, A312GR.TP304/TP304H/TP316/TP316L/TP316H/TP310S/TP317/TP317L/TP321/TP321H/TP347/TP347H/

THIS IS PART OF
CRN 0A11939.5R2
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

 **20F3**

ATTACHMENT TO
C.R.N. CSA-0A11939.5R2
Signed: 
178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

Annex to certificate

Standard **ISO 9001:2008**

Certificate Registr. No. **01 100 126923**

No.	Location	Scope
/01	BOTH-WELL STEEL FITTING CO., LTD. HQ: No. 303, Ren-Sin Road, Ren-Wu District, Kaohsiung City 81460, Taiwan, R.O.C.	Manufacture and Supply of Forged High Pressure Carbon, Alloy, Stainless Steel Fittings and Flange
/02	BOTH-WELL STEEL FITTING CO., LTD. Factory: No. 46, Hua-Dong Road, Da-Fa Industrial Park, Da-Liao District, Kaohsiung City 83162, Taiwan, R.O.C.	Manufacture of Forged High Pressure Carbon, Alloy, Stainless Steel Fittings and Flange

THIS IS PART OF
CRN 0A11939.5 R2
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

2015-07-09

J. Ulrich

TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln



30F3

ATTACHMENT TO

C.R.N.

CSA-0A11939.5 R2

Signed:

J. Ulrich

178 Rexdale Boulevard, Toronto, ON Canada M9W 1L1

Page 1 of 1

www.tuv.com

TÜVRheinland®
Precisely Right.

Certificate

Standard

ISO 9001:2008

Certificate Registr. No. 01 100 126923

Certificate Holder:

BOTH-WELL STEEL FITTING CO., LTD.
No. 303, Ren-Sin Road, Ren-Wu District,
Kaohsiung City 81460, Taiwan, R.O.C.

including the locations according to annex

Scope:

**Manufacture and Supply of Forged High Pressure Carbon, Alloy,
Stainless Steel Fittings and Flange**

Proof has been furnished by means of an audit that the
requirements of ISO 9001:2008 are met.

Validity:

The certificate is valid from 2015-07-31 until **2018-07-30**.
First certification 2012

2015-07-09



TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

www.tuv.com



TÜVRheinland®
Precisely Right.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD

MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)

PLANT LOCATIONS: AS ABOVE

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16.11/BS3799/
MSS-SP-79-83-95-97/

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

CATALOG NO.1705
ISO CERTIFICATE (TUV)

DECLARATION:

I, KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

KENMEI-WU, PRESIDENT

Declared before me at

KAOHSIUNG, TAIWAN R.O.C.

This _____ day of _____ AD _____

Commissioner of Oaths

or Notary Public: (sign) _____

案號: 106 年度雄院認字第 001001399 號

Case No.: Hsiung Yuan Jen Tzu No.

日期: 106 年 7 月 3 日 Date: JUL - 3 2017

本文件之簽名或蓋章已由臺灣高雄地方法院公證處認證。

公證人:

Attested at the _____ of _____ Taiwan Kaohsiung District

Court Room

Notary Public: _____ in this document is/are

This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0A11939.5 REV2

FID#: 2329

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

DEPT OF PUBLIC SAFETY
BOLTER & PRESSURE

REGISTRATION ONLY

CRN: 0A11939.57 REV2

CHIEF BOLTER INSPECTOR

DATE: 10/27/2017 Sect. 1.0 - Fittings Rev. 1 06/2003

☐ BLRs ☐ FVs

☒ FITTINGS ☐ COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD

MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)

PLANT LOCATIONS: AS ABOVE

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16.11/BS3799/
MSS-SP-79-83-95-97/

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

CATALOG NO. 1705
ISO CERTIFICATE (TUV)

DECLARATION:

I KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been certified by BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

KEN-MEI WU, PRESIDENT

Declared before me at

KAOHSIUNG, TAIWAN R.O.C.

This _____ day of _____ AD _____

Commissioner of Oaths

or Notary Public: (sign) _____

Case No.: 106 年度雄院認字第 001001399 號
 日期: 106 年 7 月 3 日
 本文件之簽字及蓋章均經本法院公證處認證。
 公證人: [Signature]
 Attested at the Taiwan Kaohsiung District
 Court R.O.C. on this _____ day of _____, 2017.

This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0A11939.5 REV2FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. 0A11939.58REV2Dwg. as describedSigned Yvonne Perry1 of 1

Part

ACT & REGULATIONS

Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD
MANUFACTURERS ADDRESS: NO.303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)
PLANT LOCATIONS: AS ABOVE

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16.11/B53.799/
MSS-SP-79-83-95-97/

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

☒ FORGED ☐ WELDED ☐ WROUGHT ☐
☐ CAST ☐ OTHER ☐
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

CATALOG NO.1705
ISO CERTIFICATE (TUV)

DECLARATION:

I, KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been certified by BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: KEN-MEI WU, PRESIDENT
Declared before me at KAOHSIUNG, TAIWAN R.O.C.

This day of AD

Commissioner of Oaths
or Notary Public: (sign)



This space for Regulatory Authority use only
This registration must be revalidated after ten (10) years from the date of registration

CRN: 0A11939.5 REV2

FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT

C.R.N. 0A11939.59 REV2

DATE: Oct 27 2017

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD	
MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)	
PLANT LOCATIONS: AS ABOVE	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY (A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.11/BS3799/ MSS-SP-79-B3-95-97/	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	
TYPE OF CONSTRUCTION FORGED ☒ WELDED ☐ WROUGHT ☐ CAST ☐ OTHER ☐ DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: CATALOG NO.1705 ISO CERTIFICATE (TUV)	

DECLARATION:

I, KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: KEN-MEI WU, PRESIDENT

Declared before me at KAOHSIUNG, TAIWAN R.O.C.

This _____ day of _____ AD _____

Commissioner of Oaths

or Notary Public: (sign) _____

Case No.: 106 年度雄院認字第 001001399 號
 Heiung Yuan Jen. Tzu No.
 日期: 106 E 7 JUL - 3 2017
 本文件之簽名或印信係由本法院公證處認證。
 公證人: [Signature]
 Attested at the _____
 Court R.O.C. _____
 Notary Public: [Signature]
 Service No. 0A11939.50 Rev.2

CRN: 0A11939.5 REV2

FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Registered 0A11939.50 Rev.2
 Date 17/10/27
 Engineering and Inspection Services
 Registered by [Signature]

UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND Sect. 1.0 - Fittings Rev. 1 06/2003
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD	
MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)	
PLANT LOCATIONS: AS ABOVE	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY (A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.11/BS3799/ MSS-SP-79-83-95-97/	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	
TYPE OF CONSTRUCTION FORGED ☒ WELDED ☐ WROUGHT ☐ CAST ☐ OTHER ☐ DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: CATALOG NO.1705 ISO CERTIFICATE (TUV)	

DECLARATION:

I, KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: KEN-MEI WU, PRESIDENT
 Declared before me at KAOSIUNG, TAIWAN R.O.C.
 This _____ day of _____ AD _____
 Commissioner of Oaths
 or Notary Public: (sign) _____

Case No. : 106 年度雄院認字第 001001399 號
 Hsiung Yuan Jen Tzu No.
 日期: 106 年 7 月 3 日 Date: 07 JUL - 3 2017
 本文件之簽名及蓋章係由 台灣高雄地方法院公證處 公證。
 公證人: 台灣高雄地方法院公證處
 Attested at the Nunavut Court R.O.C. Taiwan Kaohsiung District
 Court R.O.C. Nunavut
 Notary Public: Nunavut
 Boilers and Pressure Vessels Act

CRN: 0A11939.5 REV2
 FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

REGISTERED
 CRN 0A11939.5N Rev 2
 Date Oct 27, 2017
 Signed _____
 Chief Inspector
 Sept 15, Fittings Rev. 1 06/2003

Territorial Registration Fee

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD	
MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)	
PLANT LOCATIONS: AS ABOVE	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies: all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.11/B53799/ MSS-SP-79-83-95-97/	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	
TYPE OF CONSTRUCTION FORGED ☒ WELDED ☐ WROUGHT ☐ CAST ☐ OTHER ☐ DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: CATALOG NO.1705 ISO CERTIFICATE (TUV)	

DECLARATION:

I, KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is registered by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been certified by BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at

This _____ day of _____ AD

Commissioner of Oaths
or Notary Public: (sign)

KEN-MEI WU, PRESIDENT
KAOSIUNG, TAIWAN R.O.C.

Case No.: 106 年度雄院認字第 001001399 號
Hejund Yuan, Ren-Tzu No.

日期: 106 年 7 月 13 日
2017 JUL - 13

本文件之簽名蓋章係在 高雄地方法院公證處 公證人: 張

Attested at the _____ Court R.O.C. _____
Court R.O.C. Kaohsiung District

Notary Public:

This registration must be revalidated after (10) years from the date of issuance of this document.

CRN: 0A11939.5 REV2

FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

REGISTERED

UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N. 0A11939.5 TRAR

SIGNED

DATE Oct 30 2017

Code No. - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOTH-WELL STEEL FITTINGS CO., LTD	
MANUFACTURERS ADDRESS: NO 303 REN-SIN RD., REN-WU DIST., KAOHSIUNG CITY, TAIWAN R.O.C. (81460)	
PLANT LOCATIONS: AS ABOVE	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies: all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.11/BS3799/ MSS-SP-79-83-95-97/	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	
TYPE OF CONSTRUCTION FORGED ☐ WELDED ☐ WROUGHT ☐ CAST ☐ OTHER ☐ DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: CATALOG NO.1705 ISO CERTIFICATE (TUV)	

DECLARATION:

I KEN-MEI WU (see note 3) employed by BOTH-WELL STEEL FITTINGS CO., LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been certified by BOTH-WELL STEEL FITTINGS CO., LTD. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at

This _____ day of _____ AD

Commissioner of Oaths

or Notary Public: (sign)

Case No. : 106 年度雄院認字第 001001399 號
 Hsiung Yuan Jen Tzu No.
 日期: 106 E 7 H 3 5 JUL - 3 2017
 本文件之簽名並蓋章處，經本法院公證處認證。
 公證人: [Signature]
 Attested at the Taiwan Kaohsiung District
 Court R.O.C. [Signature]
 This space for Regulatory Authority authentication is reserved for use in this document is/are

This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0A11939.5 REV2

FID#: 2329

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Sect. 1.0 - Fittings Rev. 1 06/2003