



Spare Parts Catalogue

RT655 Mk2 Stage 3a Engine

Regenerative Air Twin Engined Sweeper from Manufacture Sequence No. 10/4233

Revision 10

J000022109

All Copyright and rights are the property of Johnston Sweepers Ltd

Published date: 25.11.2013

Foreword

The Johnston RT655 MkII Suction Sweeper has been designed specifically for markets requiring a regenerative air sweeper embodying the highest grade of craftsmanship and reliability that have made Johnston a world leader.

Every endeavour has been made to ensure that the information contained in this Manual is correct at the time of going to print, but due to continuous product development (E.A.O.E.), the Company reserve the right to alter contents without notice. This document should not be interpreted as being part of a formal contract.

**Please refer to the Parts Catalogues on the Johnston Sweepers website for the latest update information,
www.johnstonsweepers.com**


The Table of Contents locates the exact page a particular illustration or parts list is on. Parts that have been superseded and are not interchangeable with the new items are shown in a 'Superseded Parts' section.

All copyrights and rights reserved. The reproduction, distribution and utilisation of this document as well as the communication of its contents to others without the express authorisation of Johnston Sweepers Limited is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

When making enquiries or ordering spare parts the Johnston Serial number should be quoted. The number will be found stamped on a plate similar to that shown below and attached to the rearmost cross-member of the subframe, below the rear door.

Serial number comprises:-

| Model No. | Build No. | Year of manufacture | Manufacture sequence No. |
|--------------------|-----------|---------------------|--------------------------|
| Example..... RT655 | 12345 | 10 | 0000 |



L. 0012-14

It is important that only GENUINE JOHNSTON SPARE PARTS are used when servicing and maintaining the sweeper. This is especially important for consumables, filters etc. as the use of non-genuine parts may cause premature failure and invalidation of warranty.

This section of the manual will help you when ordering parts and serves as an assembly/disassembly reference when used in conjunction with the Maintenance Section procedures.

About this section

Chapters 1 to 14, listed on the front sheet, cover the major areas of the machine. Some of the more popular options such as the Supawash hi-pressure water system, Channel Brush Rotatilt, Powaboom and Littasnatch wanderhoses are also covered in these chapters. Other more specialised options will be found in the Optional Equipment Chapter 15.

The BoM numbers, shown in brackets after the section title, are for Johnston internal reference only.

Chassis Related Parts

The items listed below vary depending on what chassis the Johnston sweeper equipment is mounted to. If any parts for these areas are required, contact the Johnston Parts Department quoting the machine serial number shown on the plate fitted to the subframe crossmember below the body rear door.

- * Batteries and battery mounting
- * Cab - Sweep control installations
- * Cab - single and dual steer parts
- * Body discharge interlock
- * Rear mounted fuel tank
- * Gutter and wide sweep brush water spraybar mountings
- * Supawash hose reel and front bumper spraybar mountings
- * Rear underrun bumper
- * Rear mudguards and mudflaps
- * Subframe to chassis mounts
- * Work lights
- * Channel brush pivot frame support posts
- * Channel brush hydraulic hoses 75 and 84
- * Wide sweep brush hydraulic hoses 70 to 74
- * Customer options i.e. autolube, special beacons, reversing camera, handwash etc.

Ordering Parts - General Instructions:

1. Provide name and address of where to deliver parts.
2. Provide complete serial number.
3. Provide part number, description, and quantity for each part required.
If unsure of part number, provide a detailed description of part and where it is used.

Chassis Related Parts

Some parts shown in the Parts Section are chassis related and can vary due to the differences between chassis manufacturers.

Abbreviations - The following abbreviations are used in this Manual:

- | | |
|--------------------------------|-------------------------|
| LH = Left Hand. | RH = Right Hand. |
| WSB = Wide Sweep Brush. | CB = Channel Brush |
| CW = Clockwise. | CCW - Counterclockwise. |
| NO = Normally Open. | NC = Normally Closed. |
| Item O = Whole assembly shown. | |

Johnston® is a registered trade mark of Johnston Sweepers Limited.

Johnston Sweepers Limited

Curtis Road, Dorking, Surrey RH4 1XF, UK

Tel: +44 (0)1306 884722 Fax: +44 (0)1306 884151

E-mail: enquiries@johnstonsweepers.com Web: www.johnstonsweepers.com

Table of Contents

| | | | |
|---|-----------|---|-----------|
| 1 Body/Rear Door..... | 8 | 3.2.1.1.2 Exhaust Silencer - Iveco..... | 66 |
| 1.1 Body..... | 10 | 3.2.1.1.3 Air Cleaner Installation - John Deere | 68 |
| 1.1.1 Common Parts | 10 | 3.2.1.1.4 Combi Air Filter Installation - Iveco..... | 70 |
| 1.1.2 Internal Components..... | 18 | 3.2.1.1.5 Radiators and Shrouds..... | 72 |
| 1.1.3 Access Door Assembly | 22 | 3.2.1.1.5.1 John Deere | 72 |
| 1.2 Rear Door..... | 24 | 3.2.1.1.5.2 Iveco | 74 |
| 1.2.1 Installation..... | 24 | 3.2.1.1.6 Engine and Gearbox Drains..... | 76 |
| 1.2.2 Door Assembly..... | 28 | 3.2.1.2 Engine Ancillaries - Common Parts | 78 |
| 1.3 Body Prop..... | 30 | 3.2.1.2.1 Engine Mounting Frame..... | 78 |
| 1.3.1 Auto Prop | 30 | 3.2.1.2.2 P.T.O. Hydraulic Pumps..... | 80 |
| 2 Subframe Assembly..... | 32 | 3.2.1.2.2.1 Single | 80 |
| 2.1 Subframe Assembly..... | 34 | 3.2.1.2.2.2 Tandem..... | 82 |
| 3 Powapak..... | 36 | 3.3 Fuel Tank..... | 84 |
| 3.1 Engine Options..... | 38 | 3.3.1 Fuel Tank and Miscellaneous Items | 84 |
| 3.1.1 Iveco Stage 3a | 38 | 3.3.1.1 Fuel Tanks..... | 84 |
| 3.1.1.1 Dressed Engine | 38 | 3.3.1.1.1 R.H. Sweep Fuel Tank Installation..... | 84 |
| 3.1.1.2 Spares Items..... | 44 | 3.3.1.1.2 L.H. Sweep Fuel Tank Installation..... | 88 |
| 3.1.1.3 Fuel System..... | 46 | 3.3.1.2 Miscellaneous Components | 92 |
| 3.1.1.4 Engine Management Box..... | 48 | 3.3.1.2.1 Access Platform and Ladder..... | 92 |
| 3.1.2 John Deere High Power..... | 52 | 3.3.1.2.1.1 LH Blast..... | 92 |
| 3.1.2.1 Dressed Engine | 52 | 3.3.1.2.1.2 RH Blast..... | 94 |
| 3.1.2.2 Fuel System Hoses..... | 58 | 3.3.1.2.2 Hydraulic Oil Cooler Installation..... | 96 |
| 3.1.2.3 Engine Management Box..... | 60 | | |
| 3.2 Ancillaries..... | 64 | | |
| 3.2.1 Iveco & John Deere Engines..... | 64 | 4 Suction Fan/Transmission..... | 98 |
| 3.2.1.1 Engine Ancillaries..... | 64 | 4.1 Suction System..... | 100 |
| 3.2.1.1.1 Exhaust Silencer - John Deere | 64 | 4.1.1 Impeller and Fan Case..... | 100 |
| | | 4.1.2 Fan Case | 104 |
| | | 4.1.2.1 Fan Case VEG Mechanism L.H..... | 104 |
| | | 4.1.2.2 Fan Case VEG Mechanism R.H..... | 108 |
| | | 4.2 Transmission | 112 |
| | | 4.2.1 Fluid Coupling | 112 |

| | | | | | |
|----------|--|------------|------------|--|------------|
| 4.2.2 | Fan Drive Gearbox..... | 114 | 8.1.2 | Reservoir Connections..... | 172 |
| 5 | Gutter Broom..... | 118 | 8.1.3 | Secondary Pump Option..... | 174 |
| 5.1 | Gutter Broom..... | 120 | 8.1.4 | Emergency Discharge Pump..... | 176 |
| 5.1.1 | Assembly L.H. & R.H..... | 120 | 8.1.5 | PTO Pump..... | 178 |
| 5.1.2 | Shuttle Valve Installations..... | 128 | 8.2 | Valves..... | 180 |
| 5.1.2.1 | Single | 128 | 8.2.1 | Pick-up Hood Lock Valve..... | 180 |
| 5.1.2.2 | Dual..... | 130 | 8.2.2 | Lift and Sweep Valve Mounting Bracket..... | 182 |
| 5.1.3 | Brush Stock Assembly..... | 132 | 8.2.3 | Sweep Bank Assembly..... | 184 |
| 5.2 | Curtain Installation..... | 134 | 8.2.4 | Lift Bank Assembly | 186 |
| 5.3 | Mounting Brackets - Not Supplied With ESU's..... | 136 | 8.3 | Manifold and Tank..... | 188 |
| 6 | Pick-up Head..... | 138 | 8.3.1 | Manifold Assembly | 188 |
| 6.1 | Pick-up Head..... | 140 | 8.3.1.1 | Standard Single PTO Pump..... | 188 |
| 6.1.1 | Pick-up Head Assembly..... | 140 | 8.3.1.2 | Optional Tandem PTO Pump..... | 190 |
| 6.1.2 | Trunking | 144 | 8.3.2 | Hydraulic Tank Assembly | 192 |
| 6.2 | Installations..... | 146 | 8.4 | Emergency Discharge | 194 |
| 6.2.1 | Mounting Brackets..... | 146 | 8.4.1 | Discharge Pump Installation - Iveco | 194 |
| 6.2.2 | Pick-up Head Installation..... | 148 | 8.4.2 | Discharge Pump Installation - John Deere | 196 |
| 7 | Wanderhose Option..... | 150 | 8.5 | Cylinders..... | 198 |
| 7.1 | Hydraulic Rear Mounted Wanderhose..... | 152 | 8.5.1 | Rear Door Cylinder..... | 198 |
| 7.2 | Pneumatic Controls..... | 158 | 8.5.2 | Pick-up Hood Lift Cylinder | 200 |
| 7.3 | Hoses..... | 160 | 9 | Pneumatics..... | 202 |
| 7.3.1 | Powaboom | 160 | 9.1 | Valves | 204 |
| 7.3.2 | Rear Wanderhose | 162 | 9.1.1 | VM10 Island Valve | 204 |
| 7.4 | Looms..... | 164 | 9.1.2 | VM10 Island Valve Mounting | 206 |
| 7.5 | Looms (Superseded)..... | 166 | 9.1.3 | System Protection Valve | 208 |
| 8 | Hydraulics..... | 168 | 9.2 | FR Unit | 210 |
| 8.1 | Hoses..... | 170 | 10 | Water System..... | 212 |
| 8.1.1 | Dual Sweep Circuit..... | 170 | 10.1 | Water Hoses - Basic System..... | 214 |
| | | | 10.2 | Pump | 218 |

| | | | | | |
|------------|--|------------|-----------|--------------------------------------|------------|
| 10.2.1 | Pump Assembly | 218 | 12.1 | Switch Panel | 266 |
| 10.2.2 | Pump Installation..... | 220 | 12.1.1 | Switch Panel Assembly..... | 266 |
| 10.3 | Control Valves | 224 | 12.1.1.1 | Switch Panel Dual..... | 266 |
| 10.3.1 | Water Manifold Assembly..... | 224 | 12.1.2 | Powapak Loom/Control Panel..... | 272 |
| 10.3.2 | Soleniod Valve Assembly..... | 226 | 12.1.2.1 | Loom/Control Panel A..... | 272 |
| 10.4 | Water Filter Assembly..... | 228 | 12.1.2.2 | Loom/Control Panel B..... | 274 |
| 10.5 | Relief Valve..... | 230 | 12.2 | Discharge Control | 276 |
| 10.5.1 | Installation..... | 230 | 12.2.1 | Load Discharge Pendant..... | 276 |
| 10.5.2 | Assembly..... | 232 | 12.3 | Gutter Broom Speed Control..... | 278 |
| 10.6 | Water Tank Assembly..... | 234 | 13 | Miscellaneous..... | 280 |
| 10.7 | Supawash Option | 240 | 13.1 | Decals..... | 282 |
| 10.7.1 | Water System | 240 | 13.2 | Lubricants and Tool Kit | 284 |
| 10.7.1.1 | Hoses and Front Spraybar..... | 240 | 14 | Optional Equipment..... | 286 |
| 10.7.1.1.1 | Hoses and Front Spraybar R.H..... | 240 | 14.1 | Body..... | 288 |
| 10.7.1.1.2 | Hoses and Front Spraybar L.H..... | 242 | 14.1.1 | Rear Door Mounted Options Frame..... | 288 |
| 10.7.1.2 | Water Pump and Unloader Installation..... | 244 | 14.1.2 | Mesh Screen Shaker..... | 290 |
| 10.7.1.3 | Hose Reel and Lance | 248 | 14.1.3 | Rear Beacon..... | 292 |
| 10.7.1.4 | Manifold Assembly | 250 | | | |
| 10.7.1.4.1 | With Front Spraybar - Option | 250 | | | |
| 10.7.2 | Hydraulic System | 252 | | | |
| 10.7.2.1 | Tandem/Options Pump Valve Block..... | 252 | | | |
| 10.7.2.2 | Hydraulic Hoses | 254 | | | |
| 11 | Electrical System | 256 | | | |
| 11.1 | Controls | 258 | | | |
| 11.1.1 | Relay Box | 258 | | | |
| 11.1.1.1 | Relay Box Assemblies Dual | 258 | | | |
| 11.2 | Wiring Looms | 262 | | | |
| 11.2.1 | Loom Interface Bulkhead Plates - Under Cab | 262 | | | |
| 12 | Cab Controls | 264 | | | |
| 12.1 | Switch Panel | 266 | | | |
| 12.1.1 | Switch Panel Assembly | 266 | | | |
| 12.1.1.1 | Switch Panel Dual | 266 | | | |
| 12.1.2 | Powapak Loom/Control Panel | 272 | | | |
| 12.1.2.1 | Loom/Control Panel A | 272 | | | |
| 12.1.2.2 | Loom/Control Panel B | 274 | | | |
| 12.2 | Discharge Control | 276 | | | |
| 12.2.1 | Load Discharge Pendant | 276 | | | |
| 12.3 | Gutter Broom Speed Control | 278 | | | |
| 13 | Miscellaneous | 280 | | | |
| 13.1 | Decals | 282 | | | |
| 13.2 | Lubricants and Tool Kit | 284 | | | |
| 14 | Optional Equipment | 286 | | | |
| 14.1 | Body | 288 | | | |
| 14.1.1 | Rear Door Mounted Options Frame | 288 | | | |
| 14.1.2 | Mesh Screen Shaker | 290 | | | |
| 14.1.3 | Rear Beacon | 292 | | | |

This page is intentionally left blank

This page is intentionally left blank

Chapter 1

Body / Rear Door





Table of Contents

| Section | Page |
|--------------------|------|
| 1.1 Body..... | 10 |
| 1.2 Rear Door..... | 24 |
| 1.3 Body prop..... | 30 |

Common Parts (M010611,M010326)
 Body\Rear Door\Body\Common Parts
 Body\Rear Door




Common Parts (M010611,M010326)

Body\Rear Door\Body\Common Parts

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|----------------------------------|------------|-------------|
| 1 | 223400-1 | Body W/Assy Mild Steel RT655 | 1 | PC |
| 1 | 223400-2 | Body W/Assy 4003 RT655 | 1 | PC |
| 2 | 221130-1 | Brkt W/A Hyd Water Flush RT655 | 1 | PC |
| 3 | 124-134 | Setscrew M8C x 16 | 4 | PC |
| 3 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 3 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 4 | 264-8 | Adaptor M/M - Bulkhead 1 1/4 BSP | 1 | PC |
| 5 | 277-210 | Hosetail Female 1 1/4"BSPx35mm | 1 | PC |
| 5 | 740-9 | Washer - Rubber 1 1/4" BSP (F) | 1 | PC |
| 6 | 7017520 | Hydrant Filler - 237 x 30 | 1 | PC |
| 8 | 18684-1-C | Hydrant coupling - UK | 1 | PC |
| 8 | 667-31 | Coupling-Storz 2.5" BSP | 1 | PC |
| 9 | 497-H24 | Hose-Premoflex, 1 1/2" Bore | 1 | M |
| 9 | 501-5 | Clip Hose Worm Drive 40-55mm | 2 | PC |
| 10 | 68-53 | 90 Hosetail Cap/Liner 1 1/2" BSP | 1 | PC |
| 11 | 277-200 | O Ring For 1 1/2"BSP Cap&Liner | 1 | PC |
| 12 | 277-249 | Reducing Bush-1 1/2"M-1 1/4"F | 1 | PC |
| 13 | 277-141 | Seal For 1 1/4" BSP Cap&Liner | 1 | PC |
| 14 | 800862-1 | Piston-Hopper Warning Switch | 1 | PC |
| 15 | 200755-1 | Spring - Body Location Switch | 1 | PC |
| 16 | 124-70 | Setscrew M5C x 16 | 1 | PC |
| 16 | 460-7 | Washer Spring Single Coil M5 | 1 | PC |
| 16 | 455-7 | Washer Plain Plated Steel M5 | 1 | PC |
| 17 | 32-131 | Boot - Sender Unit | 1 | PC |

Common Parts (M010611,M010326)
 Body\Rear Door\Body\Common Parts
 Body\Rear Door




Common Parts (M010611,M010326)

Body\Rear Door\Body\Common Parts

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|----------|------------|--------------------------------|-----|------|
| 18 | 221120-1 | Cylinder - Hydraulic Tip RT655 | 2 | PC |
| 18 | 221120-500 | Seal Kit | 1 | PC |
| 19 | 241-265 | Valve-Over Centre 5:1 | 2 | PC |
| 19 | 263-3 | Adaptor M/M 3/8 BSP | 2 | PC |
| 19 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 20 | 221077-1 | Anchor Pin W/A Tip Cyl Mtg 655 | 4 | PC |
| 20 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 20 | 460-12 | Washer Spring Single Coil M12 | 4 | PC |
| 21 | 38-1 | Nipple Grease Straight 1/8 BSP | 4 | PC |
| 22 | 223290-1 | Tip Bracket W/Assy LH RT655 | 1 | PC |
| 23 | 223290-4 | Tip Bracket W/Assy RH RT655 | 1 | PC |
| 24 | 425-16 | Nut Nyloc Hex M12c | 18 | PC |
| 24 | 455-12 | Washer Plain Plated Steel M12 | 18 | PC |
| 25 | 221030-1 | Pivot Shaft - Short Body RT655 | 2 | PC |
| 26 | 123-156 | Bolt M Coarse M12x90 | 2 | PC |
| 26 | 425-16 | Nut Nyloc Hex M12c | 2 | PC |
| 27 | 38-30 | Nipple Grease M6 X 1 | 2 | PC |
| 28 | 118-263 | Setscrew Hexagon Hd M16cx20 SS | 6 | PC |
| 28 | 454-16 | Washer Plain St.Stl M16x30 | 6 | PC |
| 29 | 221111-1 | Access Plate M.Steel RT655 | 1 | PC |
| 29 | 221111-2 | Access Plate 4003 RT655 | 1 | PC |
| 30 | 118-134 | Setscrew Hexagon Hd M8cx16 SS | 10 | PC |
| 30 | 458-8 | Washer Spring Single Coil M8SS | 10 | PC |
| 31 | 221102-1 | Blanking Plate-Rr Panel MS 655 | 2 | PC |

Common Parts (M010611,M010326)
 Body\Rear Door\Body\Common Parts
 Body\Rear Door




Common Parts (M010611,M010326)

Body\Rear Door\Body\Common Parts

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 31 | 221102-2 | Blanking Plate-Rr Panel 4003 | 2 | PC |
| 32 | 118-167 | Setscrew Hexagon Hd M10cx20 SS | 8 | PC |
| 32 | 458-10 | Washer - Spring IM10 SS | 8 | PC |
| 32 | 454-10 | Washer Plain St.Stl M10x21 | 8 | PC |
| 34 | 221276-1 | Radiator Seal RT655 | 2 | PC |
| 35 | 221277-1 | Radiator Seal RT655 | 2 | PC |
| 36 | 221278-1 | Radiator Seal RT655 | 2 | PC |
| 37 | 124-135 | Setscrew M8C x 20 | 30 | PC |
| 37 | 460-10 | Washer Spring Single Coil M8 | 30 | PC |
| 37 | 457-4 | Washer Plain Steel M8 Form G | 30 | PC |
| 37 | 420-14 | Nut MC Hex M8 | 30 | PC |
| 38 | 221546-2 | Fuel Filler Plate 4003 RT655 | 1 | PC |
| 39 | 720-4 | Catch - Push to Close | 1 | PC |
| 40 | 212-17 | Hinge - Positioning Advantage | 2 | PC |
| 40 | 117-32 | Screw-Skt Button Hd M4cx10 SS | 4 | PC |
| 40 | 454-4 | Washer Plain St.Stl M4x9 | 4 | PC |
| 40 | 417-4 | Nut - Nyloc M4 S/Steel DIN985 | 4 | PC |
| 41 | 21-328 | Retainer-Tip Brass for 21/329 | 2 | PC |
| 42 | 21-327 | Body - 1/4" BSP Female Brass | 2 | PC |
| 43 | 21-357 | Spray Jet | 2 | PC |
| 44 | 6111 | Hose - Water 1/2" | 1 | M |
| 44 | 501-2 | Hose Clip - Worm Drive (14-22) | 4 | PC |
| 45 | 277-2 | Connector - T | 1 | PC |
| 46 | 277-294 | F Pipe Thread x 3/8" Barb | 2 | PC |

Common Parts (M010611,M010326)
 Body\Rear Door\Body\Common Parts
 Body\Rear Door




Common Parts (M010611,M010326)

Body\Rear Door\Body\Common Parts

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 47 | 221290-1 | Hood - Body W/Assy RT655 | 1 | PC |
| 48 | 118-167 | Setscrew Hexagon Hd M10cx20 SS | 2 | PC |
| 48 | 458-10 | Washer - Spring IM10 SS | 2 | PC |
| 48 | 454-10 | Washer Plain St.Stl M10x21 | 2 | PC |
| 49 | 458-16 | Washer Spring Single CoilM16SS | 2 | PC |
| 50 | 221475-2 | Rear Chute W/Assy 4003 RT655 | 1 | PC |
| 51 | 124-137 | Setscrew M8C x 25 | 2 | PC |
| 51 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 51 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 52 | 124-269 | Setscrew M16C x 35 | 2 | PC |
| 52 | 460-14 | Washer Spring Single Coil M16 | 2 | PC |
| 52 | 455-14 | Washer Plain Plated Steel M16 | 2 | PC |
| 24 | 123-146 | Bolt M Coarse M12x40 | 18 | PC |

Internal Components (M010611,M010612)
Body\Rear Door\Body\Internal Components
Body\Rear Door




Internal Components (M010611,M010612)

Body\Rear Door\Body\Internal Components

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 221115-1 | Mesh Screen W/Assy RT655 | 1 | PC |
| 2 | 224415-1 | Handle W/Assy - Screen RT655 | 2 | PC |
| 3 | 118-217 | Setscrew Hexagon Hd M12cx90 SS | 2 | PC |
| 3 | 417-12 | Nut - Nyloc M12 S/Steel DIN985 | 2 | PC |
| 4 | 118-205 | Setscrew Hexagon Hd M12cx35 SS | 1 | PC |
| 4 | 454-12 | Washer Plain St.Stl M12x24 | 2 | PC |
| 4 | 417-12 | Nut - Nyloc M12 S/Steel DIN985 | 1 | PC |
| 5 | 60-1 | Pin Linch (With Ring) 11mm Dia | 2 | PC |
| 5 | 284-13 | Chain - 7 Links (Dia 3mm SS) | 2 | PC |
| 6 | 223990-1 | Separator Box W/Assy-M.Stl 655 | 1 | PC |
| 6 | 223990-2 | Separator Box W/Assy-4003 655 | 1 | PC |
| 7 | 118-145 | Setscrew Hexagon Hd M8cx50 SS | 2 | PC |
| 8 | 223458-1 | Catflap W/Assy Body M.Stl 655 | 1 | PC |
| 8 | 223458-2 | Catflap W/Assy Body 4003 RT655 | 1 | PC |
| 9 | 223459-1 | Plate - Catflap M.Stl RT655 | 2 | PC |
| 9 | 223459-2 | Plate - Catflap 4003 RT655 | 2 | PC |
| 10 | 224457-1 | Spacer-Catflap Body M.Stl 655 | 6 | PC |
| 11 | 95200-9 | Spacer - Bush 5mm x 11mm ID | 6 | PC |
| 12 | 118-176 | Setscrew Hexagon Hd M10cx45 SS | 6 | PC |
| 12 | 458-10 | Washer - Spring IM10 SS | 6 | PC |
| 13 | 223408-2 | Cover Screen-Sepavac Body 4003 | 1 | PC |
| 14 | 118-167 | Setscrew Hexagon Hd M10cx20 SS | 18 | PC |
| 14 | 454-10 | Washer Plain St.Stl M10x21 | 18 | PC |
| 14 | 458-10 | Washer - Spring IM10 SS | 18 | PC |

Internal Components (M010611,M010612)
Body\Rear Door\Body\Internal Components
Body\Rear Door




Internal Components (M010611,M010612)

Body\Rear Door\Body\Internal Components

Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 15 | 200055-1 | Rubber Curtain (1275 WSB) | 1 | PC |
| 16 | 283126-1 | Retaining Strip - Curtain WSB | 1 | PC |
| 17 | 118-135 | Setscrew Hexagon Hd M8cx20 SS | 6 | PC |
| 17 | 458-8 | Washer Spring Single Coil M8SS | 6 | PC |
| 17 | 415-8 | Nut - MC Hex M8 S.Stl | 6 | PC |
| 19 | 223463-1 | Inlet Tube W/Assy MS RT655 | 1 | PC |
| 19 | 223463-2 | Inlet Tube W/Assy 4003 RT655 | 1 | PC |
| 19 | 223463-11 | Inlet Tube W/Assy MS RT655 | 1 | PC |
| 20 | 223988-1 | Seal - Intake Tube RT655 | 1 | PC |
| 21 | 135-29 | Setscrew HexHd Selfloc M10cx25 | 8 | PC |
| 21 | 460-11 | Washer Spring Single Coil M10 | 8 | PC |
| 22 | 221252-1 | Blanking Plate W/A Inlet Duct | 1 | PC |
| 22 | 223988-1 | Seal - Intake Tube RT655 | 1 | PC |
| 23 | 135-29 | Setscrew HexHd Selfloc M10cx25 | 8 | PC |
| 23 | 460-11 | Washer Spring Single Coil M10 | 8 | PC |
| 24 | 221110-1 | Wear Plate W/Assy M.Stl RT655 | 1 | PC |
| 25 | 460-12 | Washer Spring Single Coil M12 | 2 | PC |
| 26 | 223971-1 | Cover Plate - Intake Seat Body | 1 | PC |
| 25 | 118-201 | Setscrew Hexagon Hd M12cx25 SS | 2 | PC |

Access Door Assembly (M010813)Body\Rear Door\Body\Access Door Assembly
Body\Rear Door

RTBD. 006-2


Access Door Assembly (M010813)

Body/Rear Door\Body\Access Door Assembly

Body/Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|----------|--------------------------------|-----|------|
| 0 | 283595-2 | Roof/Rear Access Door Assy | 1 | PC |
| Comprising items 1-17 | | | | |
| 1 | 284345-1 | Access Door | 1 | PC |
| 2 | 281217-1 | Seal- Access Door Moulded | 1 | PC |
| 3 | 284348-1 | Spindle | 1 | PC |
| 4 | 455-14 | Washer Plain Plated Steel M16 | 1 | PC |
| 5 | 124-100 | Setscrew M6C x 12 | 1 | PC |
| 5 | 457-2 | Washer Plain Steel M6 Form G | 1 | PC |
| 5 | 460-8 | Washer Spring Single Coil M6 | 1 | PC |
| 6 | 200342-2 | Latch - Access Door (1.4003) | 1 | PC |
| 8 | 59-1 | Pin Tension Spring 8 O/Dx36Lg | 1 | PC |
| 9 | 290-28 | Bump Stop Rubber | 1 | PC |
| 10 | 123-148 | Bolt M Coarse M12x50 | 2 | PC |
| 10 | 425-16 | Nut Nyloc Hex M12c | 2 | PC |
| 11 | 283596-2 | Frame W/A - Rear/Roof Acc Door | 1 | PC |
| 12 | 7010251 | HANDLE ACCESS DOOR RT655 | 1 | PC |
| 13 | 124-139 | Setscrew M8C x 30 | 6 | PC |
| 14 | 124-141 | Setscrew M8C x 35 | 4 | PC |
| 15 | 451-3 | Washer Bonded Ø5-16" - Bolt | 10 | PC |
| 16 | 454-8 | Washer Plain St.Stl M8x17 | 10 | PC |
| 17 | 417-8 | Nut - Nyloc M8 S/Steel DIN985 | 10 | PC |
| 18 | 283613-1 | Gasket - Access Panel Roof | 1 | PC |
| 7 | 7017706 | Handle - Access Door | 1 | PC |

Installation (M010813)

 Body/Rear Door\Rear Door\Installation
 Body/Rear Door



RTBD. 005-5

Installation (M010813)

 Body\Rear Door\Rear Door\Installation
 Body\Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 1 | 282952-1 | Pivot Pin W/Assy - 85 Long | 2 | PC |
| 2 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 2 | 417-8 | Nut - Nyloc M8 S/Steel DIN985 | 2 | PC |
| 3 | 40897-1-A | Relay W/Assy-Rear Door | 1 | PC |
| 3 | 29128-3 | Bush | 2 | PC |
| 4 | 282952-2 | Pivot Pin Welded Assembly | 1 | PC |
| 5 | 124-135 | Setscrew M8C x 20 | 1 | PC |
| 5 | 417-8 | Nut - Nyloc M8 S/Steel DIN985 | 1 | PC |
| 6 | 60113-9 | Latch Pin W/A-Actuation Shaft | 1 | PC |
| 7 | 280187-1 | Tube - Spring Retainer Rr Door | 1 | PC |
| 8 | 201064-1 | Pin - Rear Door Latch 6XX | 1 | PC |
| 9 | 13573 | Spring-Comp. 31.8x4x152.4 FL | 1 | PC |
| 10 | 129-183 | Screw MC Cap Skt Hd M12x25 | 1 | PC |
| 11 | 38-1 | Nipple Grease Straight 1/8 BSP | 1 | PC |
| 12 | 40572-1-A | Pin Pivot W/A Rr Door x 80 Lg | 1 | PC |
| 13 | 124-132 | Setscrew M8C x 12 | 1 | PC |
| 13 | 460-10 | Washer Spring Single Coil M8 | 1 | PC |
| 14 | 29170-1-B | Cylinder - Rear Door/Powaboom | 1 | PC |
| 15 | 283325-1 | Pilot Check Valve Rear Door | 1 | PC |
| 16 | 40553-1-C | Pin Pivot Cylinder Hyd M16 | 1 | PC |
| 16 | 425-18 | Nut Nyloc Hex M16C | 2 | PC |
| 17 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 3 | PC |
| 17 | 451-18 | Washer Bonded G3/8" | 3 | PC |
| 18 | 255-11 | Tee - M/Swivel Female/M Branch 1/4 BSP | 1 | PC |

Installation (M010813)


 Body/Rear Door\Rear Door\Installation
 Body/Rear Door


RTBD. 005-5

Installation (M010813)

 Body/Rear Door\Rear Door\Installation
 Body/Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 19 | 242-10 | Elbow 90° Swivel 1/4 BSP F x 1/4 BSP F | 1 | PC |
| 20 | 40572-1-A | Pin Pivot W/A Rr Door x 80 Lg | 1 | PC |
| 20 | 124-132 | Setscrew M8C x 12 | 1 | PC |
| 20 | 460-10 | Washer Spring Single Coil M8 | 1 | PC |
| 21 | 280185-1 | Latch Plate W/Assy 6XX | 1 | PC |
| 22 | 124-267 | Setscrew M16C x 30 | 2 | PC |
| 22 | 460-14 | Washer Spring Single Coil M16 | 2 | PC |
| 22 | 455-14 | Washer Plain Plated Steel M16 | 2 | PC |
| 23 | 124-212 | Setscrew M12C x 65 | 2 | PC |
| 23 | 420-16 | Nut MC Hex M12 | 3 | PC |
| 24 | 223427-1 | Packer - Rear Door Latch 655 | 1 | PC |
| 217 | HC04000-385 | Hose - Megaflex 1/4" STRxSTR | 1 | PC |
| 218 | HC04000-385 | Hose - Megaflex 1/4" STRxSTR | 1 | PC |
| 219 | HC04002-27 | Hose - Megaflex 1/4" STRx90s | 1 | PC |


Door Assembly (M010811,930814)Body/Rear Door\Rear Door\Door Assembly
Body/Rear Door

Door Assembly (M010811,930814)

Body/Rear Door\Rear Door\Door Assembly

Body/Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|----------------------------------|-----|------|
| 1 | 221100-1 | Rear Door W/Assy M.Steel RT655 | 1 | PC |
| 1 | 221100-2 | Rear Door W/Assy 4003 RT655 | 1 | PC |
| 2 | 29128-3 | Bush | 4 | PC |
| 3 | 281777-3 | Seal - Rear Door LONG 95 | 1 | PC |
| 4 | 284085-1 | Spigot - Drain Rear Door (Nylon) | 2 | PC |
| 5 | 281411-1 | Gasket-Spigot Layflat Hose | 2 | PC |
| 6 | 118-135 | Setscrew Hexagon Hd M8cx20 SS | 6 | PC |
| 7 | 454-8 | Washer Plain St.Stl M8x17 | 6 | PC |
| 8 | 9983 | Hose - Drain | 2 | M |
| 9 | 501-7 | Clip Hose Worm Drive (70-90) | 2 | PC |

Auto Prop (M010611,M010720)Body/Rear Door\Body Prop\Auto Prop
Body/Rear Door

Auto Prop (M010611,M010720)

Body/Rear Door\Body Prop\Auto Prop

Body/Rear Door

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 1 | 223470-1 | Body Prop Auto Manual W/A 655 | 1 | PC |
| 2 | 283445-1 | Pivot Pin | 2 | PC |
| 3 | 124-137 | Setscrew M8C x 25 | 2 | PC |
| 3 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 3 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 4 | 293879-1 | Cylinder - Pneumatic Prop Rel | 1 | PC |
| 6 | 273-20 | Tube - Nylon Blue 6mm O/D 100m Reel | 8 | M |
| 7 | 221837-1 | Fulcrum W/Assy Autoprop RT655 | 1 | PC |
| 8 | 124-133 | Hex Head Screw - M8Cx14 - 8.8 | 1 | PC |
| 8 | 455-10 | Washer Plain Plated Steel M8 | 1 | PC |
| 9 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 9 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 10 | 293887-1 | Sleeve - Cam Plate Axle | 1 | PC |
| 11 | 455-8 | Washer Plain Plated Steel M6 | 1 | PC |
| 11 | 425-13 | Nut Nyloc Hex M6C | 1 | PC |
| 5 | 41041-1-A | Sleeve - Support, Pipe | 2 | PC |

This page is intentionally left blank

Chapter 2 Subframe Assembly





Table of Contents


| Section | Page |
|-----------------------------|------|
| 2.1 Subframe Assembly | 34 |

Subframe Assembly (M010711,M010713)
Subframe Assembly\Subframe Assembly

RTSF. 001-3

Subframe Assembly (M010711,M010713)
Subframe Assembly\Subframe Assembly

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 221300-1 | Subframe W/Assy RT655 | 1 | PC |
| 2 | 806953-1 | Label Serial No Plate | 1 | PC |
| 3 | 221045-1 | Brkt-Intake Seat Subframe 655 | 1 | PC |
| 4 | 124-171 | Setscrew M10C x 30 | 4 | PC |
| 4 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 4 | 420-15 | Nut MC Hex M10 | 4 | PC |



Chapter 3 Powapak





Table of Contents

| Section | Page |
|--------------------------|------|
| 3.1 Engine Options | 38 |
| 3.2 Ancillaries | 64 |
| 3.3 Fuel Tank | 84 |

Dressed Engine (M010511,M010514)

Powapak\Engine Options\Iveco Stage 3a\Dressed Engine
 Powapack - Engine Options - Iveco Stage 3a



Dressed Engine (M010511,M010514)


Powapak\Engine Options\Iveco Stage 3a\Dressed Engine

Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------------|------------|-------------|
| 1 | 283805-24 | Engine-Iveco N45ENTX 104kW 24v | 1 | PC |
| 2 | 281506-1 | Hose-Bottom Radiator IVECO E3 | 1 | PC |
| 2A | 501-6 | Clip Hose Worm Drive (55-70) | 2 | PC |
| 2B | 501-6 | Clip Hose Worm Drive (55-70) | 2 | PC |
| 3 | 281507-1 | Hose - Top Radiator IVECO E3 | 1 | PC |
| 3A | 501-5 | Clip Hose Worm Drive 40-55mm | 2 | PC |
| 3B | 501-5 | Clip Hose Worm Drive 40-55mm | 2 | PC |
| 4 | 281561-1 | Hose - Charge Air IVECO E3 | 1 | PC |
| 4A | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 4B | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 5 | 87-59 | Switch - Water Temp 110°C - M14 | 1 | PC |
| 5 | 845-216 | Insert For 845/162 | 1 | PC |
| 5 | 845-217 | Washer For 845/162 | 1 | PC |
| 6 | 283859-1 | Charge Air Connector IVECO N45 | 1 | PC |
| 7 | 281417-1 | Exhaust-Inlet Pipe WA IVECO E3 | 1 | PC |
| 8 | 283851-1 | Engine Loom IVECO TIER 3 | 1 | PC |
| 9 | 271-38 | Silicone Cuff 65mm I/D x 75mm | 2 | PC |
| 9A | 507-3 | Hose Clamp - Constant Torque (57-79) | 4 | PC |
| 9B | 507-3 | Hose Clamp - Constant Torque (57-79) | 4 | PC |
| 10 | 295480-1 | Charge Air Pipe IVECO Aux Eng | 1 | PC |
| 11 | 281708-1 | Support - Charge Air Pipe 95 | 1 | PC |
| 11 | 124-166 | Setscrew M10C x 16 | 2 | PC |
| 11 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 12 | 6645-12-C | Clip - Exhaust Banelli 2 1/2" | 1 | PC |

Dressed Engine (M010511,M010514)

Powapak\Engine Options\Iveco Stage 3a\Dressed Engine
 Powapack - Engine Options - Iveco Stage 3a




RTAE. 009-5

Dressed Engine (M010511,M010514)

Powapak\Engine Options\Iveco Stage 3a\Dressed Engine
 Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 13 | 497-P02 | Hose 3/4" | 1 | M |
| 14 | 7004391 | Tube | 1 | PC |
| 15 | 497-P02 | Hose 3/4" | 1 | M |
| 16 | 281939-1 | Support - Hose Breather EURO 3 | 1 | PC |
| 17 | 124-99 | Setscrew M6C x 10 | 3 | PC |
| 17 | 460-8 | Washer Spring Single Coil M6 | 3 | PC |
| 17 | 420-13 | Nut MC Hex M6 | 1 | PC |
| 18 | 664-8 | Clip - Pipe, Clamp 1" | 1 | PC |
| 19 | 501-3 | Clip Hose Worm Drive 22-30mm | 4 | PC |
| 20 | 281450-1 | Mount-Rear Eng W/A LH Iveco E3 | 1 | PC |
| 21 | 281450-2 | Mount-Rear Eng W/A RH Iveco E3 | 1 | PC |
| 22 | 123-152 | Bolt M Coarse M12x70 | 2 | PC |
| 22 | 457-6 | Washer Plain Steel M12 Form G | 2 | PC |
| 22 | 460-12 | Washer Spring Single Coil M12 | 2 | PC |
| 23 | 22826-1-A | Anti Vibration Mount - 70 S | 2 | PC |
| 24 | 222080-1 | Engine Mount W/A LH IVECO T3 | 1 | PC |
| 25 | 222080-4 | Engine Mount W/A RH IVECO T3 | 1 | PC |
| 26 | 123-151 | Bolt M Coarse M12x65 BS3692 | 2 | PC |
| 26 | 457-6 | Washer Plain Steel M12 Form G | 2 | PC |
| 26 | 460-12 | Washer Spring Single Coil M12 | 2 | PC |
| 27 | 6953 | Anti Vibration Mount - 60 S | 2 | PC |
| 28 | 124-205 | Setscrew M12C x 35 | 14 | PC |
| 28 | 460-12 | Washer Spring Single Coil M12 | 14 | PC |
| 29 | 124-171 | Setscrew M10C x 30 | 8 | PC |


Dressed Engine (M010511,M010514)

 Powapak\Engine Options\Iveco Stage 3a\Dressed Engine
 Powapack - Engine Options - Iveco Stage 3a


Dressed Engine (M010511,M010514)

 Powapak\Engine Options\Iveco Stage 3a\Dressed Engine
 Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 29 | 460-11 | Washer Spring Single Coil M10 | 8 | PC |
| 30 | 282513-1 | Adaptor M22xG3/4 + O Ring | 1 | PC |
| 31 | 282513-2 | O Ring-For Adaptor M22xG3/4 | 1 | PC |
| 32 | 14-7 | Bearing - 30x62x16 | 1 | PC |
| 33 | 42501-3-A | Coupling - Fluid | 1 | PC |
| 34 | 129-127 | Screw MC Cap Skt Hd M8x30 | 20 | PC |
| 34 | 452-57 | Washer - M8 X 15 - ZN Clear | 20 | PC |
| 35 | 42270-1-C | Gearbox Assembly | 1 | PC |
| 36 | 123-131 | Bolt M Coarse M10x55 | 6 | PC |
| 36 | 460-11 | Washer Spring Single Coil M10 | 6 | PC |
| 37 | 42299-1-C | Cover - Safety | 2 | PC |
| 38 | 920000-32 | Spacer Nylon 20 Dia X 32mm Lg | 6 | PC |
| 39 | 123-134 | Bolt M Coarse M10x70 | 6 | PC |
| 39 | 460-11 | Washer Spring Single Coil M10 | 6 | PC |
| 40 | 281-7 | Fan - Cooling Puller 508 | 1 | PC |
| 41 | 281458-1 | Spacer-Cooling Fan IVECO E3/T2 | 1 | PC |
| 42 | 129-166 | Screw MC Cap Skt Hd M10x70 | 4 | PC |
| 42 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 43 | 222113-1 | Loom Bracket IVECO Eng RT655 | 1 | PC |
| 44 | 222114-1 | Loom Bracket IVECO Eng RH 655 | 1 | PC |
| 45 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 1 | PC |
| 46 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| M01 | HC08001-130 | Hose - Megaflex 1/2" STRx45s | 1 | PC |
| M02 | HE12003-80 | Hose - Hydraulic 3/4" STRx90c | 1 | PC |

Spares Items ()Powapak\Engine Options\Iveco Stage 3a\Spares Items
Powapack - Engine Options - Iveco Stage 3a

RTAE. 009-6

Spares Items ()


Powapak\Engine Options\Iveco Stage 3a\Spares Items

Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-----------------------------------|------------|-------------|
| S1 | 845-100 | Filter - Oil Iveco | 1 | PC |
| S2 | 845-101 | Filter - Fuel Iveco | 1 | PC |
| S3 | 845-153 | Thermostat -Iveco Euro 3 Turbo | 1 | PC |
| S3 | 845-146 | Thermostat - Seal Iveco | 1 | PC |
| S4 | 845-149 | Cap-Oil Filler AifoEuro3 Turbo | 1 | PC |
| S5 | 845-150 | Gasket - Rocker Iveco E3 Turbo | 1 | PC |
| S6 | 845-148 | Dipstick-Iveco Turbo & Nat ASP | 1 | PC |
| S7 | 845-142 | Belt - Alternator Iveco | 1 | PC |
| S8 | 845-104 | Alternator(28v70amp)Iveco | 1 | PC |
| S9 | 845-161 | Sensor - Water Iveco E3 Turbo | 1 | PC |
| S10 | 845-160 | Sensor - Oil Iveco E3 Turbo | 1 | PC |
| S11 | 845-108 | Clamp Exhaust - Iveco E3 | 1 | PC |
| S12 | 845-109 | O Ring Turbocharger Outlet E3 | 1 | PC |
| S13 | 845-110 | Turbocharger Outlet Clamp E3 | 1 | PC |
| S14 | 845-103 | Motor-Starter(24v) Iveco | 1 | PC |
| S16 | 845-183 | Blow-By Filter Kit | 1 | PC |
| S15 | 845-283 | Humidity Sensor C400 E4 Eng | 1 | PC |
| S15 | 845-269 | Ring Gear Iveco Aifo E2 & C400 E4 | 1 | PC |

Fuel System (M010511)

Powapak\Engine Options\Iveco Stage 3a\Fuel System
Powapack - Engine Options - Iveco Stage 3a



RTAE.010

Fuel System (M010511)


Powapak\Engine Options\Iveco Stage 3a\Fuel System

Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 282488-1 | Hose-Fuel Suction Iveco | 1 | PC |
| 2 | 277-85 | Connector - Straight 10mm | 1 | PC |
| 3 | 222500-1 | Fuel Suction Hose IVECO Engine | 1 | PC |
| 4 | 42683-3 | Pipe-Fuel, 360mm Lg 8mm Bundy | 1 | PC |
| 5 | 277-48 | Connector - Straight 8mm | 1 | PC |
| S1 | 845-206 | Element - Pre Filter | 1 | PC |
| S2 | 845-101 | Filter - Fuel Iveco | 1 | PC |

Engine Management Box (M010511)

Powapak\Engine Options\Iveco Stage 3a\Engine Management Box
Powapack - Engine Options - Iveco Stage 3a



RTEC.003

Engine Management Box (M010511)


Powapak\Engine Options\Iveco Stage 3a\Engine Management Box

Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------------|-----|------|
| 0 | 283852-1 | Management Box IVECO TIER 3 | 1 | PC |
| 1 | 283848-1 | Enclosure - Eng Management Box | 1 | PC |
| 2 | 134-44 | Pan Head Screw-M4Cx20-4.8-Pozidriv | 4 | PC |
| 2 | 425-11 | Nut Nyloc Hex MC M4 | 4 | PC |
| 3 | 283857-1 | Loom - IVECO 104KW S3A Man Box | 1 | PC |
| 4 | 725-153 | Relay - 24v 10/5 AMP N/O Micro | 7 | PC |
| 5 | 134-40 | Pan Head Screw-M4Cx8-4.8-Pozidriv | 2 | PC |
| 5 | 455-7 | Washer Plain Plated Steel M5 | 2 | PC |
| 5 | 460-7 | Washer Spring Single Coil M5 | 2 | PC |
| 5 | 420-12 | Nut MC Hex M5 | 2 | PC |
| 6 | 13982 | Relay Timer 24v | 2 | PC |
| 7 | 283198-1 | Timer Supt NAT ASP Manage Box | 2 | PC |
| 8 | 48-361 | Relay-Type 4RA 24v | 1 | PC |
| 9 | 134-55 | Pan Head Screw-M5Cx8-4.8-Pozidriv | 2 | PC |
| 9 | 460-7 | Washer Spring Single Coil M5 | 2 | PC |
| 9 | 455-7 | Washer Plain Plated Steel M5 | 2 | PC |
| 9 | 420-12 | Nut MC Hex M5 | 2 | PC |
| 10 | 30-256 | Block-4 Way Terminal + Flange | 12 | PC |
| 10 | 30-254 | Plate - End With Fixing Flange | 2 | PC |
| 11 | 13984 | Diode Rectifier | 6 | PC |
| 12 | 134-13 | Pan Head Screw-M3Cx12-4.8-Pozidriv | 4 | PC |
| 12 | 425-10 | Nut Nyloc Hex M3C | 4 | PC |
| 13 | 283894-1 | Support Frame - Management Box | 1 | PC |
| 14 | 134-60 | Pan Head Screw-M5Cx25-4.8-Pozidriv | 1 | PC |

Engine Management Box (M010511)

Powapak\Engine Options\Iveco Stage 3a\Engine Management Box
Powapack - Engine Options - Iveco Stage 3a



Engine Management Box (M010511)


Powapak\Engine Options\Iveco Stage 3a\Engine Management Box

Powapack - Engine Options - Iveco Stage 3a

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------------|-----|------|
| 14 | 455-7 | Washer Plain Plated Steel M5 | 1 | PC |
| 14 | 425-12 | Nut Nyloc Hex M5C | 1 | PC |
| 15 | 134-41 | Pan Head Screw-M4Cx10-4.8-Pozidriv | 2 | PC |
| 15 | 425-11 | Nut Nyloc Hex MC M4 | 2 | PC |
| 16 | 282130-1 | Resistor Board - IVECO | 1 | PC |
| 17 | 30-280 | Supt Circuit Board(Snap Rivet) | 4 | PC |
| 18 | 134-12 | Pan Head Screw-M3Cx10-4.8-Pozidriv | 4 | PC |
| 19 | 221270-1 | Relay Box Mount W/Assy | 1 | PC |
| 20 | 124-135 | Setscrew M8C x 20 | 3 | PC |
| 20 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |

Dressed Engine (M010511)

Powapak\Engine Options\John Deere High Power\Dressed Engine
Powapack - Engine Options - John Deere High Power



Dressed Engine (M010511)


Powapak\Engine Options\John Deere High Power\Dressed Engine

Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------------|------------|-------------|
| 1 | 283791-12 | Eng John Deere 4045HF285 86kw | 1 | PC |
| 2 | 283929-1 | Coolant Hose Top-J Deere HP T3 | 1 | PC |
| 2A | 501-6 | Clip Hose Worm Drive (55-70) | 1 | PC |
| 2B | 501-6 | Clip Hose Worm Drive (55-70) | 1 | PC |
| 3 | 283931-1 | Coolant Hose Btm-J Deere HP T3 | 1 | PC |
| 3A | 501-6 | Clip Hose Worm Drive (55-70) | 1 | PC |
| 3B | 501-6 | Clip Hose Worm Drive (55-70) | 1 | PC |
| 4 | 283933-1 | Charge Air Hose Top JD HP T3 | 1 | PC |
| 4A | 507-2 | Hose Clamp - Constant Torque (45-67) | 1 | PC |
| 4B | 507-3 | Hose Clamp - Constant Torque (57-79) | 1 | PC |
| 5 | 283932-1 | Charge Air Hose Btm J Deere T3 | 1 | PC |
| 5A | 507-2 | Hose Clamp - Constant Torque (45-67) | 1 | PC |
| 5B | 507-4 | Hose Clamp - Constant Torque (70-92) | 1 | PC |
| 6 | 281-9 | Now use 281-10 Cooling fan | 1 | PC |
| 7 | 295102-1 | Spacer-Cooling Fan 27mm J.D | 1 | PC |
| 7 | 123-110 | Bolt M Coarse M8x50 | 4 | PC |
| 7 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 8 | 281224-4 | Cable-Starter Red | 1 | PAA |
| 9 | 283939-1 | Loom - John Deere T3 HP Engine | 1 | PC |
| 10 | 282692-1 | Hose - Fuel Return 1600 lg | 1 | PC |
| 11 | 61096-3 | Rubber elbow | 1 | PC |
| 11 | 507-4 | Hose Clamp - Constant Torque (70-92) | 2 | PC |
| 12 | 7004395 | Tube | 1 | PC |
| 13 | 295064-1 | Bracket-Alternator Mtg JD Eng | 1 | PC |

Dressed Engine (M010511)

Powapak\Engine Options\John Deere High Power\Dressed Engine
 Powapack - Engine Options - John Deere High Power




Dressed Engine (M010511)

Powapak\Engine Options\John Deere High Power\Dressed Engine
 Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 14 | 280150-4 | Engine Mount W/A(Less Plate)LH | 1 | PC |
| 15 | 280150-2 | Engine Mount W/Assy RH | 1 | PC |
| 16 | 123-151 | Bolt M Coarse M12x65 BS3692 | 2 | PC |
| 16 | 457-6 | Washer Plain Steel M12 Form G | 2 | PC |
| 16 | 460-12 | Washer Spring Single Coil M12 | 2 | PC |
| 17 | 280135-1 | Rear Engine Mount W/Assy LH | 1 | PC |
| 18 | 280135-2 | Rear Engine Mount W/Assy RH | 1 | PC |
| 19 | 124-205 | Setscrew M12C x 35 | 14 | PC |
| 19 | 460-12 | Washer Spring Single Coil M12 | 14 | PC |
| 20 | 22826-1-A | Anti Vibration Mount - 70 S | 4 | PC |
| 21 | 124-171 | Setscrew M10C x 30 | 8 | PC |
| 21 | 460-11 | Washer Spring Single Coil M10 | 8 | PC |
| 22 | 282044-3 | Heat Start Cable 800Lg RT655 | 1 | PC |
| 23 | 17936-305-L | Cable - Earth 305cm | 1 | PC |
| 24 | 283401-1 | Extender-1/8" 48Lg J/Deere | 1 | PC |
| 25 | 284136-1 | Mntg Bracket-Air Inlet J/Deere | 1 | PC |
| 26 | 6645-21 | Clip - Exhaust Banelli 92mm | 1 | PC |
| 27 | 7004768 | Adaptor Connector M18 x G3/4" | 1 | PC |
| 28 | 80-46 | O Ring - Hole Dia.20 | 1 | PC |
| 29 | 221255-1 | Exhaust Inlet Pipe J/Deere Eng | 1 | PC |
| 30 | 221393-1 | Fuel Hose Pre Filter-Eng RT655 | 1 | PC |
| 31 | 282697-1 | Adaptor - Fuel Return J Deere | 1 | PC |
| 31 | 848-21 | Seal - For 848-20 (John Deere) | 1 | PC |
| 32 | 14-7 | Bearing - 30x62x16 | 1 | PC |

Dressed Engine (M010511)

Powapak\Engine Options\John Deere High Power\Dressed Engine
 Powapack - Engine Options - John Deere High Power




Dressed Engine (M010511)

 Powapak\Engine Options\John Deere High Power\Dressed Engine
 Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|------------------------------------|------------|-------------|
| 32 | 77-39 | Seal - Oil 40x55x7mm | 1 | PC |
| 33 | 42501-3-A | Coupling - Fluid | 1 | PC |
| 34 | 146-98 | Cap Screw-Flange Headed M6x30 12.9 | 20 | PC |
| 34 | 280149-1 | Washer - Fluid Coupling GP100 | 20 | PC |
| 35 | 63641-1 | Spacer Ring - John Deere | 1 | PC |
| 36 | 42270-1-C | Gearbox Assembly | 1 | PC |
| 37 | 283803-1 | Fixing Kit-Gearbox Assy | 1 | PC |
| 38 | 123-131 | Bolt M Coarse M10x55 | 6 | PC |
| 38 | 460-11 | Washer Spring Single Coil M10 | 6 | PC |
| 39 | 42299-1-C | Cover - Safety | 2 | PC |
| 40 | 920000-32 | Spacer Nylon 20 Dia X 32mm Lg | 6 | PC |
| 41 | 123-134 | Bolt M Coarse M10x70 | 6 | PC |
| 41 | 460-11 | Washer Spring Single Coil M10 | 6 | PC |
| 42 | 221367-1 | Loom Bracket-Engine Pack RT655 | 1 | PC |
| 43 | 221519-1 | Loom Bracket-Engine Pack RT655 | 1 | PC |
| 44 | 264-4 | Adaptor M/M - Bulkhead 1/2 BSP | 1 | PC |
| 45 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| M01 | HC08001-130 | Hose - Megaflex 1/2" STRx45s | 1 | PC |
| M02 | HE12003-80 | Hose - Hydraulic 3/4" STRx90c | 1 | PC |
| S1 | 848-37 | Fuel Filter - Engine 4045TF275 | 1 | PC |
| S2 | 848-22 | Filter - Oil (John Deere) | 1 | PC |

Fuel System Hoses (M010511)

Powapak\Engine Options\John Deere High Power\Fuel System Hoses
Powapack - Engine Options - John Deere High Power

**Note:**

*Items may not be fitted to customer machine.
These items are replaced with fuel hoses
supplied by local Johnston agent.


Fuel System Hoses (M010511)

Powapak\Engine Options\John Deere High Power\Fuel System Hoses
Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 221592-1 | Fuel Hose Tank-Fuel Filter 655 | 1 | PC |
| 1 | 501-1 | Hose Clip - Worm Drive (11-16) | 1 | PC |
| 2 | 221392-1 | Fuel Hose Pump-Pre Filter 655 | 1 | PC |
| 3 | 221393-1 | Fuel Hose Pre Filter-Eng RT655 | 1 | PC |
| 4 | 848-24 | Adaptor - Lift Pump | 1 | PC |
| 7 | 223-32 | In Line Fuel Filter (Gold) | 1 | PC |
| 8 | 282692-1 | Hose - Fuel Return 1600 lg | 1 | PC |
| 9 | 282697-1 | Adaptor - Fuel Return J Deere | 1 | PC |
| 9 | 848-21 | Seal - For 848-20 (John Deere) | 1 | PC |
| S1 | 848-34 | Pre-Filter (John Deere) HP | 1 | PC |
| 6 | 451-4 | Washer Bonded G1-8" | 1 | PC |
| 6 | 277-330 | Adaptor M/M 1/8 NPTF x 1/4 BSP | 1 | PC |
| 5 | 7031889 | Fuel Lift Pump John Deere | 1 | PC |

Engine Management Box (M010511)

Powapak\Engine Options\John Deere High Power\Engine Management Box
Powapack - Engine Options - John Deere High Power



Engine Management Box (M010511)


Powapak\Engine Options\John Deere High Power\Engine Management Box

Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|------------------------------------|------------|-------------|
| A | 282138-1 | Engine Management Box E/Tronic | 1 | PC |
| Comprising items 1-18 | | | | |
| 1 | 283848-1 | Enclosure - Eng Management Box | 1 | PC |
| 2 | 134-44 | Pan Head Screw-M4Cx20-4.8-Pozidriv | 4 | PC |
| 2 | 425-11 | Nut Nyloc Hex MC M4 | 4 | PC |
| 3 | 283897-1 | Mount Plate-Management Box | 1 | PC |
| 4 | 283844-1 | Engine Management Box J/Deere | 1 | PC |
| 5 | 134-12 | Pan Head Screw-M3Cx10-4.8-Pozidriv | 4 | PC |
| 5 | 455-3 | Washer Plain Plated Steel M3 | 4 | PC |
| 5 | 425-10 | Nut Nyloc Hex M3C | 4 | PC |
| 6 | 30-267 | Fuse Holder - Midi | 1 | PC |
| 7 | 30-269 | Midilink - 60 Amp | 1 | PC |
| 8 | 13193 | Relay 12 Volt 30/40 | 6 | PC |
| 9 | 134-40 | Pan Head Screw-M4Cx8-4.8-Pozidriv | 4 | PC |
| 9 | 455-5 | Washer Plain Plated Steel M4 | 4 | PC |
| 10 | 425-11 | Nut Nyloc Hex MC M4 | 4 | PC |
| 10 | 48-360 | Relay-Type 4RA 12v | 6 | PC |
| 11 | 13984 | Diode Rectifier | 3 | PC |
| 12 | 30-256 | Block-4 Way Terminal + Flange | 4 | PC |
| 12 | 30-254 | Plate - End With Fixing Flange | 1 | PC |
| 13 | 282171-1 | Resistor Board Assy-John Deere | 1 | PC |
| 14 | 134-60 | Pan Head Screw-M5Cx25-4.8-Pozidriv | 1 | PC |
| 14 | 460-7 | Washer Spring Single Coil M5 | 1 | PC |
| 14 | 455-7 | Washer Plain Plated Steel M5 | 1 | PC |

Engine Management Box (M010511)

Powapak\Engine Options\John Deere High Power\Engine Management Box
Powapack - Engine Options - John Deere High Power




Engine Management Box (M010511)

Powapak\Engine Options\John Deere High Power\Engine Management Box
Powapack - Engine Options - John Deere High Power

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------|-----|------|
| 14 | 420-12 | Nut MC Hex M5 | 1 | PC |
| 15 | 30-95 | Fuse - 10A, (Red) | 2 | PC |
| 16 | 721-12 | Resistor - 50 Ohm, 50 Watt | 1 | PC |
| 17 | 221270-1 | Relay Box Mount W/Assy | 1 | PC |
| 18 | 124-135 | Setscrew M8C x 20 | 3 | PC |
| 18 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |

Exhaust Silencer - John Deere (M010511)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries\Exhaust Silencer - John Deere
Powapack - Ancilliarries




Exhaust Silencer - John Deere (M010511)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Exhaust Silencer - John Deere
Powapack - Ancilliaries

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 221255-1 | Exhaust Inlet Pipe J/Deere Eng | 1 | PC |
| 2 | 281418-1 | Silencer-Exhaust Rr Side Inlet | 1 | PC |
| 3 | 221264-1 | Tail Pipe Exhaust Silencer 655 | 1 | PC |
| 4 | 6645-14 | Clip - Exhaust Banelli 2 3/4" | 2 | PC |
| 5 | 221782-1 | Bracket Exhaust W/Assy RT655 | 2 | PC |
| 6 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 6 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 7 | 903-9 | Mounting Band 203 Dia | 2 | PC |
| 8 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 8 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 8 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 8 | 420-14 | Nut MC Hex M8 | 4 | PC |
| 9 | 221257-1 | Exhaust Heat Shield RT655 | 1 | PC |
| 10 | 124-134 | Setscrew M8C x 16 | 3 | PC |
| 10 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| 10 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 11 | 124-102 | Setscrew M6C x 16 | 2 | PC |

Exhaust Silencer - Iveco (M010511)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Exhaust Silencer - Iveco
Powapack - Ancilliaries




Exhaust Silencer - Iveco (M010511)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Exhaust Silencer - Iveco
 Powapack - Ancilliaries

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 281417-1 | Exhaust-Inlet Pipe WA IVECO E3 | 1 | PC |
| 2 | 283781-1 | Silencer - Exhaust | 1 | PC |
| 3 | 221264-1 | Tail Pipe Exhaust Silencer 655 | 1 | PC |
| 4 | 6645-14 | Clip - Exhaust Banelli 2 3/4" | 3 | PC |
| 6 | 221782-1 | Bracket Exhaust W/Assy RT655 | 2 | PC |
| 7 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 7 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 8 | 903-9 | Mounting Band 203 Dia | 2 | PC |
| 9 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 9 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 9 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 9 | 420-14 | Nut MC Hex M8 | 4 | PC |
| 10 | 222076-1 | Shield Plate - Powapak RT655 | 1 | PC |
| 11 | 124-134 | Setscrew M8C x 16 | 2 | PC |
| 11 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 11 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 12 | 124-102 | Setscrew M6C x 16 | 2 | PC |
| 5 | 222072-3 | Reducer - Silencer,Powapak IVE | 1 | PC |

Air Cleaner Installation - John Deere (M010511)

Powapak\Ancillaries\Iveco & John Deere Engines\Engine Ancillaries\Air Cleaner Installation - John Deere
Powapack - Ancillaries



RTAE.012-3


Air Cleaner Installation - John Deere (M010511)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries\Air Cleaner Installation - John Deere
Powapack - Ancilliarries

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---------------------------------------|------------|-------------|
| 1 | 295095-1 | Air Cleaner Assy | 1 | PC |
| 2 | 124-137 | Setscrew M8C x 25 | 4 | PC |
| 2 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 2 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 3 | 904-62 | Elbow 4" - 3 1/2" (Rubber) | 1 | PC |
| 3A | 507-6 | Hose Clamp - Constant Torque (95-118) | 1 | PC |
| 3B | 507-5 | Hose Clamp - Constant Torque (83-105) | 1 | PC |
| 4 | 7004395 | Tube | 1 | PC |
| 5 | 61096-3 | Rubber elbow | 1 | PC |
| 5A | 507-4 | Hose Clamp - Constant Torque (70-92) | 1 | PC |
| 5B | 507-5 | Hose Clamp - Constant Torque (83-105) | 1 | PC |
| 6 | 904-55 | Air Filter Restrictor (7.5) | 1 | PC |
| 7 | 904-59 | Mounting Restriction Indicator | 1 | PC |
| 8 | 124-103 | Setscrew M6C x 20 | 2 | PC |
| 8 | 457-2 | Washer Plain Steel M6 Form G | 2 | PC |
| 8 | 425-13 | Nut Nyloc Hex M6C | 2 | PC |
| 9 | 904-56 | Adaptor - R 1/8" M x 6mm | 1 | PC |
| 10 | 12870 | Tube - Nylon Black 8mm O/D | 1 | M |
| 11 | 904-58 | Adaptor - R1/8" x 6mm | 1 | PC |
| S1 | 295095-2 | Primary Filter - Air Cleaner | 1 | PC |
| S2 | 295095-3 | Safety Filter - Air Cleaner | 1 | PC |

Combi Air Filter Installation - Iveco (M010511)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries\Combi Air Filter Installation - Iveco
Powapack - Ancilliarries




Combi Air Filter Installation - Iveco (M010511)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Combi Air Filter Installation - Iveco
Powapack - Ancilliaries

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---------------------------------------|------------|-------------|
| 1 | 295095-1 | Air Cleaner Assy | 1 | PC |
| 2 | 124-137 | Setscrew M8C x 25 | 4 | PC |
| 2 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 2 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 3 | 904-62 | Elbow 4" - 3 1/2" (Rubber) | 1 | PC |
| 3A | 507-6 | Hose Clamp - Constant Torque (95-118) | 1 | PC |
| 3B | 501-5 | Clip Hose Worm Drive 40-55mm | 1 | PC |
| 4 | 7004391 | Tube | 1 | PC |
| 5 | 61096-3 | Rubber elbow | 1 | PC |
| 5A | 507-4 | Hose Clamp - Constant Torque (70-92) | 1 | PC |
| 5B | 507-5 | Hose Clamp - Constant Torque (83-105) | 1 | PC |
| 6 | 904-55 | Air Filter Restrictor (7.5) | 1 | PC |
| 7 | 904-59 | Mounting Restriction Indicator | 1 | PC |
| 8 | 124-103 | Setscrew M6C x 20 | 2 | PC |
| 8 | 457-2 | Washer Plain Steel M6 Form G | 2 | PC |
| 8 | 425-13 | Nut Nyloc Hex M6C | 2 | PC |
| 9 | 904-56 | Adaptor - R 1/8" M x 6mm | 1 | PC |
| 10 | 12870 | Tube - Nylon Black 8mm O/D | 1 | M |
| 11 | 904-58 | Adaptor - R1/8" x 6mm | 1 | PC |
| S1 | 295095-2 | Primary Filter - Air Cleaner | 1 | PC |
| S2 | 295095-3 | Safety Filter - Air Cleaner | 1 | PC |

John Deere (M010511,M010515)


Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Radiators and Shrouds\John Deere
Powapack - Ancilliaries - Radiators & Shrouds

John Deere (M010511,M010515)

 Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Radiators and Shrouds\John Deere
 Powapack - Ancilliaries - Radiators & Shrouds

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 295065-1 | Engine Cooling Pack J Deere | 1 | PC |
| 2 | 124-167 | Setscrew M10C x 20 | 4 | PC |
| 2 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 3 | 7008826 | Shield | 1 | PC |
| 4 | 124-167 | Setscrew M10C x 20 | 5 | PC |
| 4 | 460-11 | Washer Spring Single Coil M10 | 5 | PC |
| 5 | 221215-1 | Rad Shroud Supt W/Assy LH 655 | 1 | PC |
| 6 | 7009194 | Support Weld assembly | 1 | PC |
| 7 | 124-137 | Setscrew M8C x 25 | 6 | PC |
| 7 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 7 | 455-10 | Washer Plain Plated Steel M8 | 6 | PC |
| 8 | 124-135 | Setscrew M8C x 20 | 6 | PC |
| 8 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 8 | 450-10 | Washer Plain 7/16 | 6 | PC |
| 11 | 221285-1 | Hyd Transfer Pipe W/Assy RT655 | 1 | PC |
| 11 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 11 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |

Iveco (M010511)


Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Radiators and Shrouds\Iveco
Powapack - Ancilliaries - Radiators & Shrouds

Iveco (M010511)Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries\Radiators and Shrouds\Iveco
Powapack - Ancilliaries - Radiators & Shrouds

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 281570-1 | Radiator/Intercooler IVECO E3 | 1 | PC |
| 2 | 124-167 | Setscrew M10C x 20 | 4 | PC |
| 2 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 3 | 7012669 | Shroud, Radiator | 1 | PC |
| 4 | 124-167 | Setscrew M10C x 20 | 5 | PC |
| 4 | 460-11 | Washer Spring Single Coil M10 | 5 | PC |
| 5 | 221215-1 | Rad Shroud Supt W/Assy LH 655 | 1 | PC |
| 6 | 7009194 | Support Weld assembly | 1 | PC |
| 7 | 124-137 | Setscrew M8C x 25 | 6 | PC |
| 7 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 7 | 455-10 | Washer Plain Plated Steel M8 | 6 | PC |
| 8 | 124-135 | Setscrew M8C x 20 | 6 | PC |
| 8 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 8 | 450-10 | Washer Plain 7/16 | 6 | PC |

Engine and Gearbox Drains (M010511,M010514)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries\Engine and Gearbox Drains
Powapack - Ancilliarries




Engine and Gearbox Drains (M010511,M010514)

Powapak\Ancillaries\Iveco & John Deere Engines\Engine Ancillaries\Engine and Gearbox Drains
 Powapack - Ancillaries

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|------------------------------------|------------|-------------|
| 1 | 62903-1 | Drain | 1 | PC |
| 2 | 124-167 | Setscrew M10C x 20 | 1 | PC |
| 2 | 460-11 | Washer Spring Single Coil M10 | 1 | PC |
| 2 | 420-15 | Nut MC Hex M10 | 1 | PC |
| 3 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 1 | PC |
| 3 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 4 | 68-69 | Plug 60° - Coned 1/2 BSP | 1 | PC |
| 5 | 40525-1-B | Drain - Engine W/Assy | 1 | PC |
| 6 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |
| 6 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 7 | 124-167 | Setscrew M10C x 20 | 1 | PC |
| 7 | 460-11 | Washer Spring Single Coil M10 | 1 | PC |
| 7 | 420-15 | Nut MC Hex M10 | 1 | PC |
| 8 | 263-3 | Adaptor M/M 3/8 BSP | 1 | PC |
| 8 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 9 | 68-69 | Plug 60° - Coned 1/2 BSP | 1 | PC |
| 10 | 223141-1 | Chassis Engine Mnt W/Assy 655 | 1 | PC |
| M03 | HC06000-100 | Hose - Megaflex 3/8" STRxSTR | 1 | PC |
| M04 | HC08000-100 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |

Engine Mounting Frame (M010512)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries - Common Parts\Engine Mounting Frame
Powapack - Ancilliaries Iveco & John Deere - Common Parts




Engine Mounting Frame (M010512)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries - Common Parts\Engine Mounting Frame
Powapack - Ancilliaries Iveco & John Deere - Common Parts

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|---------------------------------|-----|------|
| 1 | 223141-1 | Chassis Engine Mnt W/Assy 655 | 1 | PC |
| 2 | 122-164 | Bolt M Coarse M14x45 (10.9) | 4 | PC |
| 2 | 455-13 | Washer Plain Plated Steel M14 | 4 | PC |
| 2 | 404-17 | Hex Nyloc Nut - M14c x Grade 10 | 4 | PC |
| 3 | 221213-1 | Support Section-Rad Shroud 655 | 1 | PC |
| 4 | 124-171 | Setscrew M10C x 30 | 6 | PC |
| 4 | 460-11 | Washer Spring Single Coil M10 | 6 | PC |

Single (M010515)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries - Common Parts\P.T.O. Hydraulic Pumps\Single Powapack - Ancilliarries Iveco & John Deere - Common Parts - P.T.O. Pumps




Single (M010515)

Powapak\Ancilliaries\Iveco & John Deere Engines\Engine Ancilliaries - Common Parts\P.T.O. Hydraulic Pumps\Single Powapack - Ancilliaries Iveco & John Deere - Common Parts - P.T.O. Pumps

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------------|-----|------|
| 1 | 239-27 | Pump - Single SAE A 9T | 1 | PC |
| 2 | 265-16 | Adaptor Reducing M/M 3/4 x 1 1/4 BSP | 1 | PC |
| 2 | 451-21 | Washer Bonded G3-4" | 1 | PC |
| 4 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 1 | PC |
| 4 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 5 | 129-156 | Screw MC Cap Skt Hd M10x30 | 2 | PC |
| 5 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |

Tandem (M010515)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries - Common Parts\P.T.O. Hydraulic Pumps\Tandem Powapack - Ancilliarries Iveco & John Deere - Common Parts - P.T.O. Pumps




Tandem (M010515)

Powapak\Ancilliarries\Iveco & John Deere Engines\Engine Ancilliarries - Common Parts\P.T.O. Hydraulic Pumps\Tandem Powapack - Ancilliarries Iveco & John Deere - Common Parts - P.T.O. Pumps

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 239-34 | Pump - Hyd Tandem | 1 | PC |
| 3 | 263-8 | Adaptor M/M 1 1/4 BSP | 1 | PC |
| 3 | 451-111 | Washer Bonded G1 1-4" | 1 | PC |
| 4 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 4 | 451-19 | Washer - Bonded G1-2" | 2 | PC |
| 5 | 129-156 | Screw MC Cap Skt Hd M10x30 | 2 | PC |
| 5 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |

R.H. Sweep Fuel Tank Installation (M010522)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\R.H. Sweep Fuel Tank Installation
Powapack - Fuel Tanks - R.H. Sweep Fuel Tank Installation



R.H. Sweep Fuel Tank Installation (M010522)


Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\R.H. Sweep Fuel Tank Installation

Powapack - Fuel Tanks - R.H. Sweep Fuel Tank Installation

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|-----------------|------------------------------------|------------|-------------|
| 1 | 221816-1 | Fuel Tank-218.5 Ltr(RH Fill)RT | 1 | PC |
| 2 | 221816-4 | Plug-Drain (Magnetic) 7/8" UNF | 1 | PC |
| 2 | 451-20 | Washer Bonded G5-8" | 1 | PC |
| 3 | 7009581 | Fuel level sensor | 1 | PC |
| Comprising items 4-6 | | | | |
| 4 | 293501-4 | Fuel Sender O Ring Viton | 1 | PC |
| 5 | 293501-3 | Fuel Sender Locking Nut | 1 | PC |
| 6 | 221817-5 | Elobau Fuel Sender Filter | 1 | PC |
| 7 | 221813-1 | Fuel Feed Pipe W/Assy RT655 | 1 | PC |
| 8 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 9 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 1 | PC |
| 9 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 10 | 221541-1 | Fuel Strap Hook RT655 | 2 | PC |
| 10 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 10 | 420-15 | Nut MC Hex M10 | 4 | PC |
| 11 | 221561-1 | Fixture Block RT655 | 2 | PC |
| 11 | 124-176 | Setscrew M10C x 45 | 4 | PC |
| 11 | 455-11 | Washer Plain Plated Steel M10 | 4 | PC |
| 11 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 11 | 420-15 | Nut MC Hex M10 | 4 | PC |
| 12 | 221819-1 | Strap - Fuel Tank Retention | 1 | PC |
| 13 | 221819-2 | Strap - Fuel Tank Retention | 1 | PC |
| 15 | 124-182 | Setscrew M10C x 75 BS3692 | 2 | PC |
| 15 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |

R.H. Sweep Fuel Tank Installation (M010522)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\R.H. Sweep Fuel Tank Installation
Powapack - Fuel Tanks - R.H. Sweep Fuel Tank Installation



R.H. Sweep Fuel Tank Installation (M010522)


Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\R.H. Sweep Fuel Tank Installation

Powapack - Fuel Tanks - R.H. Sweep Fuel Tank Installation

| Item no. | Part no. | Description | QTY | Unit |
|-------------|----------|------------------------------------|-----|------|
| 15 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 16 | 221987-1 | Buffer Plate-Powapak RT655 | 2 | PC |
| 16 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 16 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 17 | 44-72 | Push Fit Cap - Green 9mm Diameter | 1 | PC |
| 18 | 44-73 | Push Fit Cap - Green 12mm Diameter | 1 | PC |
| 14 | 222055-2 | Buffer/Strap Fixture Assy RH | 2 | PC |
| S1 | 221816-6 | Cap - Fuel Filler RT655 | 1 | PC |
| Spares Only | | | | |

L.H. Sweep Fuel Tank Installation (M010522)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\L.H. Sweep Fuel Tank Installation
Powapack - Fuel Tanks - L.H. Sweep Fuel Tank Installation




L.H. Sweep Fuel Tank Installation (M010522)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\L.H. Sweep Fuel Tank Installation
 Powapack - Fuel Tanks - L.H. Sweep Fuel Tank Installation

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|--------------------------------|------------|-------------|
| 0 | 223840-1 | Fuel Tank LH Fill Assy Powapak | 1 | PC |
| Comprising items 1-19 | | | | |
| 1 | 223800-1 | Fuel Tank-Plastic, LH Fill RT | 1 | PC |
| 1 | 221816-4 | Plug-Drain (Magnetic) 7/8" UNF | 1 | PC |
| 1 | 451-20 | Washer Bonded G5-8" | 1 | PC |
| 2 | 222098-1 | Filler Neck Assy Powapak RT655 | 1 | PC |
| 2 | 124-139 | Setscrew M8C x 30 | 8 | PC |
| 2 | 460-10 | Washer Spring Single Coil M8 | 8 | PC |
| 2 | 455-10 | Washer Plain Plated Steel M8 | 8 | PC |
| 3 | 283323-5 | Fuel Level Sender RT Series | 1 | PC |
| 4 | 222093-1 | Flange-Mount,Fuel Tank RT655 | 1 | PC |
| 5 | 222094-1 | Seal (Outlet) Powapak RT655 | 1 | PC |
| 6 | 124-70 | Setscrew M5C x 16 | 6 | PC |
| 6 | 460-7 | Washer Spring Single Coil M5 | 6 | PC |
| 6 | 455-7 | Washer Plain Plated Steel M5 | 6 | PC |
| 8 | 281487-1 | Pipe - Fuel Suction E3 Eng | 1 | PC |
| 9 | 277-85 | Connector - Straight 10mm | 1 | PC |
| 10 | 222116-1 | Adaptor-Reducing M/F 10.5 Bore | 1 | PC |
| 11 | 451-17 | Washer Bonded G1-4" | 1 | PC |
| 12 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 13 | 42683-3 | Pipe-Fuel, 360mm Lg 8mm Bundy | 1 | PC |
| 14 | 277-48 | Connector - Straight 8mm | 1 | PC |
| 15 | 222116-1 | Adaptor-Reducing M/F 10.5 Bore | 1 | PC |
| 16 | 451-18 | Washer Bonded G3/8" | 1 | PC |

L.H. Sweep Fuel Tank Installation (M010522)



Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\L.H. Sweep Fuel Tank Installation
Powapack - Fuel Tanks - L.H. Sweep Fuel Tank Installation



L.H. Sweep Fuel Tank Installation (M010522)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Fuel Tanks\L.H. Sweep Fuel Tank Installation
 Powapack - Fuel Tanks - L.H. Sweep Fuel Tank Installation

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------|------------|-------------|
| 18 | 510-4 | Nut - Tube 8mm O/D | 1 | PC |
| 18 | 511-4 | Olive - Tube 8mm O/D | 1 | PC |
| 19 | 222055-1 | Buffer/Strap Fixture Assy LH | 1 | PC |
| 20 | 222055-2 | Buffer/Strap Fixture Assy RH | 1 | PC |
| 20 | 124-169 | Setscrew M10C x 25 | 4 | PC |
| 20 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 20 | 455-11 | Washer Plain Plated Steel M10 | 4 | PC |
| 21 | 123-137 | Bolt M Coarse M10x85 BS3692 | 2 | PC |
| 21 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 21 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 22 | 221541-1 | Fuel Strap Hook RT655 | 2 | PC |
| 22 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 22 | 420-15 | Nut MC Hex M10 | 4 | PC |
| 23 | 221819-3 | Strap - Fuel Tank Retention | 1 | PC |
| 24 | 221819-2 | Strap - Fuel Tank Retention | 1 | PC |
| 17 | 40448-1-B | Adaptor - Tank Fuel | 1 | PC |
| S1 | 221816-6 | Cap - Fuel Filler RT655 | 1 | PC |
| Spares Only | | | | |

LH Blast (M010523,M010325)Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Access Platform and Ladder\LH Blast
Powapack - Fuel Tanks - Miscellaneous - Access Platform & Ladder



LH Blast (M010523,M010325)

 Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Access Platform and Ladder\LH Blast
 Powapack - Fuel Tanks - Miscellaneous - Access Platform & Ladder

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------|------------|-------------|
| 1 | 221481-1 | Bracket - Platform RT655 | 1 | PC |
| 2 | 124-167 | Setscrew M10C x 20 | 2 | PC |
| 2 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 2 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 3 | 221478-1 | Platform - Ladder RT655 | 1 | PC |
| 4 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 4 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 4 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 4 | 420-14 | Nut MC Hex M8 | 4 | PC |
| 5 | 221460-1 | Grab Rail W/Assy RT655 | 1 | PC |
| 6 | 124-135 | Setscrew M8C x 20 | 3 | PC |
| 6 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 6 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| 6 | 420-14 | Nut MC Hex M8 | 3 | PC |
| 7 | 282561-1 | Access Ladder | 1 | PC |
| 8 | 221477-1 | Ladder Stay LH RT655 | 1 | PC |
| 9 | 221477-4 | Ladder Stay RH RT655 | 1 | PC |
| 10 | 124-137 | Setscrew M8C x 25 | 2 | PC |
| 10 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 10 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 10 | 420-14 | Nut MC Hex M8 | 2 | PC |
| 11 | 136-22 | Bolt & Nut Carriage M8x40 | 6 | PC |
| 11 | 455-10 | Washer Plain Plated Steel M8 | 6 | PC |
| 11 | 425-14 | Nut Nyloc Hex MC M8 | 6 | PC |

RH Blast (M010523)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Access Platform and Ladder\RH Blast
Powapack - Fuel Tanks - Miscellaneous - Access Platform & Ladder




RH Blast (M010523)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Access Platform and Ladder\RH Blast
 Powapack - Fuel Tanks - Miscellaneous - Access Platform & Ladder

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------|------------|-------------|
| 1 | 221481-1 | Bracket - Platform RT655 | 1 | PC |
| 2 | 124-167 | Setscrew M10C x 20 | 2 | PC |
| 2 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 2 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 3 | 222104-1 | Access Platform W/A Powapack | 1 | PC |
| 4 | 124-137 | Setscrew M8C x 25 | 6 | PC |
| 4 | 455-10 | Washer Plain Plated Steel M8 | 6 | PC |
| 4 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 4 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 5 | 221460-1 | Grab Rail W/Assy RT655 | 1 | PC |
| 6 | 124-135 | Setscrew M8C x 20 | 3 | PC |
| 6 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 6 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| 6 | 420-14 | Nut MC Hex M8 | 3 | PC |

Hydraulic Oil Cooler Installation (M010515)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Hydraulic Oil Cooler Installation
Powapack - Fuel Tanks - Miscellaneous



Hydraulic Oil Cooler Installation (M010515)

Powapak\Fuel Tank\Fuel Tank and Miscellaneous Items\Miscellaneous Components\Hydraulic Oil Cooler Installation
 Powapack - Fuel Tanks - Miscellaneous

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 1 | 282963-3 | Oil Cooler - oil/water | 1 | PC |
| 2 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 2 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 2 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 3 | 263-6 | Adaptor M/M 3/4" BSP | 2 | PC |
| 3 | 451-21 | Washer Bonded G3-4" | 2 | PC |
| 4 | 277-237 | Elbow - 1/2" BSP x 3/4" BARB | 2 | PC |
| 5 | 497-H12 | Hose - 3/4" Bore | 3 | M |
| 6 | 497-H12 | Hose - 3/4" Bore | 3 | M |
| 6 | 501-3 | Clip Hose Worm Drive 22-30mm | 2 | PC |
| 7 | 262-6 | Elbow 90° 3/4 BSP M x 3/4 BSP Swivel F | 1 | PC |
| 8 | 7010349 | Bracket Oil Cooler | 1 | PC |
| 9 | 124-135 | Setscrew M8C x 20 | 4 | PC |
| 9 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 9 | 457-4 | Washer Plain Steel M8 Form G | 4 | PC |
| 102 | HC12043-170-180 | Hose - Megaflex 3/4" 90s x 90s | 1 | PC |
| 103 | HC12002-45 | Hose - Megaflex 3/4" STRx90s | 1 | PC |

This page is intentionally left blank

Chapter 4 Suction Fan/Transmission





Table of Contents

| Section | Page |
|--------------------------|------|
| 4.1 Suction System | 100 |
| 4.2 Transmission | 112 |

Impeller and Fan Case (M010511,M010521)

Suction Fan\Transmission\Suction System\Impeller and Fan Case
Suction Fan\Transmission - Suction System



RTFI. 002-3


Impeller and Fan Case (M010511,M010521)

Suction Fan/Transmission\Suction System\Impeller and Fan Case

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 280000-1 | Fan Impeller Assy Ø 722 RT655 | 1 | PC |
| 2 | 62025-1 | Spinner - Gearbox | 1 | PC |
| 4 | 837-37 | Screw - Special M8c x 20 | 4 | PC |
| 5 | 221060-1 | Fancase W/Assy RT655 | 1 | PC |
| 5 | 222060-1 | Fancase W/Assy (Australia) 655 | 1 | PC |
| 6 | 124-207 | Setscrew M12C x 40 | 2 | PC |
| 6 | 455-12 | Washer Plain Plated Steel M12 | 4 | PC |
| 6 | 425-16 | Nut Nyloc Hex M12c | 2 | PC |
| 7 | 124-203 | Setscrew M12C x 30 | 2 | PC |
| 7 | 460-12 | Washer Spring Single Coil M12 | 2 | PC |
| 8 | 293870-1 | Access Cover W/A Fan Impeller | 1 | PC |
| 9 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 9 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 11 | 221080-1 | Fan Inlet W/Assy RT655 | 1 | PC |
| 12 | 124-135 | Setscrew M8C x 20 | 12 | PC |
| 12 | 460-10 | Washer Spring Single Coil M8 | 12 | PC |
| 12 | 457-4 | Washer Plain Steel M8 Form G | 12 | PC |
| 13 | 221087-1 | Seal - Make/Brake RT655 | 1 | PC |
| 14 | 221053-1 | Clamp Ring - Fan Inlet RT655 | 1 | PC |
| 15A | 138-125 | Screw - Skt Button Hd M8cx25 | 4 | PC |
| 15B | 138-123 | Screw - Skt Button Hd M8cx20 | 2 | PC |
| 15B | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 16 | 42382-1 | Diaphragm - Fancase | 1 | PC |
| 17 | 42239-2 | Flange - Fancase (Painted) | 1 | PC |

Impeller and Fan Case (M010511,M010521)

 Suction Fan\Transmission\Suction System\Impeller and Fan Case
 Suction Fan\Transmission - Suction System



Impeller and Fan Case (M010511,M010521)

Suction Fan/Transmission\Suction System\Impeller and Fan Case

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|---------------------|-----|------|
| 18 | 124-137 | Setscrew M8C x 25 | 12 | PC |
| 18 | 425-14 | Nut Nyloc Hex MC M8 | 12 | PC |
| 3 | 42284-1-B | Mask - Fancase | 1 | PC |

Fan Case VEG Mechanism L.H. (M010521)

 Suction Fan\Transmission\Suction System\Fan Case\Fan Case VEG Mechanism L.H.
 Suction Fan\Transmission - Suction System



Fan Case VEG Mechanism L.H. (M010521)

Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism L.H.

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|--------------------------------|-----|------|
| 1 | 7012679 | VEG Gate Frame W/Assy | 1 | PC |
| 2 | 7018239 | VEG Gate Plate W/Assy | 1 | PC |
| 3 | 7018243 | Seal Plate | 1 | PC |
| 4 | 124-103 | Setscrew M6C x 20 | 7 | PC |
| 4 | 460-8 | Washer Spring Single Coil M6 | 7 | PC |
| 4 | 455-8 | Washer Plain Plated Steel M6 | 7 | PC |
| 5 | 7010786 | Baffle Plate VEG Gate | 1 | PC |
| 6 | 221173-1 | Upper Axle-Veg Mechanism RT655 | 1 | PC |
| 7 | 221174-1 | Lower Axle-Veg Mechanism RT655 | 1 | PC |
| 8 | 454-20 | Washer Plain St.Stl M20x37 | 2 | PC |
| 9 | 124-134 | Setscrew M8C x 16 | 4 | PC |
| 10 | 42723-1-A | Washer - Tab | 2 | PC |
| 11 | 221175-1 | Lower Bearing W/A Veg Mech 655 | 1 | PC |
| 12 | 29128-1-B | Bush - 20Lg | 1 | PC |
| 13 | 124-134 | Setscrew M8C x 16 | 2 | PC |
| 13 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 14 | 222165-1 | Base Plate W/assy | 1 | PC |
| 15 | 29128-1-B | Bush - 20Lg | 1 | PC |
| 16 | 124-134 | Setscrew M8C x 16 | 6 | PC |
| 16 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 17 | 281335-24 | Actuator Electric 24v | 1 | PC |
| 18 | 425-15 | Nut Nyloc Hex M10C | 1 | PC |
| 18 | 455-11 | Washer Plain Plated Steel M10 | 1 | PC |
| 19 | 7010816 | Lever Arm Assembly VEG Gate | 1 | PC |

Fan Case VEG Mechanism L.H. (M010521)

 Suction Fan\Transmission\Suction System\Fan Case\Fan Case VEG Mechanism L.H.
 Suction Fan\Transmission - Suction System



Fan Case VEG Mechanism L.H. (M010521)

Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism L.H.

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 20 | 7010793 | Sensor Arm VEG Gate | 2 | PC |
| 21 | 124-70 | Setscrew M5C x 16 | 4 | PC |
| 21 | 460-7 | Washer Spring Single Coil M5 | 4 | PC |
| 21 | 455-7 | Washer Plain Plated Steel M5 | 4 | PC |
| 22 | 221187-1 | Bush - Lever Veg Mechanism 655 | 1 | PC |
| 23 | 124-146 | Setscrew M8C x 55 | 1 | PC |
| 23 | 460-10 | Washer Spring Single Coil M8 | 1 | PC |
| 23 | 425-14 | Nut Nyloc Hex MC M8 | 1 | PC |
| 24 | 221497-1 | Spacer - Veg Mechanism RT655 | 1 | PC |
| 25 | 221496-1 | Adjuster Plate - Veg Mech 655 | 1 | PC |
| 26 | 129-129 | Screw MC Cap Skt Hd M8x35 | 2 | PC |
| 26 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |

Fan Case VEG Mechanism R.H. (M010521)

 Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism R.H.
 Suction Fan/Transmission - Suction System



Fan Case VEG Mechanism R.H. (M010521)

Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism R.H.

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 7012679 | VEG Gate Frame W/Assy | 1 | PC |
| 2 | 7018239 | VEG Gate Plate W/Assy | 1 | PC |
| 3 | 7018243 | Seal Plate | 1 | PC |
| 4 | 124-103 | Setscrew M6C x 20 | 7 | PC |
| 4 | 460-8 | Washer Spring Single Coil M6 | 7 | PC |
| 4 | 455-8 | Washer Plain Plated Steel M6 | 7 | PC |
| 5 | 7010786 | Baffle Plate VEG Gate | 1 | PC |
| 6 | 221173-1 | Upper Axle-Veg Mechanism RT655 | 1 | PC |
| 7 | 221174-1 | Lower Axle-Veg Mechanism RT655 | 1 | PC |
| 8 | 454-20 | Washer Plain St.Stl M20x37 | 2 | PC |
| 9 | 124-134 | Setscrew M8C x 16 | 4 | PC |
| 10 | 42723-1-A | Washer - Tab | 2 | PC |
| 11 | 221175-1 | Lower Bearing W/A Veg Mech 655 | 1 | PC |
| 12 | 29128-1-B | Bush - 20Lg | 1 | PC |
| 13 | 124-134 | Setscrew M8C x 16 | 2 | PC |
| 13 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 14 | 221165-1 | Base Plate W/Assy | 1 | PC |
| 15 | 29128-1-B | Bush - 20Lg | 1 | PC |
| 16 | 124-134 | Setscrew M8C x 16 | 6 | PC |
| 16 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 17 | 281335-12 | Actuator Electric 12v | 1 | PC |
| 17 | 281335-24 | Actuator Electric 24v | 1 | PC |
| 18 | 425-15 | Nut Nyloc Hex M10C | 1 | PC |
| 18 | 455-11 | Washer Plain Plated Steel M10 | 1 | PC |

Fan Case VEG Mechanism R.H. (M010521)

 Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism R.H.
 Suction Fan/Transmission - Suction System


Fan Case VEG Mechanism R.H. (M010521)


Suction Fan/Transmission\Suction System\Fan Case\Fan Case VEG Mechanism R.H.

Suction Fan/Transmission - Suction System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 19 | 7010821 | Lever Arm Assembly VEG Gate | 1 | PC |
| 20 | 7010793 | Sensor Arm VEG Gate | 2 | PC |
| 21 | 124-70 | Setscrew M5C x 16 | 4 | PC |
| 21 | 460-7 | Washer Spring Single Coil M5 | 4 | PC |
| 21 | 455-7 | Washer Plain Plated Steel M5 | 4 | PC |
| 22 | 221187-1 | Bush - Lever Veg Mechanism 655 | 1 | PC |
| 23 | 124-146 | Setscrew M8C x 55 | 1 | PC |
| 23 | 460-10 | Washer Spring Single Coil M8 | 1 | PC |
| 23 | 425-14 | Nut Nyloc Hex MC M8 | 1 | PC |
| 24 | 221497-1 | Spacer - Veg Mechanism RT655 | 1 | PC |
| 25 | 221496-1 | Adjuster Plate - Veg Mech 655 | 1 | PC |
| 26 | 129-129 | Screw MC Cap Skt Hd M8x35 | 2 | PC |
| 26 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 27 | 7003201 | Sensor | 4 | PC |
| 27 | 451-160 | Washer Copper 18mm | 8 | PC |
| 28 | 7010783 | Bracket VEG Sensor | 2 | PC |
| 29 | 124-134 | Setscrew M8C x 16 | 4 | PC |
| 29 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 27 | 7003201 | Sensor | 4 | PC |
| 27 | 451-160 | Washer Copper 18mm | 8 | PC |
| 28 | 7010785 | Bracket VEG Sensor | 2 | PC |
| 29 | 124-134 | Setscrew M8C x 16 | 4 | PC |
| 29 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |

Fluid Coupling ()

Suction Fan\Transmission\Transmission\Fluid Coupling
Suction Fan\Transmission - Transmission



Note:
On assembly, coat internal spline of Item 18
with Kluber Paste 46MR410, JSL Part No. 94-24

95FC. 001-3

Fluid Coupling ()


Suction Fan\Transmission\Transmission\Fluid Coupling

Suction Fan\Transmission - Transmission

| Item no. | Part no. | Description | QTY | Unit |
|-------------------------|-----------------|---------------------------|------------|-------------|
| 2 | 77-39 | Seal - Oil 40x55x7mm | 1 | PC |
| 3 | 656-1 | O Ring | 1 | PC |
| 4 | 656-2 | O Ring | 1 | PC |
| 5 | 656-3 | Plug | 1 | PC |
| 6 | 656-4 | Circlip - External I/D | 2 | PC |
| 7 | 656-5 | Circlip - External I/D | 1 | PC |
| 8 | 656-6 | Circlip - Internal O/D | 1 | PC |
| 9 | 656-7 | Bearing | 1 | PC |
| 10 | 656-8 | Oil Seal | 1 | PC |
| 11 | 656-9 | Gasket | 1 | PC |
| 12 | 656-10 | Impeller Inner | 1 | PC |
| 13 | 656-12 | Hub | 1 | PC |
| 14 | 656-13 | Housing Bearing | 1 | PC |
| 15 | 656-14 | Screw - Fluid Coupling | 12 | PC |
| 0 | 42501-500 | Overhaul kit- For 42501/3 | 1 | PC |
| Comprising items 3,7-16 | | | | |
| 1 | 42501-2-A | Coupling - Fluid | 1 | PC |

Fan Drive Gearbox ()

Suction Fan\Transmission\Transmission\Fan Drive Gearbox
Powapak - VT Transmission



1 - Gear Set comprises the following (NSS) :

| Item | Description | Qty |
|------|--------------------|-----|
| 4 | Input Shaft | 1 |
| 5 | Output Shaft | 1 |
| 6 | Input Gear | 1 |
| 7 | Cap Bearing | 1 |
| 10 | Gasket | 1 |
| 11 | Washer | 1 |
| 12 | Spacer | 1 |
| 13 | Spacer | 1 |
| 23 | Set Screw M10F x25 | 3 |
| 31 | Clamp Plate | 1 |
| 40 | Bearing Set | 1 |
| 41 | Seal Kit | 1 |

40 - Bearing Set comprises the following (NSS) :

| Item | Description | Qty |
|------|-----------------|-----|
| 3 | Bearing Housing | 1 |
| 14 | Bearing | 1 |
| 15 | Bearing | 1 |
| 16 | Bearing | 1 |

41 - Seal Kit comprises the following (NSS) :

| Item | Description | Qty |
|------|----------------|-----|
| 17 | Rotary Seal | 2 |
| 18 | 'O' Ring Seal | 1 |
| 19 | 'O' Ring Seal | 1 |
| 22 | Washer - Dowty | 2 |
| 28 | Tab Washer | 1 |
| 36A | Washer - Dowty | 2 |

95FG.001-7

Fan Drive Gearbox ()

Suction Fan\Transmission\Transmission\Fan Drive Gearbox

Powapak - VT Transmission


| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|------------------------------|------------|-------------|
| 0 | 42270-1-C | Gearbox Assembly | 1 | PC |
| 2 | 42271-2-D | Casing - Gearbox (Machined) | 1 | PC |
| 8 | 42277-1-D | Cover Plate Welded Assembly | 1 | PC |
| 10 | 42279-1-B | Gasket Coverplate | 1 | PC |
| 20 | 54-4 | Plug - Collar G1/2" BSP | 3 | PC |
| 21 | 13109 | Plug Drain Magnetic 1/2" BSP | 1 | PC |
| 22 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 23 | 121-41 | Setscrew M10F x 25 | 3 | PC |
| 24 | 124-137 | Setscrew M8C x 25 | 10 | PC |
| 25 | 460-10 | Washer Spring Single Coil M8 | 16 | PC |
| 26 | 124-143 | Setscrew M8C x 40 | 6 | PC |
| 27 | 457-4 | Washer Plain Steel M8 Form G | 2 | PC |
| 28 | 42659-1-A | Washer Tab | 1 | PC |
| 29 | 16978-1-A | Breather | 1 | PC |
| 30 | 87-7 | Gauge - Oil Level Indicator | 1 | PC |
| 31 | 42282-2 | Plate - Clamp | 1 | PC |
| 33S | 283803-1 | Fixing Kit-Gearbox Assy | 1 | PC |

Comprising items 32 and 33

| | | | | |
|-----|------------|---------------------------------------|---|----|
| 32 | 42282-3 | Plate - Clamp | 1 | PC |
| 33 | 148-1 | Screw-Cap HD Tuflok M10x1.25x30 G12.9 | 3 | PC |
| 34 | HC08001-48 | Hose - Megaflex 1/2" STRx45s | 1 | PC |
| 35 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 1 | PC |
| 35A | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 36 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |

Fan Drive Gearbox ()

Suction Fan\Transmission\Transmission\Fan Drive Gearbox
Powapak - VT Transmission



1 - Gear Set comprises the following (NSS) :

| Item | Description | Qty |
|------|--------------------|-----|
| 4 | Input Shaft | 1 |
| 5 | Output Shaft | 1 |
| 6 | Input Gear | 1 |
| 7 | Cap Bearing | 1 |
| 10 | Gasket | 1 |
| 11 | Washer | 1 |
| 12 | Spacer | 1 |
| 13 | Spacer | 1 |
| 23 | Set Screw M10F x25 | 3 |
| 31 | Clamp Plate | 1 |
| 40 | Bearing Set | 1 |
| 41 | Seal Kit | 1 |

40 - Bearing Set comprises the following (NSS) :

| Item | Description | Qty |
|------|-----------------|-----|
| 3 | Bearing Housing | 1 |
| 14 | Bearing | 1 |
| 15 | Bearing | 1 |
| 16 | Bearing | 1 |

41 - Seal Kit comprises the following (NSS) :

| Item | Description | Qty |
|------|----------------|-----|
| 17 | Rotary Seal | 2 |
| 18 | 'O' Ring Seal | 1 |
| 19 | 'O' Ring Seal | 1 |
| 22 | Washer - Dowty | 2 |
| 28 | Tab Washer | 1 |
| 36A | Washer - Dowty | 2 |

95FG.001-7

Fan Drive Gearbox ()

Suction Fan\Transmission\Transmission\Fan Drive Gearbox
Powapak - VT Transmission

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|-------------------------------|-----|------|
| 36A | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 37 | 40525-1-B | Drain - Engine W/Assy | 1 | PC |
| 38 | 124-167 | Setscrew M10C x 20 | 1 | PC |
| 38 | 460-11 | Washer Spring Single Coil M10 | 1 | PC |
| 38 | 420-15 | Nut MC Hex M10 | 1 | PC |
| 39 | 3823 | Plug - Collar 3/8" BSP Brass | 1 | PC |
| 39A | 451-18 | Washer Bonded G3/8" | 1 | PC |

This page is intentionally left blank

Chapter 5 Gutter Broom





Table of Contents

| Section | Page |
|---|------|
| 5.1 Gutter Broom | 120 |
| 5.2 Curtain Installation | 134 |
| 5.3 Mounting Brackets - Not Supplied With ESU's | 136 |

Assembly L.H. & R.H. (M011210)
**Gutter Broom\Gutter Broom\Assembly L.H. & R.H.
Gutter Broom**



RTGB.006-6

Assembly L.H. & R.H. (M011210)

Gutter Broom\Gutter Broom\Assembly L.H. & R.H.

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 221601-1 | Support W/Assy | 1 | PC |
| 1 | 221660-1 | Support W/Assy RH | 1 | PC |
| 2 | 221620-1 | Pivot Bracket W/Assy | 1 | PC |
| 3 | 221630-1 | Lower Arm W/Assy | 1 | PC |
| 4 | 221635-1 | Upper Arm W/Assy | 1 | PC |
| 5 | 221640-1 | Mounting Bracket W/Assy | 1 | PC |
| 6 | 221645-1 | Motor Mount | 1 | PC |
| 7 | 221652-1 | Pin - Rear Pivot RT655 | 2 | PC |
| 8 | 221667-1 | Bush - Lower Arm RT655 | 4 | PC |
| 9 | 221661-1 | Lug Bolt - M16F x 54mm RT655 | 4 | PC |
| 10 | 221654-1 | Bush - Upper Arm RT655 | 1 | PC |
| 11 | 123-197 | Bolt M Coarse M16x150 | 1 | PC |
| 11 | 425-18 | Nut Nyloc Hex M16C | 1 | PC |
| 12 | 457-8 | Washer Plain Steel M16 Form G | 2 | PC |
| 13 | 455-14 | Washer Plain Plated Steel M16 | 2 | PC |
| 14 | 221667-1 | Bush - Lower Arm RT655 | 2 | PC |
| 15 | 221653-1 | Pin - Front Pivot RT655 | 1 | PC |
| 16 | 221667-1 | Bush - Lower Arm RT655 | 2 | PC |
| 17 | 221661-1 | Lug Bolt - M16F x 54mm RT655 | 1 | PC |
| 18 | 124-99 | Setscrew M6C x 10 | 2 | PC |
| 19 | 221650-1 | Cylinder-Brush Lift Pneu.RT655 | 1 | PC |
| 20 | 72-93 | Pilot Check Valve-1/4" BSPx6mm | 1 | PC |
| 21 | 221647-1 | Rod Eye - Cylinder RT655 | 1 | PC |
| 22 | 221664-1 | Bush-Clevis Suspension Cyl 655 | 1 | PC |

Assembly L.H. & R.H. (M011210)
**Gutter Broom\Gutter Broom\Assembly L.H. & R.H.
Gutter Broom**



RTGB.006-6

Assembly L.H. & R.H. (M011210)

Gutter Broom\Gutter Broom\Assembly L.H. & R.H.

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 23 | 221655-1 | Pin-Clevis Lift C.Brush RT655 | 1 | PC |
| 24 | 25-2 | Circlip - External I/D 3/4" | 2 | PC |
| 25 | 221651-1 | Pin - Pivot Head RT655 | 1 | PC |
| 26 | 221666-1 | Bush - Pivot Head RT655 | 2 | PC |
| 27 | 221662-1 | Lug Bolt - M18F x 62mm RT655 | 2 | PC |
| 28 | 221609-1 | Stop - GB RT655 | 1 | PC |
| 29 | 124-169 | Setscrew M10C x 25 | 3 | PC |
| 29 | 460-11 | Washer Spring Single Coil M10 | 3 | PC |
| 29 | 455-11 | Washer Plain Plated Steel M10 | 3 | PC |
| 30 | 123-183 | Bolt M Coarse M16x55 BS3692 | 3 | PC |
| 30 | 455-14 | Washer Plain Plated Steel M16 | 3 | PC |
| 30 | 425-18 | Nut Nyloc Hex M16C | 3 | PC |
| 31 | 221670-1 | Brush Motor - Hydraulic RT655 | 1 | PC |
| 32 | 499-12 | Adaptor STR G1/2 x SAE O 7/8 | 2 | PC |
| 33 | 123-151 | Bolt M Coarse M12x65 BS3692 | 4 | PC |
| 33 | 425-16 | Nut Nyloc Hex M12c | 4 | PC |
| 34 | 221617-1 | Drive Plate W/Assy | 1 | PC |
| 35 | 7015108 | Cylinder Assembly Ø80x138 | 1 | PC |
| 36 | 92067543-0 | Hex Head Bolt - M16x100C - 8.8 | 1 | PC |
| 36 | 455-14 | Washer Plain Plated Steel M16 | 2 | PC |
| 37 | 7015584 | Reducing Spacer | 2 | PC |
| 38 | 221609-1 | Stop - GB RT655 | 1 | PC |
| 39 | 123-152 | Bolt M Coarse M12x70 | 1 | PC |
| 39 | 455-12 | Washer Plain Plated Steel M12 | 2 | PC |

Assembly L.H. & R.H. (M011210)
**Gutter Broom\Gutter Broom\Assembly L.H. & R.H.
Gutter Broom**



RTGB.006-6

Assembly L.H. & R.H. (M011210)

Gutter Broom\Gutter Broom\Assembly L.H. & R.H.

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 39 | 425-16 | Nut Nyloc Hex M12c | 1 | PC |
| 40 | 7015574 | Reducing Spacer | 2 | PC |
| 41 | 221649-1 | Bracket Mount - Hose RT655 | 1 | PC |
| 42 | 124-139 | Setscrew M8C x 30 | 2 | PC |
| 42 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 42 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 43 | 200082-1 | Plate - Clamp Spacer | 3 | PC |
| 44 | 51-44 | Clamp - Type 3 G1/2 G1/2 | 6 | PC |
| 45 | 51-43 | Top Clamp Plate - 65x30 | 3 | PC |
| 46 | 123-114 | Bolt M Coarse M8x70 | 3 | PC |
| 46 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 46 | 425-14 | Nut Nyloc Hex MC M8 | 3 | PC |
| 47 | 221689-24 | Actuator - Rotatilt 24v RT655 | 1 | PC |
| 47 | 221689-12 | Actuator - Rotatilt 12v RT655 | 1 | PC |
| 48 | 221595-1 | Clevis W/A Lower Mnt Rotatilt | 1 | PC |
| 49 | 123-152 | Bolt M Coarse M12x70 | 1 | PC |
| 49 | 455-12 | Washer Plain Plated Steel M12 | 1 | PC |
| 49 | 425-16 | Nut Nyloc Hex M12c | 1 | PC |
| 50 | 92097451-0 | Hex Head Screw - M12Cx35 - 8.8 | 1 | PC |
| 50 | 425-16 | Nut Nyloc Hex M12c | 1 | PC |
| 51 | 221596-1 | Plate Mount Upper Rotatilt 655 | 1 | PC |
| 52 | 221597-1 | Tab Mount Upper Rotatilt RT655 | 1 | PC |
| 53 | 123-152 | Bolt M Coarse M12x70 | 3 | PC |
| 53 | 455-12 | Washer Plain Plated Steel M12 | 3 | PC |

Assembly L.H. & R.H. (M011210)
**Gutter Broom\Gutter Broom\Assembly L.H. & R.H.
Gutter Broom**


RTGB.006-6


Assembly L.H. & R.H. (M011210)

Gutter Broom\Gutter Broom\Assembly L.H. & R.H.

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------------|------------|-------------|
| 53 | 425-16 | Nut Nyloc Hex M12c | 3 | PC |
| 54 | 45014-24 | Spacer - 35mm | 2 | PC |
| 55 | 123-185 | Bolt M Coarse M16x65 | 2 | PC |
| 56 | 221642-3 | Bush - Rotatilt RT655 | 2 | PC |
| 57 | 123-183 | Bolt M Coarse M16x55 BS3692 | 1 | PC |
| 58 | 221642-2 | Bush - Rotatilt RT655 | 1 | PC |
| 59 | 455-14 | Washer Plain Plated Steel M16 | 3 | PC |
| 59 | 425-18 | Nut Nyloc Hex M16C | 3 | PC |
| 60 | 221665-1 | Cylinder-Double Pneumatic 655 | 1 | PC |
| 61 | 221694-1 | Pin-Clevis 2 Stage Cylind. 655 | 1 | PC |
| 62 | 221497-1 | Spacer - Veg Mechanism RT655 | 2 | PC |
| 63 | 25-2 | Circlip - External I/D 3/4" | 1 | PC |
| 64 | 123-152 | Bolt M Coarse M12x70 | 1 | PC |
| 64 | 455-12 | Washer Plain Plated Steel M12 | 2 | PC |
| 64 | 425-16 | Nut Nyloc Hex M12c | 1 | PC |
| 65 | 221693-1 | Bush-Two Stage Cylinder RT655 | 1 | PC |
| 66 | 282053-1 | Loom - Rotatilt Single | 1 | PC |
| 66 | 282053-2 | Loom - Rotatilt Dual | 1 | PC |
| S19 | 221650-500 | Seal Kit - Cylinder Brush Lift RT655 | 1 | PC |
| Spares only | | | | |

Single (M011210)

 Gutter Broom\Gutter Broom\Shuttle Valve Installations\Single
 Gutter Broom - Shuttle Valve Installations



RTGB. 002-2

Single (M011210)

 Gutter Broom\Gutter Broom\Shuttle Valve Installations\Single
 Gutter Broom - Shuttle Valve Installations

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 1 | 72-1 | Valve - Shuttle | 1 | PC |
| 2 | 124-75 | Setscrew M5C x 30 | 2 | PC |
| 2 | 460-7 | Washer Spring Single Coil M5 | 2 | PC |
| 2 | 425-12 | Nut Nyloc Hex M5C | 2 | PC |
| 3 | 552-3 | Adaptor - Elbow 6mm x 1/8 BSPT | 3 | PC |
| 4 | 554-3 | Tee - Connector 6mm | 1 | PC |
| 5 | 549-3 | Pneumatic Stem Connector, Ø6mm Tube | 1 | PC |
| 6 | 559-25 | Manifold Union 8 - 6mm | 1 | PC |
| 7 | 559-39 | Plug - 8mm PIF | 1 | PC |
| 8 | 124-39 | Setscrew M4C x 20 BS3692 | 2 | PC |
| 8 | 460-5 | Washer Spring Single Coil M4 | 2 | PC |
| 8 | 425-11 | Nut Nyloc Hex MC M4 | 2 | PC |
| 9 | 273-20 | Tube - Nylon Blue 6mm O/D 100m Reel | 1 | M |
| 11 | 547-3 | Connector - 6mm Straight | 1 | PC |
| 12 | 72-97 | Silencer 6mm | 1 | PC |
| 13 | 559-38 | Plug - 6mm PIF | 1 | PC |
| 10 | 41041-1-A | Sleeve - Support, Pipe | 1 | PC |


Dual (M011210)

 Gutter Broom\Gutter Broom\Shuttle Valve Installations\Dual
 Gutter Broom - Shuttle Valve Installations


Dual (M011210)

Gutter Broom\Gutter Broom\Shuttle Valve Installations\Dual
Gutter Broom - Shuttle Valve Installations

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 1 | 72-1 | Valve - Shuttle | 2 | PC |
| 2 | 124-75 | Setscrew M5C x 30 | 4 | PC |
| 2 | 460-7 | Washer Spring Single Coil M5 | 4 | PC |
| 2 | 425-12 | Nut Nyloc Hex M5C | 4 | PC |
| 3 | 552-3 | Adaptor - Elbow 6mm x 1/8 BSPT | 6 | PC |
| 4 | 554-3 | Tee - Connector 6mm | 2 | PC |
| 5 | 549-3 | Pneumatic Stem Connector, Ø6mm Tube | 2 | PC |
| 6 | 559-25 | Manifold Union 8 - 6mm | 2 | PC |
| 7 | 559-39 | Plug - 8mm PIF | 2 | PC |
| 8 | 124-39 | Setscrew M4C x 20 BS3692 | 4 | PC |
| 8 | 460-5 | Washer Spring Single Coil M4 | 4 | PC |
| 8 | 425-11 | Nut Nyloc Hex MC M4 | 4 | PC |
| 9 | 273-20 | Tube - Nylon Blue 6mm O/D 100m Reel | 2 | M |
| 10 | 41041-1-A | Sleeve - Support, Pipe | 2 | PC |
| 11 | 547-3 | Connector - 6mm Straight | 2 | PC |
| 12 | 72-97 | Silencer 6mm | 2 | PC |
| 13 | 559-38 | Plug - 6mm PIF | 2 | PC |


Brush Stock Assembly (M011230)Gutter Broom\Gutter Broom\Brush Stock Assembly
Gutter Broom

Brush Stock Assembly (M011230)

 Gutter Broom\Gutter Broom\Brush Stock Assembly
 Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|----------|--------------------------------|-----|------|
| 0 | 221740-1 | Stock Assy-Gutter Broom RT655 | 1 | PC |
| Comprising items 1-4 | | | | |
| 1 | 221616-1 | Plate-Brush Mt Gutter Brom 655 | 1 | PC |
| 2 | 221696-1 | GB Segment Gutter Broom RT655 | 4 | PC |
| 3 | 124-175 | Setscrew M10C x 40 | 16 | PC |
| 3 | 460-11 | Washer Spring Single Coil M10 | 16 | PC |
| 3 | 455-11 | Washer Plain Plated Steel M10 | 16 | PC |
| 4 | 124-173 | Setscrew M10C x 35 | 8 | PC |
| 4 | 455-11 | Washer Plain Plated Steel M10 | 8 | PC |
| 4 | 425-15 | Nut Nyloc Hex M10C | 8 | PC |

Curtain Installation (M011010)
Gutter Broom\Curtain Installation
Gutter Broom




Curtain Installation (M011010)

Gutter Broom\Curtain Installation

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------|------------|-------------|
| 1 | 221687-1 | W/A Curtain Supt RT655 | 1 | PC |
| 2 | 124-203 | Setscrew M12C x 30 | 2 | PC |
| 2 | 455-12 | Washer Plain Plated Steel M12 | 4 | PC |
| 2 | 425-16 | Nut Nyloc Hex M12c | 2 | PC |
| 3 | 221671-1 | Curtain - Longitudinal RT655 | 1 | PC |
| 4 | 221672-1 | Angle - Curtain Hanger RT655 | 1 | PC |
| 5 | 221683-1 | Plate Backing - Curtain RT655 | 1 | PC |
| 6 | 124-137 | Setscrew M8C x 25 | 8 | PC |
| 6 | 455-10 | Washer Plain Plated Steel M8 | 8 | PC |
| 6 | 425-14 | Nut Nyloc Hex MC M8 | 8 | PC |
| 8 | 62165-3 | Chain - 3 Links | 1 | PC |
| 9 | 62165-4 | Chain - 4 Links | 1 | PC |
| 10 | 62165-7 | Chain - 7 Links | 1 | PC |
| 7 | 6032-1-A | Shackle D | 4 | PC |

Mounting Brackets - Not Supplied With ESU's (M011220)
Gutter Broom\Mounting Brackets - Not Supplied With ESU's
Gutter Broom



Mounting Brackets - Not Supplied With ESU's (M011220)

Gutter Broom\Mounting Brackets - Not Supplied With ESU's

Gutter Broom

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 221685-1 | Support W/Assy LH GB Assy 655 | 1 | PC |
| 2 | 221685-4 | Support W/Assy RH GB Assy 655 | 1 | PC |
| 3 | 124-271 | Setscrew M16C x 40 BS3692 | 8 | PC |
| 3 | 455-14 | Washer Plain Plated Steel M16 | 8 | PC |
| 3 | 425-18 | Nut Nyloc Hex M16C | 8 | PC |
| 4 | 124-271 | Setscrew M16C x 40 BS3692 | 10 | PC |
| 4 | 455-14 | Washer Plain Plated Steel M16 | 10 | PC |
| 4 | 425-18 | Nut Nyloc Hex M16C | 10 | PC |

This page is intentionally left blank

Chapter 6 Pick-up Head





Table of Contents

| Section | Page |
|-------------------------|------|
| 6.1 Pick-up Head | 140 |
| 6.2 Installations | 146 |

Pick-up Head Assembly (M011110)

 Pick-up Head\Pick-up Head\Pick-up Head Assembly
 Pick-up Head


221430E709912


Pick-up Head Assembly (M011110)

Pick-up Head\Pick-up Head\Pick-up Head Assembly

Pick-up Head

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 123-131 | Bolt M Coarse M10x55 | 2 | PC |
| 2 | 124-137 | Setscrew M8C x 25 | 2 | PC |
| 3 | 124-139 | Setscrew M8C x 30 | 9 | PC |
| 4 | 124-167 | Setscrew M10C x 20 | 5 | PC |
| 5 | 124-169 | Setscrew M10C x 25 | 6 | PC |
| 6 | 124-267 | Setscrew M16C x 30 | 6 | PC |
| 7 | 124-286 | Setscrew M16C x 130 | 4 | PC |
| 8 | 221414-1 | Blister Flap - Nozzle RT655 | 1 | PC |
| 9 | 221564-1 | Clamp Plate - Blister Flap 655 | 1 | PC |
| 10 | 221727-1 | Location Nipple Assy Nozz 655 | 2 | PC |
| 11 | 221735-1 | Nozzle Skate W/Assy RT655 | 2 | PC |
| 12 | 421-18 | Locknut MC Hex M16 | 4 | PC |
| 14 | 425-15 | Nut Nyloc Hex M10C | 2 | PC |
| 15 | 455-10 | Washer Plain Plated Steel M8 | 9 | PC |
| 16 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 17 | 457-4 | Washer Plain Steel M8 Form G | 3 | PC |
| 18 | 457-5 | Washer Plain Steel M10 Form G | 6 | PC |
| 19 | 457-8 | Washer Plain Steel M16 Form G | 6 | PC |
| 20 | 460-10 | Washer Spring Single Coil M8 | 14 | PC |
| 21 | 460-11 | Washer Spring Single Coil M10 | 11 | PC |
| 22 | 460-14 | Washer Spring Single Coil M16 | 6 | PC |
| 23 | 221410-1 | Curtain Flap Assy Cassete 655 | 1 | PC |
| 24 | 221700-1 | Hood W/Assy LH RT655 | 1 | PC |
| LH Blast | | | | |

Pick-up Head Assembly (M011110)

 Pick-up Head\Pick-up Head\Pick-up Head Assembly
 Pick-up Head



221430E709912

Pick-up Head Assembly (M011110)

Pick-up Head\Pick-up Head\Pick-up Head Assembly

Pick-up Head

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 25 | 221700-2 | Hood W/Assy RH RT655 | 1 | PC |
| RH Blast | | | | |
| 26 | 221560-1 | Air Blade Cassette Assy RT655 | 1 | PC |
| 27 | 124-141 | Setscrew M8C x 35 | 1 | PC |
| 28 | 56569-1 | Spacer - 16 Dia x 15 M8 | 1 | PC |
| 29 | 455-14 | Washer Plain Plated Steel M16 | 1 | PC |
| 30 | 124-135 | Setscrew M8C x 20 | 1 | PC |
| 13 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |


Trunking (M011120)Pick-up Head\Pick-up Head\Trunking
Pick-up Head

Trunking (M011120)

 Pick-up Head\Pick-up Head\Trunking
 Pick-up Head

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 1 | 221044-1 | Intake Seat W/A - Subframe 655 | 1 | PC |
| 1 | 221044-11 | Intake Seat W/A - Subframe 655 | 1 | PC |
| 1 | 221044-2 | Intake Seat W/A - Subframe 655 | 1 | PC |
| 1 | 221044-12 | Intake Seat W/A - Subframe 655 | 1 | PC |
| 2 | 127-139 | Setscrew Csk Hd. M8C x 30 | 4 | PC |
| 2 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 2 | 420-14 | Nut MC Hex M8 | 4 | PC |
| 3 | 223950-1 | Trunking - Suction Hood RT655 | 1 | PC |
| 4 | 501-33 | Hose Clip - Worm Drive (350-380) | 1 | PC |
| 5 | 443-1 | Band Clamp-Hi Grip Quick Release 330-375 | 1 | PC |
| 5 | 443-50 | Pin - Band Clamp Retaining | 1 | PC |
| 6 | 221799-1 | Intake Seat Seal 1130mm Lg 655 | 1 | PC |
| 7 | 221043-1 | Intake Seat Clamp-Subframe 655 | 1 | PC |
| 8 | 124-136 | Setscrew M8C x 22 BS3692 | 4 | PC |
| 8 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 9 | 221201-1 | Trunking Fixture Seat W/A 655 | 1 | PC |
| 9 | 221201-2 | Trunking Fixture Seat W/A 655 | 1 | PC |
| 10 | 124-139 | Setscrew M8C x 30 | 8 | PC |
| 10 | 460-10 | Washer Spring Single Coil M8 | 8 | PC |
| 10 | 420-14 | Nut MC Hex M8 | 8 | PC |
| 11 | 223960-1 | Trunking - Blaster Hood RT655 | 1 | PC |
| 12 | 501-33 | Hose Clip - Worm Drive (350-380) | 2 | PC |

Mounting Brackets (M011120)

 Pick-up Head\Installations\Mounting Brackets
 Pick-up Head - Installations


Mounting Brackets (M011120)


Pick-up Head\Installations\Mounting Brackets

Pick-up Head - Installations

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 221353-1 | Rr Mount W/A-Sweep Gear LH 655 | 1 | PC |
| 2 | 221353-2 | Rr Mount W/A-Sweep Gear RH 655 | 1 | PC |
| 3 | 221352-1 | Centre Mount W/A-S/Gear LH 655 | 1 | PC |
| 4 | 221352-2 | Centre Mount W/A-S/Gear RH 655 | 1 | PC |
| 5 | 124-271 | Setscrew M16C x 40 BS3692 | 8 | PC |
| 5 | 457-8 | Washer Plain Steel M16 Form G | 8 | PC |
| 5 | 455-14 | Washer Plain Plated Steel M16 | 8 | PC |
| 5 | 425-18 | Nut Nyloc Hex M16C | 8 | PC |
| 6 | 221348-1 | Rear Plate W/A Sweep Gear 655 | 2 | PC |
| 7 | 221334-1 | Plate-Front Sweep Gear Mnt 655 | 2 | PC |
| 8 | 124-271 | Setscrew M16C x 40 BS3692 | 8 | PC |
| 8 | 425-18 | Nut Nyloc Hex M16C | 8 | PC |
| 8 | 455-14 | Washer Plain Plated Steel M16 | 16 | PC |
| 9 | 221350-1 | Cranked Brkt W/A Sweep Gear655 | 2 | PC |
| 10 | 124-271 | Setscrew M16C x 40 BS3692 | 8 | PC |
| 10 | 425-18 | Nut Nyloc Hex M16C | 8 | PC |
| 10 | 455-14 | Washer Plain Plated Steel M16 | 16 | PC |
| 11 | 221355-1 | Bracket W/Assy Buffer Hood 655 | 2 | PC |
| 12 | 124-171 | Setscrew M10C x 30 | 6 | PC |
| 12 | 425-15 | Nut Nyloc Hex M10C | 6 | PC |
| 12 | 457-5 | Washer Plain Steel M10 Form G | 12 | PC |
| 13 | 290-37 | Stud Mount Ø 70x50Lg M10 Stud | 4 | PC |
| 13 | 455-11 | Washer Plain Plated Steel M10 | 4 | PC |
| 13 | 425-15 | Nut Nyloc Hex M10C | 4 | PC |

Pick-up Head Installation (M011120)

Pick-up Head\Installations\Pick-up Head Installation
Pick-up Head - Installations



Pick-up Head Installation (M011120)

Pick-up Head\Installations\Pick-up Head Installation

Pick-up Head - Installations

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 221310-1 | Spring Support W/Assy RT655 | 4 | PC |
| 2 | 420-15 | Nut MC Hex M10 | 8 | PC |
| 2 | 455-11 | Washer Plain Plated Steel M10 | 8 | PC |
| 3 | 425-15 | Nut Nyloc Hex M10C | 8 | PC |
| 3 | 455-11 | Washer Plain Plated Steel M10 | 8 | PC |
| 4 | 3637-1 | Spring - Tension | 8 | PC |
| 5 | 223900-1 | Hydraulic Cyl 175mm Stroke | 2 | PC |
| 6 | 40572-1-A | Pin Pivot W/A Rr Door x 80 Lg | 2 | PC |
| 7 | 124-103 | Setscrew M6C x 20 | 2 | PC |
| 7 | 460-8 | Washer Spring Single Coil M6 | 2 | PC |
| 8 | 284-19 | Chain - Diameter 10 Short Link | 2 | PC |
| 9 | 62172-1 | Shackle D | 2 | PC |
| 10 | 62165-9 | Chain 9 Links | 2 | PC |
| 11 | 6032-1-A | Shackle D | 4 | PC |
| 12 | 284-20 | Chain - 3 Links | 8 | PC |
| 13 | 6032-1-A | Shackle D | 8 | PC |
| 14 | 62165-11 | Chain - 11 Links | 8 | PC |
| 15 | 6032-1-A | Shackle D | 8 | PC |

This page is intentionally left blank

Chapter 7 Wanderhose Option





Table of Contents

| Section | Page |
|---|------|
| 7.1 Hydraulic Rear Mounted Wanderhose | 152 |
| 7.2 Pneumatic Controls | 158 |
| 7.3 Hoses | 160 |
| 7.4 Looms | 164 |
| 7.5 Looms (Superseded) | 166 |

Hydraulic Rear Mounted Wanderhose (KT05601)

 Wanderhose Option\Hydraulic Rear Mounted Wanderhose
 Wanderhose Option


7015336E710162


Hydraulic Rear Mounted Wanderhose (KT05601)

Wanderhose Option\Hydraulic Rear Mounted Wanderhose

Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 10 | 7015415 | Boom Assy, Hydraulic | 1 | PC |
| 20 | 6849 | Titanfast-Black | 1 | M |
| 30 | 93213011-0 | Plain Washer M10 A2 | 4 | PC |
| 40 | 93700211-0 | Spring Washer M10 - A2 | 4 | PC |
| 50 | 92099412-0 | Hex Head Screw - M10Cx35 - A2 | 4 | PC |
| 60 | 283899-1 | Plate - Anchorage Relocation | 1 | PC |
| 70 | 5688-2 | Disc, Rubber 8" Dia | 1 | PC |
| 80 | 6043-1-B | Adaptor Plate | 1 | PC |
| 90 | 92097374-0 | Hex Head Screw - M8Cx20 - 8.8 | 13 | PC |
| 100 | 93212011-0 | Plain Washer M8 | 17 | PC |
| 110 | 93085005-0 | Nyloc Hex Thin Nut M8C - 8 | 16 | PC |
| 120 | 92097410-0 | Hex Head Screw - M10Cx20 - 8.8 | 2 | PC |
| 130 | 93699711-0 | Spring Washer - Plated M10 | 2 | PC |
| 140 | 42463-1-C | Anchorage - Bracket, W/Hose V500, V650 | 1 | PC |
| 150 | 42738-1-A | Anchorage - 8" W/Hose, W/Assy | 1 | PC |
| 160 | 282867-2-INST | W/HOSE EXTN TRAY ASSY V/RT Srs | 1 | PC |
| 170 | 282438-41 | Spacer-DIM A 41 | 4 | PC |
| 180 | 92067388-0 | Hex Head Bolt - M8Cx65 - 8.8 | 4 | PC |
| 190 | 93300509-0 | Plain Large Washer M8 | 4 | PC |
| 200 | 56569-6 | Spacer - 16 Dia x 20 M8 | 2 | PC |
| 210 | 92067390-0 | Hex Head Bolt - M8Cx75 - 8.8 | 1 | PC |
| 220 | 93865-1 | Spigot And Chain (8 Link) | 1 | PC |
| 230 | 284-21 | Hook Carbine - Zinc Plated | 1 | PC |
| 240 | 93863-1 | Clamp - Hose Support W/Assy | 1 | PC |

Hydraulic Rear Mounted Wanderhose (KT05601)

 Wanderhose Option\Hydraulic Rear Mounted Wanderhose
 Wanderhose Option


7015336E710162


Hydraulic Rear Mounted Wanderhose (KT05601)

Wanderhose Option\Hydraulic Rear Mounted Wanderhose

Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 250 | 504-52 | Hose Clip - Worm Drive (190-220) | 6 | PC |
| 260 | 15920-1-C | Handle Fitting End W/Hose W/A | 1 | PC |
| 270 | 5996-4 | Sleeve - 8" W/Assy | 1 | PC |
| 280 | 282638-1 | Cable Supt W/A Ø200(With Hook) | 1 | PC |
| 290 | 93085805-0 | Nyloc Hex Nut M8C - 8 | 1 | PC |
| 300 | 92067389-0 | Hex Head Bolt - M8Cx70 - 8.8 | 1 | PC |
| 310 | 6003-8 | Coupling 200 W/Hose V500, 605 & 650 | 1 | PC |
| 320 | 282890-3 | W/Hose Exten. Assy 8" 1250Lg | 1 | PC |
| 330 | 15917-1-B | Hose - Extension Flexible 8" | 1 | PC |
| 340 | 15899-1-B | Hose Fitting End W/Assy | 1 | PC |
| 350 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 360 | 93213014-0 | Plain Washer M16 A2 | 1 | PC |
| 370 | 92138271-0 | Hex Socket Cap Screw - M16c x 40 A2 | 1 | PC |
| 380 | 92099447-0 | Hex Head Screw - M12Cx25 - A2 | 4 | PC |
| 390 | 93085007-0 | Nyloc Hex Thin Nut M12C - 8 | 4 | PC |
| 400 | 283760-1 | Stowage Hook | 1 | PC |
| 410 | 283759-1 | Mount W/Assy | 1 | PC |
| 420 | 290-43 | Cylinder Rubber Buffer 50 O/D | 1 | PC |
| 430 | 7015072 | Securing Plate | 1 | PC |
| 440 | 7015069 | Flap, Rear Wanderhose | 1 | PC |
| 450 | 93085606-0 | Nyloc Hex Nut - M10c - A2 | 12 | PC |
| 460 | 282504-1 | Hook - Littasnatch, Assy | 1 | PC |
| 470 | 92097376-0 | Hex Head Screw - M8Cx25 - 8.8 | 2 | PC |
| 480 | 283849-1 | Fixing Bracket - Hose Tray | 2 | PC |

Hydraulic Rear Mounted Wanderhose (KT05601)

 Wanderhose Option\Hydraulic Rear Mounted Wanderhose
 Wanderhose Option


7015336E710162

Hydraulic Rear Mounted Wanderhose (KT05601)

Wanderhose Option\Hydraulic Rear Mounted Wanderhose



Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|----------|------------|------------------------------|-----|------|
| 490 | 93699710-0 | Spring Washer - Plated M8 | 8 | PC |
| 550 | 224415-1 | Handle W/Assy - Screen RT655 | 1 | PC |
| 5000 | 221771-1 | Duct, Rear Wanderhose | 1 | PC |

Pneumatic Controls (KT07595,KT09995)

Wanderhose Option\Pneumatic Controls

Wanderhose Option



*Hoses
(see Hydraulic Rear
Wanderhose -
Hydraulic Hoses)


95HC. 009

Pneumatic Controls (KT07595,KT09995)

Wanderhose Option\Pneumatic Controls

Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 2 | 134-40 | Pan Head Screw-M4Cx8-4.8-Pozidriv | 2 | PC |
| 2 | 460-5 | Washer Spring Single Coil M4 | 2 | PC |
| 3 | 282056-1 | Clamp-Remote Throttle Control | 1 | PC |
| 4 | 282057-1 | Plate-Remote Throttle Crtl Mtg | 1 | PC |
| 5 | 124-41 | Setscrew M4C x 25 BS3692 | 2 | PC |
| 5 | 460-5 | Washer Spring Single Coil M4 | 2 | PC |
| 6 | 78352-5 | Valve-Directional Control 12v | 1 | PC |
| 6 | 78352-25 | Valve-Directional Control 24v | 1 | PC |
| 7 | 201098-1 | Manifold-Base Plate | 1 | PC |
| 8 | 129-71 | Screw MC Cap Skt Hd M5x35 | 2 | PC |
| 8 | 425-12 | Nut Nyloc Hex M5C | 2 | PC |
| 9 | 282533-1 | Manifold Plate-Wanderhose 95 | 1 | PC |
| 10 | 123-104 | Bolt M Coarse M8x30 BS3692 | 2 | PC |
| 10 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 10 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 11 | 263-2 | Adaptor M/M 1/4 BSP | 1 | PC |
| 11 | 451-17 | Washer Bonded G1-4" | 1 | PC |
| 12 | 262-2 | Elbow 90° 1/4 BSP M x 1/4 BSP Swivel F | 1 | PC |
| 13 | 263-2 | Adaptor M/M 1/4 BSP | 2 | PC |
| 13 | 451-17 | Washer Bonded G1-4" | 2 | PC |
| 14 | 263-2 | Adaptor M/M 1/4 BSP | 3 | PC |
| 14 | 451-17 | Washer Bonded G1-4" | 3 | PC |
| 15 | 242-2 | Elbow - Swivel 90 Deg. 1/4" | 1 | PC |
| 16 | 241-150 | Valve - Speed Control | 1 | PC |

Powaboom (KT07595)Wanderhose Option\Hoses\Powaboom
Wanderhose Option - Hoses


95HC. 010-3

Powaboom (KT07595)

Wanderhose Option\Hoses\Powaboom

Wanderhose Option - Hoses

| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|--|-----|------|
| 1 | 255-30 | Tee - 1/2 x 1/2 x 1/4 BSP M/Swivel F/M | 2 | PC |
| 150 | HC04002-430 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 151 | HC04002-324 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 152 | HC04002-730 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 153 | HC04002-600 | Hose - Megaflex 1/4" STRx90s | 1 | PC |

Rear Wanderhose (KT07595)Wanderhose Option\Hoses\Rear Wanderhose
Wanderhose Option - Hoses

95HC. 010-3


Rear Wanderhose (KT07595)

Wanderhose Option\Hoses\Rear Wanderhose

Wanderhose Option - Hoses

| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|--|-----|------|
| 1 | 255-30 | Tee - 1/2 x 1/2 x 1/4 BSP M/Swivel F/M | 2 | PC |
| 2 | 262-2 | Elbow 90° 1/4 BSP M x 1/4 BSP Swivel F | 2 | PC |
| 150 | HC04002-430 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 151 | HC04002-324 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 152 | HC04002-430 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 153 | HC04002-430 | Hose - Megaflex 1/4" STRx90s | 1 | PC |

Looms (KT07595)

 Wanderhose Option\Looms
 Wanderhose Option


Looms (KT07595)

Wanderhose Option\Looms


Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|--------------------------------------|-----------------|---|------------|-------------|
| 1 | 282060-1 | Loom and Relay box - Except JD HP | 1 | PC |
| Requires the addition of 1b,1c or 1d | | | | |
| 1B | 13193 | Relay 12 Volt 30/40 | 2 | PC |
| 1C | 13194 | Relay 24 Volt 30/40 | 2 | PC |
| 2 | 283140-1 | Loom and Relay box - Johm Deere HP Eng. | 1 | PC |
| 3 | 282062-1 | Loom - Powaboom | 1 | PC |
| 4A | 282063-1 | Loom - Extension Powaboom | 1 | PC |
| 4B | 282063-2 | Loom-Extension Rear Wanderhose | 1 | PC |
| 5 | 282061-1 | Loom and Control - Powaboom VT | 1 | PC |

Looms (Superseded) (KT07595)

Wanderhose Option\Looms (Superseded)

Wanderhose Option



Looms (Superseded) (KT07595)

Wanderhose Option\Looms (Superseded)

Wanderhose Option

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--|-----|------|
| 1 | 282060-1 | Loom and Relay box - Except JD HP Requires the addition of 1b or 1c | 1 | PC |
| 1B | 13193 | Relay 12 Volt 30/40 | 2 | PC |
| 1C | 13194 | Relay 24 Volt 30/40 | 2 | PC |
| 2 | 283140-1 | Loom and Relay box - Johm Deere HP Eng. | 1 | PC |
| 3 | 282062-1 | Loom - Powaboom | 1 | PC |
| 4 | 282063-1 | Loom - Extension Powaboom | 1 | PC |
| 5 | 282061-1 | Loom and Control - Powaboom VT | 1 | PC |

This page is intentionally left blank

Chapter 8 Hydraulics





Table of Contents

| Section | Page |
|-------------------------------|------|
| 8.1 Hoses | 170 |
| 8.2 Valves | 180 |
| 8.3 Manifold and Tank | 188 |
| 8.4 Emergency Discharge | 194 |
| 8.5 Cylinders | 198 |

Dual Sweep Circuit (M010912,M010813,M011120 - WD230 Rev B)

 Hydraulics\Hoses\Dual Sweep Circuit
 Hydraulics - Hoses


Dual Sweep Circuit (M010912,M010813,M011120 - WD230 Rev B)

Hydraulics\Hoses\Dual Sweep Circuit


Hydraulics - Hoses

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------------|------------------------------|-----|------|
| 201 | HC04043-70 | Hose - Megaflex 1/4" 90sx90s | 1 | PC |
| 202 | HC04002-355 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 203 | HC04002-355 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 204 | HC04043-285-135 | Hose - Megaflex 1/4" 90sx90s | 1 | PC |
| 205 | 12870 | Tube - Nylon Black 8mm O/D | 2 | M |
| 206 | HC08002-300 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 207 | HC08002-130 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 209 | HC08043-350-90 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 210 | HC08043-340-90 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 211 | HC08002-70 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 216 | HC06043-70 | Hose - Megaflex 3/8" 90sx90s | 1 | PC |
| 222 | HC04043-210-180 | Hose - Megaflex 1/4" 90sx90s | 1 | PC |
| 225 | HC08002-480 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 226 | HC08002-470 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 217 | HC04000-385 | Hose - Megaflex 1/4" STRxSTR | 1 | PC |
| 218 | HC04000-385 | Hose - Megaflex 1/4" STRxSTR | 1 | PC |
| 219 | HC04002-27 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 220 | HC04002-120 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 221 | HC04002-110 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 223 | HC04043-250-90 | Hose - Megaflex 1/4" 90sx90s | 1 | PC |
| 224 | HC04043-220-270 | Hose - Megaflex 1/4" 90sx90s | 1 | PC |
| 214 | HC06002-600 | Hose - Megaflex 3/8" STRx90s | 1 | PC |
| 215 | HC06002-600 | Hose - Megaflex 3/8" STRx90s | 1 | PC |

Reservoir Connections (M010515)


 Hydraulics\Hoses\Reservoir Connections
 Hydraulics - Hoses

STANDARD


 HYDRAULIC HOSES IDENTIFIED THUS;
 111233

 1 – HOSE NUMBER
 2 – HOSE TYPE
 3 – HOSE BORE (IN 1/16", I.E. 08 = 1/2")

SECONDARY PUMP OPTION


 HM0101Z01 - B
 ECN - 707373

Reservoir Connections (M010515)

Hydraulics\Hoses\Reservoir Connections

Hydraulics - Hoses


| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------------|--------------------------------|-----|------|
| 101 | HC12002-120 | Hose - Megaflex 3/4" STRx90s | 1 | PC |
| 102 | HC12043-170-180 | Hose - Megaflex 3/4" 90s x 90s | 1 | PC |
| 103 | HC12002-45 | Hose - Megaflex 3/4" STRx90s | 1 | PC |

Secondary Pump Option (M010515,KT00101)

 Hydraulics\Hoses\Secondary Pump Option
 Hydraulics - Hoses

 HYDRAULIC HOSES IDENTIFIED THUS;
 111233

- 1 – HOSE NUMBER
- 2 – HOSE TYPE
- 3 – HOSE BORE (IN 1/16", I.E. 08 = 1/2")


 HM0108Z01 - B
 ECN - 707373

Secondary Pump Option (M010515,KT00101)

Hydraulics\Hoses\Secondary Pump Option

Hydraulics - Hoses


| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|------------------------------|-----|------|
| 801 | HC08002-150 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 802 | HC08000-90 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 803 | HC08000-60 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 804 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 805 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 806 | 12870 | Tube - Nylon Black 8mm O/D | 1 | M |

Emergency Discharge Pump (M010912)
Hydraulics\Hoses\Emergency Discharge Pump
Hydraulics - Hoses



HYDRAULIC HOSES IDENTIFIED THUS;
111233

- 1 – HOSE NUMBER
- 2 – HOSE TYPE
- 3 – HOSE BORE (IN 1/16", I.E. 08 = 1/2")



ELECTRICAL EMERGENCY DISCHARGE PUMP

HM0109Z01 - B
ECN - 707373


Emergency Discharge Pump (M010912)

Hydraulics\Hoses\Emergency Discharge Pump


Hydraulics - Hoses

| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|------------------------------|-----|------|
| 901 | HC08002-210 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 902 | HC04002-206 | Hose - Megaflex 1/4" STRx90s | 1 | PC |

PTO Pump (M010515 - WD230 Rev B)
 Hydraulics\Hoses\PTO Pump
 Hydraulics - Hoses



STANDARD CIRCUIT



HYDRAULIC HOSES IDENTIFIED THUS;
 111233

- 1 – HOSE NUMBER
- 2 – HOSE TYPE
- 3 – HOSE BORE (IN 1/16", I.E. 08 = 1/2")

OPTIONAL CIRCUIT SECONDARY PUMP


HM0111Z01 - B
 ECN - 707373

PTO Pump (M010515 - WD230 Rev B)

Hydraulics\Hoses\PTO Pump

Hydraulics - Hoses

| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|--|-----|------|
| 1000 | HX20002-72 | Hose - Megavac 1.1/4" STRx90s Iveco only | 1 | PC |
| 1101 | HX20002-160 | Hose - Megavac 1.1/4" STRx90s John Deere only | 1 | PC |
| 1102 | HX20043-60 | Hose - Megavac 1.1/4" 90sx90s John Deere only | 1 | PC |

Pick-up Hood Lock Valve (M010912)Hydraulics\Valves\Pick-up Hood Lock Valve
Hydraulics - Valves


RTHC. 007

Pick-up Hood Lock Valve (M010912)

Hydraulics\Valves\Pick-up Hood Lock Valve

Hydraulics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--|-----|------|
| 1 | 72679-1 | Valve - Lock 12v | 1 | PC |
| 1 | 72679-4 | Valve - Lock 24v | 1 | PC |
| 2 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 1 | PC |
| 2 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 3 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 1 | PC |
| 3 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 3 | 255-11 | Tee - M/Swivel Female/M Branch 1/4 BSP | 1 | PC |
| 4 | 124-113 | Setscrew M6C x 50 | 2 | PC |
| 4 | 455-8 | Washer Plain Plated Steel M6 | 2 | PC |
| 4 | 425-13 | Nut Nyloc Hex M6C | 2 | PC |

Lift and Sweep Valve Mounting Bracket (M010912)Hydraulics\Valves\Lift and Sweep Valve Mounting Bracket
Hydraulics - Valves

RTHC. 003


Lift and Sweep Valve Mounting Bracket (M010912)

Hydraulics\Valves\Lift and Sweep Valve Mounting Bracket

Hydraulics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------|-----|------|
| 1 | 221359-1 | Bracket W/Assy RT655 | 1 | PC |
| 2 | 124-169 | Setscrew M10C x 25 | 5 | PC |
| 3 | 124-102 | Setscrew M6C x 16 | 8 | PC |
| 3 | 455-8 | Washer Plain Plated Steel M6 | 8 | PC |

Sweep Bank Assembly (M010912)

 Hydraulics\Valves\Sweep Bank Assembly
 Hydraulics - Valves



Sweep Bank Assembly (M010912)

Hydraulics\Valves\Sweep Bank Assembly

Hydraulics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|-----------------|--|------------|-------------|
| 0 | 221296-12 | Sweep Block Hyd Valve Assy 12v | 1 | PC |
| Comprising items 1-3 | | | | |
| 0 | 221296-24 | Sweep Block Hyd Valve Assy 24v | 1 | PC |
| Comprising items 1-3 | | | | |
| 1 | 221296-2 | Manifold-Hydraulic Valve Bank | 1 | PC |
| 2 | 283795-7 | Direction Control Valve 12v DC | 1 | PC |
| 2 | 283795-27 | Direction Control Valve 24v DC | 1 | PC |
| 3 | 283795-6 | Direction Control Valve 12v DC | 1 | PC |
| 3 | 283795-26 | Direction Control Valve 24v DC | 1 | PC |
| 3 | 283795-124 | Coil-Direction Cntrl Valve 24v | 2 | PC |
| 10 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 3 | PC |
| 10 | 451-18 | Washer Bonded G3/8" | 3 | PC |
| 11 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 4 | PC |
| 11 | 451-19 | Washer - Bonded G1-2" | 4 | PC |
| 12 | 54-4 | Plug - Collar G1/2" BSP | 1 | PC |
| 13 | 265-3 | Adaptor Reducing M/M 1/4 x 1/2 BSP | 1 | PC |
| 13 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 14 | 54-4 | Plug - Collar G1/2" BSP | 1 | PC |
| 15 | 277-56 | Tee - 3/8 x 1/2 x 1/2 BSP M/Swivel F/M | 1 | PC |
| 16 | 262-4 | Elbow 90° 1/2 BSP M x 1/2 BSP Swivel F | 1 | PC |
| 17 | 241-3 | Check Valve - In Line(4.5 Bar) | 2 | PC |
| 17 | 451-19 | Washer - Bonded G1-2" | 2 | PC |
| 18 | 255-13 | Tee - M/Swivel Female/M Branch 1/2 BSP | 1 | PC |
| 2 | 283795-112 | Coil-Direction Cntrl Valve 12v | 2 | PC |

Lift Bank Assembly (M010912)

 Hydraulics\Valves\Lift Bank Assembly
 Hydraulics - Valves


RTHC. 004-2


Lift Bank Assembly (M010912)

Hydraulics\Valves\Lift Bank Assembly

Hydraulics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|------------|------------------------------------|-----|------|
| 0 | 221295-12 | Lift Block Hyd Valve Assy 12v | 1 | PC |
| Comprising items 1-5 | | | | |
| 0 | 221295-24 | Lift Block Hyd Valve Assy 24v | 1 | PC |
| Comprising items 1-5 | | | | |
| 1 | 221295-2 | Manifold-Hydraulic Valve Bank | 1 | PC |
| 2 | 221295-3 | Relief Module(80 Bar)Hyd. Bank | 1 | PC |
| 3 | 221295-4 | Relief Module(210 Bar)Hyd.Bank | 1 | PC |
| 4 | 221295-5 | PO Check Valve Module,L/Block | 1 | PC |
| 5 | 283795-2 | Direction Control Valve 12v DC | 3 | PC |
| 5 | 283795-22 | Direction Control Valve 24v DC | 3 | PC |
| 0 | 283795-124 | Coil-Direction Cntrl Valve 24v | 1 | PC |
| 11 | 665-8 | Test Coupling SMK20 - G1/4 Type C | 1 | PC |
| 12 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 12 | 451-19 | Washer - Bonded G1-2" | 2 | PC |
| 13 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |
| 13 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 14 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 4 | PC |
| 14 | 451-18 | Washer Bonded G3/8" | 4 | PC |
| 15 | 54-3 | Plug - Collar G3/8" BSP | 1 | PC |
| 15 | 451-18 | Washer Bonded G3/8" | 1 | PC |
| 16 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 2 | PC |
| 16 | 54-4 | Plug - Collar G1/2" BSP | 2 | PC |
| 0 | 283795-112 | Coil-Direction Cntrl Valve 12v | 1 | PC |

Standard Single PTO Pump (M010515)


 Hydraulics\Manifold and Tank\Manifold Assembly\Standard Single PTO Pump
 Hydraulics - Manifold and Tank - Manifold Assembly


Standard Single PTO Pump (M010515)

Hydraulics\Manifold and Tank\Manifold Assembly\Standard Single PTO Pump
Hydraulics - Manifold and Tank - Manifold Assembly

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--|-----|------|
| 1 | 281548-1 | Manifold-Hydraulic S/Frame | 1 | PC |
| 2 | 263-6 | Adaptor M/M 3/4" BSP | 1 | PC |
| 3 | 451-21 | Washer Bonded G3-4" | 1 | PC |
| 5 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 3 | PC |
| 4 | 451-19 | Washer - Bonded G1-2" | 4 | PC |
| 6 | 68-17 | Cap - Blanking 1/2 BSP F Swivel | 1 | PC |
| 8 | 451-17 | Washer Bonded G1-4" | 1 | PC |
| 9 | 263-2 | Adaptor M/M 1/4 BSP | 1 | PC |
| 10 | 262-2 | Elbow 90° 1/4 BSP M x 1/4 BSP Swivel F | 1 | PC |
| 11 | 255-11 | Tee - M/Swivel Female/M Branch 1/4 BSP | 1 | PC |
| 12 | 123-113 | Bolt M Coarse M8x65 BS3692 | 2 | PC |
| 12 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 13 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |


Optional Tandem PTO Pump (M010515)

 Hydraulics\Manifold and Tank\Manifold Assembly\Optional Tandem PTO Pump
 Hydraulics - Manifold and Tank - Manifold Assembly


Optional Tandem PTO Pump (M010515)

Hydraulics\Manifold and Tank\Manifold Assembly\Optional Tandem PTO Pump
 Hydraulics - Manifold and Tank - Manifold Assembly

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 1 | 281548-1 | Manifold-Hydraulic S/Frame | 1 | PC |
| 2 | 263-6 | Adaptor M/M 3/4" BSP | 1 | PC |
| 3 | 451-21 | Washer Bonded G3-4" | 1 | PC |
| 5 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 3 | PC |
| 4 | 451-19 | Washer - Bonded G1-2" | 4 | PC |
| 7 | 255-13 | Tee - M/Swivel Female/M Branch 1/2 BSP | 1 | PC |
| 8 | 451-17 | Washer Bonded G1-4" | 1 | PC |
| 9 | 263-2 | Adaptor M/M 1/4 BSP | 1 | PC |
| 10 | 262-2 | Elbow 90° 1/4 BSP M x 1/4 BSP Swivel F | 1 | PC |
| 11 | 255-11 | Tee - M/Swivel Female/M Branch 1/4 BSP | 1 | PC |
| 12 | 123-113 | Bolt M Coarse M8x65 BS3692 | 2 | PC |
| 12 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 13 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |

Hydraulic Tank Assembly (M010514)Hydraulics\Manifold and Tank\Hydraulic Tank Assembly
Hydraulics - Manifold and Tank

95HC. 002-2


Hydraulic Tank Assembly (M010514)

Hydraulics\Manifold and Tank\Hydraulic Tank Assembly

Hydraulics - Manifold and Tank

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------|------------------------------------|-----|------|
| 0 | 281761-1 | Hyd Tank Assy - Twin Engine 95 | 1 | PC |
| Comprising items 1-16 | | | | |
| 1 | 280140-1 | Tank Hydraulic W/Assy GP100 | 1 | PC |
| 2 | 282852-1 | Multiflow Filter Assy VT Range | 1 | PC |
| 4 | 266-6 | Adaptor M/M 3/4 - 3/4 BSP/BSPT | 1 | PC |
| 5 | 124-103 | Setscrew M6C x 20 | 4 | PC |
| 5 | 460-8 | Washer Spring Single Coil M6 | 4 | PC |
| 6 | 69-30 | Filler / Breather 10 Micron | 1 | PC |
| 7 | 134-59 | Pan Head Screw-M5Cx20-4.8-Pozidriv | 6 | PC |
| 7 | 425-12 | Nut Nyloc Hex M5C | 6 | PC |
| 8 | 15411 | Filter-Hydraulic Suction | 1 | PC |
| 9 | 89-15 | Valve - 1" R Male/Female | 1 | PC |
| 10 | 277-137 | Adaptor M/M 1/2 - 1 BSP/BSPT | 1 | PC |
| 11 | 48-328 | Switch - Float + Deutsch Conn | 1 | PC |
| 12 | 87-1 | Gauge - Level | 1 | PC |
| 13 | 521-12 | Adaptor - Elbow 3/8" BSP x 8mm | 1 | PC |
| 14 | 281960-1 | Pipe W/Assy 1 1/4" Suction | 1 | PC |
| 15 | 281965-1 | Gasket - Hydraulic Tank | 1 | PC |
| 16 | 124-167 | Setscrew M10C x 20 | 4 | PC |
| 16 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 17 | 124-167 | Setscrew M10C x 20 | 4 | PC |
| 17 | 457-5 | Washer Plain Steel M10 Form G | 4 | PC |
| 3 | 42206-1-A | Pipe Multiflow Downpipe | 1 | PC |


Discharge Pump Installation - Iveco (M010912,M010514,M010515)
Hydraulics\Emergency Discharge\Discharge Pump Installation - Iveco



Discharge Pump Installation - Iveco (M010912,M010514,M010515)
 Hydraulics\Emergency Discharge\Discharge Pump Installation - Iveco

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------------|--|-----|------|
| 1 | 283706-12 | Motor/Pump Unit Discharge 12v | 1 | PC |
| 1 | 283706-24 | Motor/Pump Unit Discharge 24v | 1 | PC |
| 2 | 124-169 | Setscrew M10C x 25 | 2 | PC |
| 2 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 3 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 2 | PC |
| 4 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 5 | 451-19 | Washer - Bonded G1-2" | 5 | PC |
| 6 | 71457-1 | Valve Check G1/2" | 2 | PC |
| 7 | 265-3 | Adaptor Reducing M/M 1/4 x 1/2 BSP | 1 | PC |
| 8 | 262-4 | Elbow 90° 1/2 BSP M x 1/2 BSP Swivel F | 1 | PC |
| 9 | 255-30 | Tee - 1/2 x 1/2 x 1/4 BSP M/Swivel F/M | 1 | PC |
| 10 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 11 | 255-13 | Tee - M/Swivel Female/M Branch 1/2 BSP | 1 | PC |
| 208 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 901 | HC08002-210 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 902 | HC04002-206 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 212 | HC08043-65-270 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 1000 | HX20002-72 | Hose - Megavac 1.1/4" STRx90s | 1 | PC |
| 213 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |

Discharge Pump Installation - John Deere (M010912,M010514,M010515)
Hydraulics\Emergency Discharge\Discharge Pump Installation - John Deere




Discharge Pump Installation - John Deere (M010912,M010514,M010515)
 Hydraulics\Emergency Discharge\Discharge Pump Installation - John Deere

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--|------------|-------------|
| 1 | 283706-12 | Motor/Pump Unit Discharge 12v | 1 | PC |
| 1 | 283706-24 | Motor/Pump Unit Discharge 24v | 1 | PC |
| 2 | 124-169 | Setscrew M10C x 25 | 2 | PC |
| 2 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 3 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 2 | PC |
| 4 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 5 | 451-19 | Washer - Bonded G1-2" | 5 | PC |
| 6 | 71457-1 | Valve Check G1/2" | 2 | PC |
| 7 | 265-3 | Adaptor Reducing M/M 1/4 x 1/2 BSP | 1 | PC |
| 8 | 262-4 | Elbow 90° 1/2 BSP M x 1/2 BSP Swivel F | 1 | PC |
| 9 | 255-30 | Tee - 1/2 x 1/2 x 1/4 BSP M/Swivel F/M | 1 | PC |
| 10 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 11 | 255-13 | Tee - M/Swivel Female/M Branch 1/2 BSP | 1 | PC |
| 208 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 213 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 901 | HC08002-210 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 902 | HC04002-206 | Hose - Megaflex 1/4" STRx90s | 1 | PC |
| 227 | HC08002-210 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 1101 | HX20002-160 | Hose - Megavac 1.1/4" STRx90s | 1 | PC |
| 1102 | HX20043-60 | Hose - Megavac 1.1/4" 90sx90s | 1 | PC |

Rear Door Cylinder ()

Hydraulics\Cylinders\Rear Door Cylinder



95HC. 015

Item 6
Seal Kit comprising:

| Item | Description | Quantity |
|------|--------------|----------|
| A | Bush | 1 |
| B | Wiper Seal | 1 |
| C | Rod Seal | 1 |
| D | "O" Ring | 1 |
| E | Back-up Ring | 1 |
| F | Piston Seal | 1 |


Rear Door Cylinder ()

Hydraulics\Cylinders\Rear Door Cylinder

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|------------------------------------|-----|------|
| 3 | 135-2 | Setscrew Hollow M6C x 6 | 1 | PC |
| 4 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 2 | PC |
| 5 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 6 | 29170-500 | Seal Kit -Hydraulic Ram | 1 | PC |
| 0 | 29170-1-B | Cylinder - Rear Door/Powaboom | 1 | PC |
| 2 | 29128-1-B | Bush - 20Lg | 2 | PC |

Pick-up Hood Lift Cylinder ()

Hydraulics\Cylinders\Pick-up Hood Lift Cylinder

**Item 7**
Seal Kit comprising:

| Item | Description | Quantity |
|------|---------------|----------|
| A | Wiper Seal | 1 |
| B | Rod Seal | 1 |
| C | 'O' Ring | 1 |
| D | Back-up Ring | 1 |
| E | Piston Seal | 1 |
| F | Aux. 'O' Ring | 1 |

Pick-up Hood Lift Cylinder ()

Hydraulics\Cylinders\Pick-up Hood Lift Cylinder

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|------------------------------|-----|------|
| 1 | 223900-1 | Hydraulic Cyl 175mm Stroke | 1 | PC |
| 2 | 451-17 | Washer Bonded G1-4" | 2 | PC |
| 3 | 263-2 | Adaptor M/M 1/4 BSP | 2 | PC |
| 4 | 28-29 | Circlip - Internal | 1 | PC |
| 6 | 38-30 | Nipple Grease M6 X 1 | 1 | PC |
| 7 | 29170-500 | Seal Kit -Hydraulic Ram | 1 | PC |
| 5 | 747-1 | Bearing-Spherical GE2000-2RS | 1 | PC |

This page is intentionally left blank

Chapter 9 Pneumatics






Table of Contents

| Section | Page |
|-------------------|------|
| 9.1 Valves | 204 |
| 9.2 FR Unit | 210 |

VM10 Island Valve (M010911)

 Pneumatics\Valves\VM10 Island Valve
 Pneumatics - Valves



RTPC. 002-2

VM10 Island Valve (M010911)

Pneumatics\Valves\VM10 Island Valve

Pneumatics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|--------------------------------|------------|-------------|
| 1 | 221590-12 | VM10 Pneu Valve Island STD 12v | 1 | PC |
| 1 | 221590-24 | VM10 Pneu Valve Island STD 24v | 1 | PC |
| 2 | 221591-12 | VM10 Pneu Valve Island OPT 12v | 1 | PC |
| 2 | 221591-24 | VM10 Pneu Valve Island OPT 24v | 1 | PC |
| 3 | 860-1 | Gasket-Black VM10 Valve Block | 1 | PC |
| 3 | 860-2 | Gasket - Red VM10 Valve Block | 1 | PC |
| 4 | 860-7 | Slice 3/2 - (2xNO) 12v TB6U | 2 | PC |
| 5 | 860-5 | Slice 3/2 - (NO/NC) 12v TC6U | 1 | PC |
| 6 | 860-32 | Slice - Blank B300 | 2 | PC |
| 4 | 860-7 | Slice 3/2 - (2xNO) 12v TB6U | 2 | PC |
| 5 | 860-5 | Slice 3/2 - (NO/NC) 12v TC6U | 1 | PC |
| 6 | 860-32 | Slice - Blank B300 | 2 | PC |
| 7 | 860-3 | Slice 5/2 - 12v TG6U | 5 | PC |
| 4 | 860-8 | Slice 3/2 - (2xNO) 24v NB6U | 2 | PC |
| 5 | 860-6 | Slice 3/2 - (2xNO) 24v NC6U | 1 | PC |
| 6 | 860-32 | Slice - Blank B300 | 2 | PC |
| 4 | 860-8 | Slice 3/2 - (2xNO) 24v NB6U | 2 | PC |
| 5 | 860-6 | Slice 3/2 - (2xNO) 24v NC6U | 1 | PC |
| 6 | 860-32 | Slice - Blank B300 | 2 | PC |
| 7 | 860-4 | Slice 5/2 - 24v NG6U | 5 | PC |
| 8 | 124-38 | Setscrew M4C x 16 | 4 | PC |
| 8 | 425-11 | Nut Nyloc Hex MC M4 | 4 | PC |

VM10 Island Valve Mounting (M010911)Pneumatics\Valves\VM10 Island Valve Mounting
Pneumatics - Valves


RTPC. 005

VM10 Island Valve Mounting (M010911)

Pneumatics\Valves\VM10 Island Valve Mounting

Pneumatics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 222087-1 | Support Plate W/A Valve Island | 1 | PC |
| 2 | 222089-1 | Cover-Valve Island Powapak 655 | 1 | PC |
| 3 | 23-12 | Thumbscrew - M6x15 | 2 | PC |
| 4 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 4 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 4 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |

System Protection Valve (M010911)Pneumatics\Valves\System Protection Valve
Pneumatics - Valves

RTPC. 004


System Protection Valve (M010911)

Pneumatics\Valves\System Protection Valve

Pneumatics - Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------------|-----|------|
| 1 | 6779 | Valve Pressure Regulator | 1 | PC |
| 2 | 123-88 | Bolt M Coarse M6x50 | 2 | PC |
| 2 | 460-8 | Washer Spring Single Coil M6 | 2 | PC |
| 2 | 455-8 | Washer Plain Plated Steel M6 | 2 | PC |
| 3 | 552-9 | Adaptor - Elbow 8mm x 1/4 BSPT | 1 | PC |
| 4 | 537-9 | Adaptor-Push In 8mm x 1/4 BSPT | 1 | PC |
| 5 | 273-23 | Tube - Nylon Red 8mm O/D 100m REEL | 0.4 | M |

FR Unit (M010911)
Pneumatics\FR Unit
Pneumatics



FR Unit (M010911)

Pneumatics\FR Unit

Pneumatics

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 221498-2 | Filter/Regulator Assy 550/655 | 1 | PC |
| 2 | 127-70 | Setscrew Csk Hd. M5C x 16 | 4 | PC |
| 2 | 460-7 | Washer Spring Single Coil M5 | 4 | PC |

This page is intentionally left blank

Chapter 10 Water System





Table of Contents

| Section | Page |
|---------------------------------------|------|
| 10.1 Water Hoses - Basic System | 214 |
| 10.2 Pump | 218 |
| 10.3 Control Valves | 224 |
| 10.4 Water Filter Assembly | 228 |
| 10.5 Relief Valve | 230 |
| 10.6 Water Tank Assembly | 234 |
| 10.7 Supawash Option | 240 |

Water Hoses - Basic System (M010913,M010611,M011120)

 Water System\Water Hoses - Basic System
 Water System


R.H. SWEEP MACHINE SHOWN

RTWC. 001-4


Water Hoses - Basic System (M010913,M010611,M011120)

Water System\Water Hoses - Basic System

Water System

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|------|------|
| 1 | 497-H24 | Hose-Premoflex, 1 1/2" Bore | 1 | M |
| 1 | 501-6 | Clip Hose Worm Drive (55-70) | 2 | PC |
| 2 | 272-21 | Layflat Hose 1 1/2" | 1 | M |
| 2 | 501-11 | Hose Clip - Worm Drive (35-50) | 2 | PC |
| 3 | 6117 | Hose - 1" Bore | 0.4 | M |
| 3 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 4 | 497-H12 | Hose - 3/4" Bore | 1.55 | M |
| 4 | 501-3 | Clip Hose Worm Drive 22-30mm | 2 | PC |
| 5 | 6117 | Hose - 1" Bore | 2.7 | M |
| 5 | 6117 | Hose - 1" Bore | 1.5 | M |
| 5 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 6 | 497-H12 | Hose - 3/4" Bore | 0.6 | M |
| 6 | 501-3 | Clip Hose Worm Drive 22-30mm | 2 | PC |
| 7 | 497-H12 | Hose - 3/4" Bore | 0.7 | M |
| 7 | 501-3 | Clip Hose Worm Drive 22-30mm | 2 | PC |
| 8 | 277-174 | Check Valve 1" F x 1" F BSP | 1 | PC |
| 8 | 277-219 | Hosetail G 1" x 1" Barb | 2 | PC |
| 9 | 497-H24 | Hose-Premoflex, 1 1/2" Bore | 2.5 | M |
| 9 | 501-5 | Clip Hose Worm Drive 40-55mm | 2 | PC |
| 10 | 6111 | Hose - Water 1/2" | 10 | M |
| 10 | 501-4 | Clip Hose Worm Drive 30-40mm | 6 | PC |
| 11 | 6111 | Hose - Water 1/2" | 6 | M |
| 11 | 501-2 | Hose Clip - Worm Drive (14-22) | 2 | PC |
| 12 | 39444 | Hose - Black Plastic 3/8" Bore | 10 | M |

Water Hoses - Basic System (M010913,M010611,M011120)

 Water System\Water Hoses - Basic System
 Water System


R.H. SWEEP MACHINE SHOWN


RTWC. 001-4

Water Hoses - Basic System (M010913,M010611,M011120)

Water System\Water Hoses - Basic System

Water System

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 12 | 501-1 | Hose Clip - Worm Drive (11-16) | 4 | PC |
| 13 | 39444 | Hose - Black Plastic 3/8" Bore | 5 | M |
| 13 | 501-1 | Hose Clip - Worm Drive (11-16) | 4 | PC |
| 14 | 39444 | Hose - Black Plastic 3/8" Bore | 5 | M |
| 14 | 501-1 | Hose Clip - Worm Drive (11-16) | 4 | PC |
| 15 | 39444 | Hose - Black Plastic 3/8" Bore | 5 | M |
| 15 | 501-1 | Hose Clip - Worm Drive (11-16) | 2 | PC |


Pump Assembly ()Water System\Pump\Pump Assembly
Water System - Pump

Pump Assembly ()

Water System\Pump\Pump Assembly

Water System - Pump

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|-----------------------|------------|-------------|
| 0 | 22599-1-B | Pump - Water | 1 | PC |
| Comprising items 1-18 | | | | |
| 1 | 15824-2-E | Bolt | 4 | PC |
| 2 | 15824-3-E | Valve Assy - Complete | 4 | PC |
| 3 | 15824-4-E | Seal - O Ring | 4 | PC |
| 4 | 15824-5 | Diaphragm | 2 | PC |
| 5 | 15824-7-E | Head - Cylinder | 2 | PC |
| 6 | 15824-8-E | Crankcase | 1 | PC |
| 7 | 15824-9-E | Rod - Connecting | 2 | PC |
| 8 | 15824-10-E | Pad - Tension | 2 | PC |
| 9 | 22599-2 | Crankshaft | 1 | PC |
| 10 | 15824-12 | O Ring | 2 | PC |
| 11 | 15824-13-E | Manifold | 1 | PC |
| 12 | 14-18 | Bearing - 35x62x14 | 2 | PC |
| 13 | 14-32 | Bearing - 25x52x15 | 2 | PC |
| 14 | 15824-16-E | Cover - Dust | 2 | PC |
| 15 | 15824-17 | Bolt | 2 | PC |
| 16 | 15824-18 | Washer | 2 | PC |
| 17 | 15824-19-E | O Ring | 2 | PC |
| 18 | 15824-2-E | Bolt | 8 | PC |
| 0 | 15824-6 | Kit Pump Spares | 1 | PC |
| Comprising items 2-4 | | | | |


Pump Installation (M010913)Water System\Pump\Pump Installation
Water System - Pump

Pump Installation (M010913)

Water System\Pump\Pump Installation

Water System - Pump

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---|------------|-------------|
| 2 | 49827-1 | Elbow | 1 | PC |
| 3 | 277-231 | Elbow & Hosetail 3/4"BSPTx3/4" | 1 | PC |
| 4 | 244-10 | Motor - Hydraulic OMP32 | 1 | PC |
| 4 | 244-500 | Seal Kit - Hydraulic Motor | 1 | PC |
| 4 | 11879 | Key | 1 | PC |
| 5 | 264-22 | Adaptor - Extended Bulkhead M/M 1/2 BSP | 2 | PC |
| 5 | 451-126 | Washer Copper 1/2" BSP | 2 | PC |
| 6 | 518-8 | Adaptor Straight 8 OD 1/4" BSP | 1 | PC |
| 7 | 282809-1 | Coupling - Assembly | 1 | PC |
| 8 | 282809-2 | Coupling - Hub Ø25mm Bore | 2 | PC |
| 9 | 282809-3 | Coupling - Sleeve | 1 | PC |
| 10 | 282817-1 | Key - Water Pump Coupling | 1 | PC |
| 11 | 282811-1 | Water Pump Mount W/Assy | 1 | PC |
| 12 | 124-207 | Setscrew M12C x 40 | 2 | PC |
| 12 | 455-12 | Washer Plain Plated Steel M12 | 2 | PC |
| 12 | 425-16 | Nut Nyloc Hex M12c | 2 | PC |
| 13 | 123-118 | Bolt M Coarse M8x90 BS3692 | 2 | PC |
| 13 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 13 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 14 | 124-169 | Setscrew M10C x 25 | 2 | PC |
| 14 | 460-11 | Washer Spring Single Coil M10 | 2 | PC |
| 14 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 15 | 95780-1 | Adaptor - G1/8 M-F | 1 | PC |
| 16 | 38-8 | Nipple Grease 1/8 BSP x 90 deg | 1 | PC |


Pump Installation (M010913)Water System\Pump\Pump Installation
Water System - Pump

Pump Installation (M010913)

Water System\Pump\Pump Installation

Water System - Pump

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|-------------------------------|-----|------|
| 17 | 124-137 | Setscrew M8C x 25 | 4 | PC |
| 17 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 18 | 221206-1 | Water Pump Support W/Assy 655 | 1 | PC |
| 19 | 124-169 | Setscrew M10C x 25 | 4 | PC |
| 19 | 460-11 | Washer Spring Single Coil M10 | 4 | PC |
| 1 | 22599-1-B | Pump - Water | 1 | PC |

Water Manifold Assembly (M010913)Water System\Control Valves\Water Manifold Assembly
Water System - Control Valves


RTWC.004

Water Manifold Assembly (M010913)

Water System\Control Valves\Water Manifold Assembly

Water System - Control Valves

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|-------------------------------|------------|-------------|
| 0 | 221499-12 | Water Valve Manifold Dual 12v | 1 | PC |
| Comprising items 1-10 | | | | |
| 0 | 221499-24 | Water Valve Manifold Dual 24v | 1 | PC |
| Comprising items 1-10 | | | | |
| 1 | 281372-1 | Valve-Water Solenoid Assy 12v | 5 | PC |
| 1 | 281372-2 | Valve-Water Solenoid Assy 24v | 5 | PC |
| 2 | 283528-1 | Water Manifold 10 Station | 1 | PC |
| 3 | 468-2 | Union - R 1/4" Flat | 5 | PC |
| 4 | 123-88 | Bolt M Coarse M6x50 | 4 | PC |
| 4 | 455-8 | Washer Plain Plated Steel M6 | 4 | PC |
| 4 | 425-13 | Nut Nyloc Hex M6C | 4 | PC |
| 5 | 665-26 | Valve - Testpoint G1/4 Type B | 1 | PC |
| 6 | 72-60 | Elbow - 1/4M-1/4F | 1 | PC |
| 7 | 559-110 | Reducer - G 3/8" x G 1/4" | 1 | PC |
| 8 | 283629-1 | Baffle Locator Upper Aux Tank | 1 | PC |
| 9 | 277-236 | Tee - 1/2" BSP x 3/4" BARB | 1 | PC |
| 10 | 231-60 | Hose Adaptor 10 O/D x R 1/4" | 6 | PC |

Soleniod Valve Assembly ()Water System\Control Valves\Soleniod Valve Assembly
Water System - Control Valves


RTWC.014

Soleniod Valve Assembly ()

Water System\Control Valves\Soleniod Valve Assembly

Water System - Control Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|--------------------------------|-----|------|
| A | 281372-1 | Valve-Water Solenoid Assy 12v | 1 | PC |
| A | 281372-2 | Valve-Water Solenoid Assy 24v | 1 | PC |
| 1 | 13170 | Filter | 1 | PC |
| 2 | 281372-5 | Locknut - Valve Water Solenoid | 1 | PC |
| 3 | 40664-13 | Lever - Repair Kit Assy | 1 | PC |
| 4 | 281372-12 | Coil-Water Solenoid Valve 12v | 1 | PC |
| 4 | 281372-24 | Coil-Water Solenoid Valve 24v | 1 | PC |
| S1 | 281372-3 | Kit - Overhall Type A | 1 | PC |
| S2 | 281372-4 | Kit-Seal Valve Water Solenoid | 1 | PC |

Water Filter Assembly (M010913,KT00101)Water System\Water Filter Assembly
Water System - Control Valves


Water Filter Assembly (M010913,KT00101)

Water System\Water Filter Assembly

Water System - Control Valves

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|-----------------|--------------------------------------|------------|-------------|
| 0 | 281750-25 | Body - Water Filter M01 | 1 | PC |
| Comprising items 1-7 | | | | |
| 1 | 277-181 | Body - Water Filter | 1 | PC |
| 2 | 277-185 | Water Filter Bowel Assembly | 1 | PC |
| 3 | 277-247 | Water Filter Mesh- grey with O Rings | 1 | PC |
| 4 | 277-171 | 'O' Ring | 2 | PC |
| 5 | 277-170 | FLYNUT # G1-1/2# | 2 | PC |
| 6 | 277-244 | Flynut Hosetail - 90° Barb = 25mm | 1 | PC |
| 7 | 7010554 | Bracket Water Filter | 1 | PC |
| 8 | 124-135 | Setscrew M8C x 20 | 3 | PC |
| 8 | 457-4 | Washer Plain Steel M8 Form G | 3 | PC |
| 9 | 124-137 | Setscrew M8C x 25 | 3 | PC |
| 9 | 457-4 | Washer Plain Steel M8 Form G | 6 | PC |
| 9 | 425-14 | Nut Nyloc Hex MC M8 | 3 | PC |
| 8 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |

Installation (M010913)


Water System\Relief Valve\Installation
Water System - Relief Valve

Installation (M010913)

Water System\Relief Valve\Installation

Water System - Relief Valve

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|---|-----|------|
| 1 | 277-297 | Adaptor Straight 3/4 BSP x 3/4 Hosetail | 1 | PC |
| 2 | 451-21 | Washer Bonded G3-4" | 1 | PC |
| 2 | 281075-1 | Manifold W/A Water Relief | 1 | PC |
| 3 | 9757 | Plug - Taper 1/8" | 1 | PC |
| 4 | 9757 | Plug - Taper 1/8" | 1 | PC |
| 5 | 124-137 | Setscrew M8C x 25 | 2 | PC |
| 5 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 5 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 6 | 221369-1 | Bracket-Relief Valve Water 655 | 1 | PC |
| 7 | 124-169 | Setscrew M10C x 25 | 3 | PC |
| 7 | 460-11 | Washer Spring Single Coil M10 | 3 | PC |

Assembly (950714)Water System\Relief Valve\Assembly
Water System - Relief Valve**Note:**

Refer to Technical Bulletin TB 1423 for the introduction of this valve.


Assembly (950714)

Water System\Relief Valve\Assembly

Water System - Relief Valve

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|--------------------------------|------------|-------------|
| 0 | 284150-1 | Safety Relief Valve 3/4" | 1 | PC |
| Comprising items 1-12 | | | | |
| 1 | 284150-2 | Body | 1 | PC |
| 2 | 284150-3 | Dome top- Safety Relief Valve | 1 | PC |
| 3 | 284150-4 | Base - Safety Relief Valve | 1 | PC |
| 4 | 284150-5 | Adusting Screw for 284150-1 | 1 | PC |
| 5 | 284150-6 | Lock Nut - Safety Relief Valve | 1 | PC |
| 6 | 284150-7 | Spring plate for 284150-1 | 2 | PC |
| 7 | 284150-12 | Spring | 1 | PC |
| 8 | 284150-8 | Spindle for 284150-1 | 1 | PC |
| 9 | 284150-9 | Ball Bearing for 284150-1 | 1 | PC |
| 10 | 284150-10 | Valve for 284150-1 | 1 | PC |
| 12 | 284150-13 | Washer for 284150-1 | 1 | PC |

Water Tank Assembly (M010913)

 Water System\Water Tank Assembly
 Water System



Water Tank Assembly (M010913)

Water System\Water Tank Assembly

Water System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-----------------------------------|------------|-------------|
| 1RH | 221400-1 | Water Tank-530L RT655 | 1 | PC |
| 1LH | 221400-2 | Water Tank-530L Add.HolesRT655 | 1 | PC |
| 2 | 221365-1 | Bracket W/A Hydrant Fill RT655 | 1 | PC |
| 3 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 3 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 3 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 5 | 39402 | Filter | 1 | PC |
| 5 | 221892-2 | Restrictor - Hydrant Fill 655 | 1 | PC |
| 6 | 264-8 | Adaptor M/M - Bulkhead 1 1/4 BSP | 1 | PC |
| 6 | 451-111 | Washer Bonded G1 1-4" | 1 | PC |
| 7 | 277-210 | Hosetail Female 1 1/4"BSPx35mm | 1 | PC |
| 8 | 18684-1-C | Hydrant coupling - UK | 1 | PC |
| 8 | 667-31 | Coupling-Stortz 2.5" BSP | 1 | PC |
| 10 | 221147-1 | Water Fill W/A Water Tank 655 | 1 | PC |
| 11 | 124-139 | Setscrew M8C x 30 | 6 | PC |
| 11 | 457-4 | Washer Plain Steel M8 Form G | 6 | PC |
| 11 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 12 | 221159-1 | Seal - Outlet Water Tank RT655 | 2 | PC |
| 13 | 22-12 | Ball - Plastic 70mm dia | 1 | PC |
| 14 | 221345-1 | Cage W/A Ball Valve-W/Tank 655 | 1 | PC |
| 15 | 277-186 | Flynut Hosetail - 90° Barb = 15mm | 4 | PC |
| 16 | 277-159 | Flynut - 3/4" BSP for 277/158 | 4 | PC |
| 17 | 277-188 | O Ring For 3/4"BSP Cap/Liner | 4 | PC |
| 18 | 277-248 | Hexagonal Nipple - 3/4" BSP | 4 | PC |

Water Tank Assembly (M010913)


 Water System\Water Tank Assembly
 Water System


Water Tank Assembly (M010913)

 Water System\Water Tank Assembly
 Water System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-----------------------------------|------------|-------------|
| 19 | 740-2 | Washer - Rubber 3/4" BSP (M) | 4 | PC |
| 20 | 15656-1-D | Sight Tube-Water/Deterg.Tank | 2 | M |
| 21 | 501-2 | Hose Clip - Worm Drive (14-22) | 4 | PC |
| 22 | 22-13 | Ball - Plastic (Blue) 1/2" | 2 | PC |
| 23 | 221360-1 | Overflow W/Assy Water Tank 655 | 1 | PC |
| 24 | 284040-1 | Cap - Water Tank Drain | 1 | PC |
| 25 | 40643-1-C | Washer - Seal, Drain, W/Tank | 1 | PC |
| 26 | 124-139 | Setscrew M8C x 30 | 6 | PC |
| 26 | 457-4 | Washer Plain Steel M8 Form G | 6 | PC |
| 26 | 460-10 | Washer Spring Single Coil M8 | 6 | PC |
| 27 | 221159-1 | Seal - Outlet Water Tank RT655 | 2 | PC |
| 28 | 22-12 | Ball - Plastic 70mm dia | 1 | PC |
| 29 | 221345-1 | Cage W/A Ball Valve-W/Tank 655 | 1 | PC |
| 30 | 277-252 | Hosetail - 1 1/2" BSP M x 40mm | 1 | PC |
| 31 | 277-255 | Plug - 1 1/2" BSP M Parallel | 1 | PC |
| 32 | 277-259 | Flynut Hosetail - 90° Barb = 19mm | 1 | PC |
| 33 | 277-159 | Flynut - 3/4" BSP for 277/158 | 1 | PC |
| 34 | 277-188 | O Ring For 3/4"BSP Cap/Liner | 1 | PC |
| 35 | 277-258 | Nipple Reducing G 1 1/4 x G 1 | 1 | PC |
| 36 | 277-141 | Seal For 1 1/4" BSP Cap&Liner | 1 | PC |
| 37 | 221289-1 | Cable Tidy Plate RT655 | 8 | PC |
| 37 | 124-135 | Setscrew M8C x 20 | 16 | PC |
| 37 | 455-10 | Washer Plain Plated Steel M8 | 16 | PC |
| 37 | 460-10 | Washer Spring Single Coil M8 | 16 | PC |

Water Tank Assembly (M010913)

 Water System\Water Tank Assembly
 Water System



Water Tank Assembly (M010913)

 Water System\Water Tank Assembly
 Water System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---------------------------------|------------|-------------|
| 38 | 231-69 | Hosetail - G 1½" x 50mm Barb | 4 | PC |
| 39 | 277-241 | Socket - 1 1/2" x 1 1/2" BSP | 4 | PC |
| 40 | 272-40 | Hose - Blue Silicone | 2 | PC |
| 41 | 501-6 | Clip Hose Worm Drive (55-70) | 4 | PC |
| 42 | 277-255 | Plug - 1 1/2" BSP M Parallel | 4 | PC |
| 43 | 48-328 | Switch - Float + Deutsch Conn | 2 | PC |
| 44 | 277-128 | Tee - 1" BSP Equal | 1 | PC |
| 45 | 277-250 | Reducing Nipple - 1 1/2" - 1" M | 1 | PC |
| 46 | 277-286 | Hosetail G - 1 Male x 25mm Barb | 1 | PC |
| 47 | 277-173 | Nipple - 1" x 1" BSP Hex | 1 | PC |
| 48 | 88-43 | Ball Valve 1" Female | 1 | PC |
| 49 | 221182-1 | Water Tank Clamp W/Assy RT655 | 2 | PC |
| 50 | 124-275 | Setscrew M16C x 60 | 2 | PC |
| 50 | 457-8 | Washer Plain Steel M16 Form G | 2 | PC |
| 50 | 460-14 | Washer Spring Single Coil M16 | 2 | PC |
| 51 | 217-8 | Strip Sealing 3x30 white | 12 | M |
| 52 | 277-251 | Plug - 1 1/4" BSP M Parallel | 1 | PC |
| 4 | 7017527 | Hydrant Filler - 187 x 50 | 1 | PC |

Hoses and Front Spraybar R.H. (KT00101,KT05901,KT06101)

Water System\Supawash Option\Water System\Hoses and Front Spraybar\Hoses and Front Spraybar R.H.
Water System - Supawash Option



RTWC. 011-8

Hoses and Front Spraybar R.H. (KT00101,KT05901,KT06101)


Water System\Supawash Option\Water System\Hoses and Front Spraybar\Hoses and Front Spraybar R.H.

Water System - Supawash Option

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---------------------------------|------------|-------------|
| 1 | 6117 | Hose - 1" Bore | 2 | M |
| 1 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 2 | 6117 | Hose - 1" Bore | 0.4 | M |
| 2 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 3 | 6111 | Hose - Water 1/2" | 3 | M |
| 3 | 501-1 | Hose Clip - Worm Drive (11-16) | 2 | PC |
| 4 | 277-119 | Tee - Poly Barbed 3/4x1/2x3/4" | 1 | PC |
| 4 | 501-2 | Hose Clip - Worm Drive (14-22) | 2 | PC |
| 5 | 277-128 | Tee - 1" BSP Equal | 1 | PC |
| 6 | 277-250 | Reducing Nipple - 1 1/2" - 1"M | 1 | PC |
| 7 | 277-286 | Hosetail G - 1 Male x 25mm Barb | 1 | PC |
| 8 | 277-173 | Nipple - 1" x 1" BSP Hex | 1 | PC |
| 9 | 88-43 | Ball Valve 1" Female | 1 | PC |
| W01 | HC08043-55-90 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 806 | 12870 | Tube - Nylon Black 8mm O/D | 3 | M |
| 10 | 293768-1 | Spraybar-Front High Press 550 | 1 | PC |
| 11 | 21-31 | Jet - Fan 65 deg. 1/4" | 9 | PC |
| W04 | HC08002-450 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| W02 | HC08000-382 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| W03 | HC06002-530 | Hose - Megaflex 3/8" STRx90s | 1 | PC |
| 14 | 284150-1 | Safety Relief Valve 3/4" | 1 | PC |
| 15 | 497-H12 | Hose - 3/4" Bore | 1.55 | M |

Hoses and Front Spraybar L.H. (KT00101,KT05901,KT06101)

Water System\Supawash Option\Water System\Hoses and Front Spraybar\Hoses and Front Spraybar L.H.
Water System - Supawash Option




Hoses and Front Spraybar L.H. (KT00101,KT05901,KT06101)

Water System\Supawash Option\Water System\Hoses and Front Spraybar\Hoses and Front Spraybar L.H.

Water System - Supawash Option

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|---------------------------------|------------|-------------|
| 1 | 6117 | Hose - 1" Bore | 1.9 | M |
| 1 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 2 | 6117 | Hose - 1" Bore | 0.4 | M |
| 2 | 501-4 | Clip Hose Worm Drive 30-40mm | 2 | PC |
| 3 | 6111 | Hose - Water 1/2" | 4 | M |
| 3 | 501-1 | Hose Clip - Worm Drive (11-16) | 2 | PC |
| 4 | 277-119 | Tee - Poly Barbed 3/4x1/2x3/4" | 1 | PC |
| 4 | 501-2 | Hose Clip - Worm Drive (14-22) | 2 | PC |
| 5 | 277-128 | Tee - 1" BSP Equal | 1 | PC |
| 6 | 277-250 | Reducing Nipple - 1 1/2" - 1"M | 1 | PC |
| 7 | 277-286 | Hosetail G - 1 Male x 25mm Barb | 1 | PC |
| 8 | 277-173 | Nipple - 1" x 1" BSP Hex | 1 | PC |
| 9 | 88-43 | Ball Valve 1" Female | 1 | PC |
| W01 | HC08043-55-90 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 806 | 12870 | Tube - Nylon Black 8mm O/D | 3 | M |
| 11 | 293768-1 | Spraybar-Front High Press 550 | 1 | PC |
| 12 | 21-31 | Jet - Fan 65 deg. 1/4" | 9 | PC |
| W04 | HC08002-450 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| W02 | HC08000-382 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| W03 | HC06002-530 | Hose - Megaflex 3/8" STRx90s | 1 | PC |

Water Pump and Unloader Installation ()

 Water System\Supawash Option\Water System\Water Pump and Unloader Installation
 Supawash Option - Water System



RTWC.009

Water Pump and Unloader Installation ()

 Water System\Supawash Option\Water System\Water Pump and Unloader Installation
 Supawash Option - Water System

| Item no. | Part no. | Description | QTY | Unit |
|-----------------------|-----------------|--------------------------------|------------|-------------|
| 1 | 283702-1 | Unloader-Supawash Pump | 1 | PC |
| 2 | 231-66 | Male Hose Barb 1/2" x 1/2" | 1 | PC |
| 3 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 1 | PC |
| 4 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 5 | 264-4 | Adaptor M/M - Bulkhead 1/2 BSP | 1 | PC |
| 6 | 451-19 | Washer - Bonded G1-2" | 1 | PC |
| 7 | 221570-1 | Supawash Bracket W/Assy LH 655 | 1 | PC |
| 7 | 221570-2 | Supawash Bracket W/Assy RH 655 | 1 | PC |
| 8 | 124-173 | Setscrew M10C x 35 | 2 | PC |
| 8 | 457-5 | Washer Plain Steel M10 Form G | 2 | PC |
| 8 | 455-11 | Washer Plain Plated Steel M10 | 2 | PC |
| 8 | 425-15 | Nut Nyloc Hex M10C | 2 | PC |
| B | 283839-1 | Supawash Pump Sub Assembly | 1 | PC |
| Comprising items 9-22 | | | | |
| 9 | 283701-1 | Pump - Supawash | 1 | PC |
| 9 | 283701-10 | Seal Kit For Pump 283701-1 | 1 | PC |
| 9 | 283701-11 | Valve Kit For Pump 283701-1 | 1 | PC |
| 9 | 283701-12 | Ceramic Pipe For Pump 283701-1 | 1 | PC |
| 9 | 283701-13 | O Ring - Pump Assembly | 1 | PC |
| 10 | 231-65 | Hosetail 3/4" BSPT x 1" Brass | 1 | PC |
| 11 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 3 | PC |
| 11 | 451-19 | Washer - Bonded G1-2" | 3 | PC |
| 12 | 283698-1 | Mntg Foot W/Assy Supawash Pump | 2 | PC |
| 13 | 123-104 | Bolt M Coarse M8x30 BS3692 | 3 | PC |

Water Pump and Unloader Installation ()


 Water System\Supawash Option\Water System\Water Pump and Unloader Installation
 Supawash Option - Water System


RTWC.009

Water Pump and Unloader Installation ()


 Water System\Supawash Option\Water System\Water Pump and Unloader Installation
 Supawash Option - Water System

| Item no. | Part no. | Description | QTY | Unit |
|------------------------|-----------------|---------------------------------------|------------|-------------|
| 13 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| 13 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 14 | 125-185 | Bolt - M10 x 16 Flanged Durlok - 12.9 | 4 | PC |
| 15 | 283695-1 | Bell Housing Machining S/Wash | 1 | PC |
| 16 | 129-129 | Screw MC Cap Skt Hd M8x35 | 3 | PC |
| 16 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| C | 283681-1 | Drive Coupling Assy SW Pump | 1 | PC |
| Comprising items 17-19 | | | | |
| 17 | 283684-1 | Spider-Drive Coupling SW Pump | 1 | PC |
| 18 | 283682-1 | Hub Ø 22 Bore Coupling SW Pump | 1 | PC |
| 19 | 283683-1 | Hub 1:5 Taper Bore Coupling SW | 1 | PC |
| 20 | 244-15 | Motor - Hydraulic + Drain Port | 1 | PC |
| 21 | 129-125 | Screw MC Cap Skt Hd M8x25 | 4 | PC |
| 21 | 460-10 | Washer Spring Single Coil M8 | 4 | PC |
| 22 | 521-8 | Adaptor - Elbow Tube O/D 8mm | 1 | PC |
| 22 | 511-4 | Olive - Tube 8mm O/D | 1 | PC |
| 22 | 510-4 | Nut - Tube 8mm O/D | 1 | PC |
| W01 | HC08043-55-90 | Hose - Megaflex 1/2" 90sx90s | 1 | PC |
| 22 | 41038-1-B | Sleeve - Support, Pipe 8mm | 1 | PC |

Hose Reel and Lance (KT06101)Water System\Supawash Option\Water System\Hose Reel and Lance
Supawash Option - Water System

Hose Reel and Lance (KT06101)Water System\Supawash Option\Water System\Hose Reel and Lance
Supawash Option - Water System

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------------|-----|------|
| 1 | 667-49 | Hose Reel 15 Metre Coil | 1 | PC |
| 2 | 265-4 | Adaptor Reducing M/M 3/8 x 1/2 BSP | 1 | PC |
| 2 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 3 | 124-171 | Setscrew M10C x 30 | 4 | PC |
| 3 | 455-11 | Washer Plain Plated Steel M10 | 8 | PC |
| 3 | 425-14 | Nut Nyloc Hex MC M8 | 4 | PC |
| 4 | 21-71 | Hand Lance Assembly 700mm | 1 | PC |
| 5 | 267-20 | ADAPTOR-SWIVEL M/F G3/8" 267-30 | 1 | PC |
| 5 | 451-18 | Washer Bonded G3/8" | 2 | PC |
| 6 | 293411-1 | Tube - Lance Stowage 550 | 1 | PC |
| 7 | 293517-1 | Plate W/Assy Lance Stowage 550 | 1 | PC |
| 8 | 501-11 | Hose Clip - Worm Drive (35-50) | 2 | PC |
| 9 | 221401-1 | Bracket - Lance Stowage RT655 | 1 | PC |
| 10 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 10 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 10 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |


With Front Spraybar - Option (KT06101,KT05993)Water System\Supawash Option\Water System\Manifold Assembly\With Front Spraybar - Option
Supawash Option - Water System - Manifold Assembly

RTWC. 013-2

With Front Spraybar - Option (KT06101,KT05993)

Water System\Supawash Option\Water System\Manifold Assembly\With Front Spraybar - Option
Supawash Option - Water System - Manifold Assembly


| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-----------------------------------|-----|------|
| 1 | 282229-1 | Water Manifold - Supawash | 1 | PC |
| 2 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 2 | 451-19 | Washer - Bonded G1-2" | 2 | PC |
| 3 | 665-8 | Test Coupling SMK20 - G1/4 Type C | 1 | PC |
| 4 | 54-4 | Plug - Collar G1/2" BSP | 5 | PC |
| 5 | 7010465 | Bracket Supawash Manifold | 1 | PC |
| 6 | 124-146 | Setscrew M8C x 55 | 3 | PC |
| 6 | 460-10 | Washer Spring Single Coil M8 | 3 | PC |
| 6 | 455-10 | Washer Plain Plated Steel M8 | 3 | PC |
| 7 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 7 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 7 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 8 | 88-33 | Ball Valve 210 Bar 1/2" F | 1 | PC |
| 9 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 2 | PC |
| 9 | 451-19 | Washer - Bonded G1-2" | 3 | PC |

Tandem/Options Pump Valve Block (KT12101)Water System\Supawash Option\Hydraulic System\Tandem/Options Pump Valve Block
Hydraulic System

Tandem/Options Pump Valve Block (KT12101)Water System\Supawash Option\Hydraulic System\Tandem/Options Pump Valve Block
Hydraulic System

| Item no. | Part no. | Description | QTY | Unit |
|----------|-----------|--|-----|------|
| 1 | 283689-24 | Hyd Valve Block Supawash 24v | 1 | PC |
| 1 | 283689-12 | Hyd Valve Block Supawash 12v | 1 | PC |
| 2 | 124-136 | Setscrew M8C x 22 BS3692 | 2 | PC |
| 2 | 455-10 | Washer Plain Plated Steel M8 | 2 | PC |
| 2 | 460-10 | Washer Spring Single Coil M8 | 2 | PC |
| 3 | 263-4 | Adaptor M/M 1/2 BSP BS5200 | 3 | PC |
| 4 | 262-4 | Elbow 90° 1/2 BSP M x 1/2 BSP Swivel F | 2 | PC |
| 5 | 451-19 | Washer - Bonded G1-2" | 5 | PC |
| S1 | 665-18 | Test Coupling SMK20 - G1/4 Type B | 1 | PC |
| S2 | 847-39 | Relief Cartridge (225 Bar) | 1 | PC |
| S3 | 847-72 | Cartridge Valve - NC 250 bar | 1 | PC |
| S4 | 847-74 | Coil - 24 Volt 29 watt | 1 | PC |
| S4 | 847-73 | Coil - 12 Volt 29 watt | 1 | PC |

Hydraulic Hoses (KT00101,M010515)

 Water System\Supawash Option\Hydraulic System\Hydraulic Hoses
 Hydraulic System


RTHC. 010-2

Hydraulic Hoses (KT00101,M010515)

Water System\Supawash Option\Hydraulic System\Hydraulic Hoses
Hydraulic System

| Item no. | Part no. | Description | QTY | Unit |
|----------|-------------|------------------------------|-----|------|
| 801 | HC08002-150 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 802 | HC08000-90 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 803 | HC08000-60 | Hose - Megaflex 1/2" STRxSTR | 1 | PC |
| 804 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 805 | HC08002-230 | Hose - Megaflex 1/2" STRx90s | 1 | PC |
| 806 | 12870 | Tube - Nylon Black 8mm O/D | 1 | M |
| 205 | 12870 | Tube - Nylon Black 8mm O/D | 1 | M |

This page is intentionally left blank

Chapter 11

Electrical System






Table of Contents

| Section | Page |
|-------------------------|------|
| 11.1 Controls | 258 |
| 11.2 Wiring Looms | 262 |

Relay Box Assemblies Dual (M010311)



 Electrical System\Controls\Relay Box\Relay Box Assemblies Dual
 Electrical System - Controls


Relay Box Assemblies Dual (M010311)

 Electrical System\Controls\Relay Box\Relay Box Assemblies Dual
 Electrical System - Controls

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|------------------------------------|------------|-------------|
| 1 | 282108-1 | Base - Main Body Cont Box | 1 | PC |
| 2 | 282114-1 | Sidewall - Control Box | 1 | PC |
| 2 | 433-2 | Rivet Nut - S.Cl. Nut M6c g0.5-3.0 | 4 | PC |
| 2 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 3 | 282117-1 | Timer Relay Mount - Relay Box | 1 | PC |
| 3 | 433-2 | Rivet Nut - S.Cl. Nut M6c g0.5-3.0 | 2 | PC |
| 3 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 4 | 48-35 | Relay-Heavy Duty 60A@12v Cont. | 1 | PC |
| 4 | 48-37 | Relay-Heavy Duty 24v Cont. | 1 | PC |
| 5 | 181-1 | Screw Pan Hd Pozidriv M5cx10 | 2 | PC |
| 5 | 420-12 | Nut MC Hex M5 | 2 | PC |
| 6 | 48-252 | Relay - Warning 12v | 1 | PC |
| 6 | 48-253 | Relay - Warning 24v | 1 | PC |
| 7 | 13981 | Relay Timer 12v | 5 | PC |
| 7 | 13982 | Relay Timer 24v | 5 | PC |
| 7 | 13983 | Base Connection Terminal Soldr | 5 | PC |
| 8 | 281904-1 | Card - Fuse Control Box | 1 | PC |
| 8 | 433-2 | Rivet Nut - S.Cl. Nut M6c g0.5-3.0 | 2 | PC |
| 8 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 9 | 282115-1 | Plate - Internal Supt C/Box | 1 | PC |
| 9 | 433-2 | Rivet Nut - S.Cl. Nut M6c g0.5-3.0 | 2 | PC |
| 9 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 10 | 13193 | Relay 12 Volt 30/40 | 9 | PC |
| 10 | 13194 | Relay 24 Volt 30/40 | 9 | PC |

Relay Box Assemblies Dual (M010311)

 Electrical System\Controls\Relay Box\Relay Box Assemblies Dual
 Electrical System - Controls



Relay Box Assemblies Dual (M010311)

 Electrical System\Controls\Relay Box\Relay Box Assemblies Dual
 Electrical System - Controls

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|------------------------------------|------------|-------------|
| 11 | 282112-1 | Sidewall - Plug C/Box | 1 | PC |
| 11 | 433-2 | Rivet Nut - S.CI. Nut M6c g0.5-3.0 | 4 | PC |
| 11 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 12 | 281903-1 | Plate T Control Box | 1 | PC |
| 12 | 433-2 | Rivet Nut - S.CI. Nut M6c g0.5-3.0 | 2 | PC |
| 12 | 138-91 | Screw - Skt Button Hd M6cx12 | 2 | PC |
| 13 | 12904 | Relay - Power, Miniature 12v | 2 | PC |
| 13 | 13867 | Relay - Power, Miniature, 24v | 2 | PC |
| 14 | 282109-1 | Back - Control Box | 1 | PC |
| 14 | 138-91 | Screw - Skt Button Hd M6cx12 | 4 | PC |
| 14 | 283-14 | Clip | 1 | PC |
| 15 | 282110-1 | Front - Control Box | 1 | PC |
| 16 | 23-12 | Thumbscrew - M6x15 | 1 | PC |
| 17 | 221614-1 | Diode Pack RT655 | 1 | PC |
| 17 | 13984 | Diode Rectifier | 20 | PC |
| 18 | 221615-1 | Component Identification Label | 1 | PC |

Loom Interface Bulkhead Plates - Under Cab (M010914)

Electrical System\Wiring Looms\Loom Interface Bulkhead Plates - Under Cab
Electrical System - Wiring Looms

**UNDER CAB VIEW**

Loom Interface Bulkhead Plates - Under Cab (M010914)

Electrical System\Wiring Looms\Loom Interface Bulkhead Plates - Under Cab

Electrical System - Wiring Looms

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 282200-1 | Plate-Bulkhead (Loom Inter) 93 | 4 | PC |
| 2 | 124-107 | Setscrew M6C x 30 | 4 | PC |
| 2 | 425-13 | Nut Nyloc Hex M6C | 4 | PC |

This page is intentionally left blank

Chapter 12 Cab Controls





Table of Contents

| Section | Page |
|---------------------------------------|------|
| 12.1 Switch Panel | 266 |
| 12.2 Discharge Control | 276 |
| 12.3 Gutter Broom Speed Control | 278 |

Switch Panel Dual (M010312)

 Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
 Cab Controls - Switch Panel Assembly



- * Instrument panels, item 31, have a code number on a label on the back.
Quote this number when ordering a replacement.
The numbers are:
Iveco 3a Engine - Code No.0003, John Deere Engines - Code No.0004

Switch Panel Dual (M010312)

 Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
 Cab Controls - Switch Panel Assembly

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 282350-1 | Switch Box - Assy | 1 | PC |
| 2 | 735-70 | Bezel - Mounting End Piece | 6 | PC |
| 3 | 735-71 | Bezel - Mounting Centre Piece | 11 | PC |
| 4 | 288-14 | Grommet - Blind 22.2 O/D x 3.2 | 1 | PC |
| 5 | 735-31 | Switch-3 Position, Spring 24V | 1 | PC |
| 5 | 735-132 | Cover - Rocker Nozzle Hop | 1 | PC |
| 6 | 735-27 | Switch-3 Position, Detent 24V | 1 | PC |
| 6 | 735-102 | Cover - Rocker Nozzle | 1 | PC |
| 7 | 735-27 | Switch-3 Position, Detent 24V | 1 | PC |
| 7 | 735-101 | Cover - Rocker Channel Brush | 1 | PC |
| 8 | 735-31 | Switch-3 Position, Spring 24V | 1 | PC |
| 8 | 735-105 | Cover - Rocker RH Rotatilt | 1 | PC |
| 9 | 735-31 | Switch-3 Position, Spring 24V | 1 | PC |
| 9 | 735-104 | Cover - Rocker LH Rotatilt | 1 | PC |
| 10 | 735-27 | Switch-3 Position, Detent 24V | 1 | PC |
| 10 | 735-101 | Cover - Rocker Channel Brush | 1 | PC |
| 11 | 735-60 | Plug - Blanking | 3 | PC |
| 12 | 735-26 | Switch-2 Position, Detent 24V | 1 | PC |
| 12 | 735-110 | Cover - Rocker LH Variabrush | 1 | PC |
| 13 | 735-26 | Switch-2 Position, Detent 24V | 1 | PC |
| 13 | 735-111 | Cover - Rocker RH Variabrush | 1 | PC |
| 14 | 42-204 | Decal - Air Conditioning | 1 | PC |
| 15 | 735-26 | Switch-2 Position, Detent 24V | 1 | PC |
| 15 | 735-106 | Cover - Rocker Supawash | 1 | PC |

Switch Panel Dual (M010312)

 Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
 Cab Controls - Switch Panel Assembly



* Instrument panels, item 31, have a code number on a label on the back.
 Quote this number when ordering a replacement.
 The numbers are:
 Iveco 3a Engine - Code No.0003, John Deere Engines - Code No.0004

Switch Panel Dual (M010312)

 Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
 Cab Controls - Switch Panel Assembly

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 16 | 735-26 | Switch-2 Position, Detent 24V | 1 | PC |
| 16 | 735-134 | Cover - Rocker Revs | 1 | PC |
| 17 | 735-30 | Switch-3 Position, Spring 24V | 1 | PC |
| 17 | 735-115 | Cover-Rocker Discharge Select | 1 | PC |
| 18 | 735-400 | Base-Indicator 12v(Amber Area) | 1 | PC |
| 18 | 735-500 | Base-Indicator 24V(Amber Area) | 1 | PC |
| 18 | 735-603 | Cover - Rocker (Tank) Low/Full | 1 | PC |
| 19 | 735-29 | Switch-3 Position, Spring 24V | 1 | PC |
| 19 | 735-121 | Cover - Rocker ES+W/Tank Level | 1 | PC |
| 20 | 735-26 | Switch-2 Position, Detent 24V | 1 | PC |
| 20 | 735-108 | Cover - Beacons | 1 | PC |
| 21 | 7010527 | Indicator LEDs | 1 | PC |
| 21 | 735-60 | Plug - Blanking | 1 | PC |
| 21 | 748-1 | LED Indicator Type Hyper RED 24v | 1 | PC |
| 21 | 748-2 | LED Indicator Type Hyper YELLOW 24v | 1 | PC |
| 22 | 7010529 | Indicator LEDs | 1 | PC |
| 22 | 735-60 | Plug - Blanking | 1 | PC |
| 22 | 748-3 | LED Indicator Type Hyper GREEN 24v | 1 | PC |
| 22 | 748-4 | LED Indicator Type Hyper BLUE 24v | 1 | PC |
| 23 | 735-31 | Switch-3 Position, Spring 24V | 1 | PC |
| 23 | 735-133 | Cover - Rocker Veg | 1 | PC |
| 24 | 43-101 | Switch - Work Lamp 12v | 1 | PC |
| 24 | 43-201 | Switch - Work Lamp 24v | 1 | PC |
| 25 | 43-1 | Switch - Blank | 2 | PC |

Switch Panel Dual (M010312)


 Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
 Cab Controls - Switch Panel Assembly


* Instrument panels, item 31, have a code number on a label on the back.
 Quote this number when ordering a replacement.
 The numbers are:
 Iveco 3a Engine - Code No.0003, John Deere Engines - Code No.0004


Switch Panel Dual (M010312)Cab Controls\Switch Panel\Switch Panel Assembly\Switch Panel Dual
Cab Controls - Switch Panel Assembly

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 26 | 43-100 | Switch-Low Press. Water 12v | 1 | PC |
| 26 | 43-200 | Switch-Low Press. Water 24v | 1 | PC |
| 27 | 43-100 | Switch-Low Press. Water 12v | 1 | PC |
| 27 | 43-200 | Switch-Low Press. Water 24v | 1 | PC |
| 28 | 43-100 | Switch-Low Press. Water 12v | 1 | PC |
| 28 | 43-200 | Switch-Low Press. Water 24v | 1 | PC |
| 29 | 43-101 | Switch - Work Lamp 12v | 1 | PC |
| 29 | 43-201 | Switch - Work Lamp 24v | 1 | PC |
| 30 | 99-92 | Fixing Collar/Lt Block Ass 12v | 1 | PC |
| 30 | 99-93 | Fixing Collar/Lt Block Ass 24v | 1 | PC |
| 30 | 99-4 | Contact - N.O. | 1 | PC |
| 30 | 99-94 | Push Button (Green) | 1 | PC |
| 31 | 282237-2 | Panel - Instrument IVECO HP | 1 | PC |
| 31 | 282237-4 | Panel-Instrument IVE SP & JD | 1 | PC |

Loom/Control Panel A (950312)

 Cab Controls\Switch Panel\Powapak Loom/Control Panel\Loom/Control Panel A
 Cab Controls - Switch Panel - Powapack


RTCN. 002-4




Loom/Control Panel A (950312)

Cab Controls\Switch Panel\Powapak Loom/Control Panel\Loom/Control Panel A
Cab Controls - Switch Panel - Powapack

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 282353-1 | Plate - Switch IVECO TURBO | 1 | PC |
| 2 | 135-151 | Screw - Sstd Pan Hd, M4C x 16 | 4 | PC |
| 3 | 735-34 | Switch-2 Position, Detent 24v | 1 | PC |
| 3 | 735-125 | Cover - Rocker Alternator | 1 | PC |
| 4 | 735-28 | Switch-3 Position, Spring 24V | 1 | PC |
| 4 | 735-116 | Cover - Rocker Aux Engine PTO | 1 | PC |
| 5 | 735-70 | Bezel - Mounting End Piece | 2 | PC |
| 6 | 735-60 | Plug - Blanking | 1 | PC |
| 7 | 99-93 | Fixing Collar/Lt Block Ass 24v | 1 | PC |
| 7 | 99-4 | Contact - N.O. | 1 | PC |
| 7 | 99-5 | Contact - N.C. | 1 | PC |
| 7 | 99-67 | Operating Head - Push Momentry | 1 | PC |

Loom/Control Panel B (950312)

 Cab Controls\Switch Panel\Powapak Loom/Control Panel\Loom/Control Panel B
 Cab Controls - Switch Panel - Powapack


25.11.2013


J000022109

All Copyright and rights are the property of Johnston Sweepers Ltd

Loom/Control Panel B (950312)

Cab Controls\Switch Panel\Powapak Loom/Control Panel\Loom/Control Panel B
Cab Controls - Switch Panel - Powapack

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|--------------------------------|-----|------|
| 1 | 282353-4 | Plate - Switch JOHN DEERE | 1 | PC |
| 2 | 135-151 | Screw - Sstd Pan Hd, M4C x 16 | 4 | PC |
| 3 | 735-14 | Switch-2 Position, Detent 12v | 1 | PC |
| 3 | 735-125 | Cover - Rocker Alternator | 1 | PC |
| 7 | 99-92 | Fixing Collar/Lt Block Ass 12v | 1 | PC |
| 7 | 99-4 | Contact - N.O. | 1 | PC |
| 7 | 99-5 | Contact - N.C. | 1 | PC |
| 7 | 99-67 | Operating Head - Push Momentry | 1 | PC |
| 8 | 31-497 | Potentiometer 4K7 (With Knob) | 1 | PC |
| 9 | 282934-1 | Diagnostics Gauge - John Deere | 1 | PC |

Load Discharge Pendant (M010321)Cab Controls\Discharge Control\Load Discharge Pendant
Cab Controls - Discharge Control

RTCN. 003


Load Discharge Pendant (M010321)

Cab Controls\Discharge Control\Load Discharge Pendant

Cab Controls - Discharge Control

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------|-----|------|
| 1 | 283440-2 | Discharge Pendant-AP (Black) | 1 | PC |

Gutter Broom Speed Control (950322)
Cab Controls\Gutter Broom Speed Control
Cab Controls - Switch Panel



Gutter Broom Speed Control (950322)

Cab Controls\Gutter Broom Speed Control

Cab Controls - Switch Panel

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|-----------------|------------------------------------|------------|-------------|
| 0 | 3730-1-E | Valve - Speed Control | 1 | PC |
| Comprising items 1-9 | | | | |
| 1 | 26106-1-K | Body | 1 | PC |
| 2 | 26107-1-E | Spindle | 1 | PC |
| 3 | 26108-1-C | Gland | 1 | PC |
| 4 | 79-52 | O Ring - .301" Dia. | 2 | PC |
| 5 | 41045-2-B | Handwheel - Control, Valve | 1 | PC |
| 6 | 135-9 | Grubsscrew - Cone Point M6cx8 | 1 | PC |
| 7 | 410-18 | Nut - Back 3/4 B.S.P | 1 | PC |
| 8 | 265-2 | Adaptor Reducing M/M 1/4 x 3/8 BSP | 1 | PC |
| 9 | 451-17 | Washer Bonded G1-4" | 1 | PC |
| 10 | 450-16 | Washer Plain 1 1/8 | 2 | PC |

This page is intentionally left blank

Chapter 13 Miscellaneous







Table of Contents

| Section | Page |
|------------------------------------|------|
| 13.1 Decals | 282 |
| 13.2 Lubricants and Tool Kit | 284 |



1 PLEASE NOTE:
DRAWINGS NOT TO SCALE




RTMS.003-2

Decals (M011810)

Miscellaneous\Decals

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|-------------------------------|-----|------|
| 1 | 295045-1 | Label Set - Operational | 1 | PC |
| 2 | 282457-1 | Label Set - Universal Warning | 1 | PC |
| 3 | 280814-1 | Label - Vehicle Height | 2 | PC |
| 4 | 282426-1 | Badge - Johnston Sweepers 95 | 2 | PC |

Lubricants and Tool Kit (KT03995)
Miscellaneous\Lubricants and Tool Kit



Suction Fan Scraper for cleaning debris from underside of blades to prevent vibration.
See Operator's Guide - Routine Maintenance, Suction Fan Impeller and Casing.

Lubricants and Tool Kit (KT03995)

Miscellaneous\Lubricants and Tool Kit

| Item no. | Part no. | Description | QTY | Unit |
|----------|----------|------------------------------|-----|------|
| 1 | 282499-1 | Tool Kit 94/95 | 1 | PC |
| 2 | 283665-1 | Scraper Assembly Suction Fan | 1 | PC |

This page is intentionally left blank

Chapter 14 Optional Equipment





Table of Contents

| Section | Page |
|-----------------|------|
| 14.1 Body | 288 |

Rear Door Mounted Options Frame (KT01601)

Optional Equipment\Body\Rear Door Mounted Options Frame
Optional Equipment - Body



RTBD. 009-2


Rear Door Mounted Options Frame (KT01601)

Optional Equipment\Body\Rear Door Mounted Options Frame

Optional Equipment - Body

| Item no. | Part no. | Description | QTY | Unit |
|----------------------|-----------------|--------------------------------|------------|-------------|
| 0 | 221205-1 | Frame - Rear Options RT655 | 1 | PC |
| Comprising items 1-8 | | | | |
| 1 | 221199-1 | Crossmember-Upper Optn Frame | 1 | PC |
| 2 | 221198-1 | Crossmember-Lower Optn Frame | 1 | PC |
| 3 | 221485-1 | Crossmember-Middle Optn Frame | 1 | PC |
| 4 | 221197-1 | Strut - Vertical Options Frame | 2 | PC |
| 5 | 221495-1 | Strut Vertical-Rear Opt Frame | 1 | PC |
| 6 | 124-137 | Setscrew M8C x 25 | 10 | PC |
| 6 | 455-10 | Washer Plain Plated Steel M8 | 20 | PC |
| 6 | 425-14 | Nut Nyloc Hex MC M8 | 10 | PC |
| 7 | 124-147 | Setscrew M8C x 60 | 3 | PC |
| 7 | 455-10 | Washer Plain Plated Steel M8 | 6 | PC |
| 7 | 282438-37 | Spacer-DIM A 37 | 3 | PC |
| 7 | 425-14 | Nut Nyloc Hex MC M8 | 3 | PC |
| 8 | 124-171 | Setscrew M10C x 30 | 4 | PC |
| 8 | 455-11 | Washer Plain Plated Steel M10 | 8 | PC |
| 8 | 425-15 | Nut Nyloc Hex M10C | 4 | PC |

Mesh Screen Shaker (KT03695,KT03101)
Optional Equipment\Body\Mesh Screen Shaker
Optional Equipment - Body





Mesh Screen Shaker (KT03695,KT03101)

Optional Equipment\Body\Mesh Screen Shaker

Optional Equipment - Body

| Item no. | Part no. | Description | QTY | Unit |
|-----------------|-----------------|-------------------------------------|------------|-------------|
| 1 | 282522-1 | Switch Box Ctls LS/Mesh Shaker | 1 | PC |
| 2 | 72-51 | Push Button Pneu Switch | 1 | PC |
| 3 | 548-20 | Adaptor - Expanding 8mm x 6mm | 1 | PC |
| 4 | 124-135 | Setscrew M8C x 20 | 2 | PC |
| 4 | 455-10 | Washer Plain Plated Steel M8 | 4 | PC |
| 4 | 425-14 | Nut Nyloc Hex MC M8 | 2 | PC |
| 5 | 288-28 | Grommet - Blind 31.8 O/D x 2.4 | 1 | PC |
| 6 | 282458-1 | Label Set-Universal Tanks/Taps | 1 | PC |
| 7 | 547-4 | Connector - 8mm Straight | 1 | PC |
| A | 273-23 | Tube - Nylon Red 8mm O/D 100m REEL | 6.5 | M |
| B | 273-20 | Tube - Nylon Blue 6mm O/D 100m Reel | 10 | M |
| 8 | 283806-1 | Pneumatic Piston Vibrator | 1 | PC |
| 9 | 546-3 | Adaptor - Straight R1/8" x 6mm | 1 | PC |
| 10 | 553-9 | Adaptor - Elbow 8mm x 1/4 BSP | 1 | PC |
| 11 | 548-10 | Adaptor - Reducing 8mm x 6mm | 1 | PC |
| 13 | 118-201 | Setscrew Hexagon Hd M12cx25 SS | 1 | PC |
| 13 | 460-12 | Washer Spring Single Coil M12 | 1 | PC |
| 13 | 457-6 | Washer Plain Steel M12 Form G | 1 | PC |
| 14 | 555-3 | Adaptor Bulkhead 6mm x M14x1.5 | 2 | PC |
| 15 | 72-53 | Silencer - Air 6mm | 1 | PC |
| C | 273-20 | Tube - Nylon Blue 6mm O/D 100m Reel | 2 | M |
| 12 | 41041-1-A | Sleeve - Support, Pipe | 1 | PC |

Rear Beacon ()Optional Equipment\Body\Rear Beacon
Optional Equipment - Body

7023282E708165

Rear Beacon ()

Optional Equipment\Body\Rear Beacon

Optional Equipment - Body

| Item no. | Part no. | Description | QTY | Unit |
|----------|------------|------------------------------|-----|------|
| 10 | 7022995 | Beacon Mount W\Assy | 2 | PC |
| 20 | 93085005-0 | Nyloc Hex Thin Nut M8C - 8 | 4 | PC |
| 30 | 92099373-0 | Hex Head Screw - M8Cx20 - A2 | 4 | PC |
| 40 | 93212011-0 | Plain Washer M8 | 4 | PC |
| 50 | 46-426 | LED Beacon 12/24 | 1 | PC |
| 60 | 295079-1 | Beacon Base W/Assy | 1 | PC |
| 70 | 295078-1 | Beacon Cage W/Assy | 1 | PC |
| 80 | 221453-1 | Loom - Body Main RT655 | 1 | PC |