







PREPARE YOUR FLEET FOR THE ORGANIC COLLECTION CHALLENGE

Commercial and curbside organic waste collection is a growing reality throughout the country. Whether your business is collection in a big city or a small municipality, the goals remain the same:

- · Reduce the amount of organic waste sent to landfills along with the greenhouse gas emissions they produce;
- · Increase diversion rate;
- Become economically and environmentally sustainable.


As the industry leader in waste collection solutions Labrie offers the ideal product suited specifically for organics collection.

STAY AHEAD OF THE CURVE WITH THE LABRIE ALLEYGATOR RIGHT-HAND.

The Labrie AGR offers the best packing system for organics along with the best automated arm in the market: utilizing the Pendulum Packer system and the Right-Hand arm. The AGR hopper is leak free, has no blade and no clean-out access door. The single stage packing cylinders are located outside the hopper, protected from trash and waste products. The Pendulum packing system eliminates trash "build up" behind the packing panel allowing the hopper to "selfclean". Safer for your operators with no need to clean behind the blade.



		LABRIE AG	LABRIE AGR		
BODY DIMENSIONS					
	20 cu.yds.	23 cu.yds.	27 cu.yds.	30 cu.yds.	
A Overall Length	224"	240"	262"	278"	
B Overall Height Above Frame	98 1/4"	98 1/4"	98 1/4"	98 1/4"	
C Body Width	99"	99"	99"	99"	
D Tailgate Length	17 3/16"	37 1/8"	17 3/16"	37 1/8"	
E Packer Height	13 1/2"	13 1/2"	13 1/2"	13 1/2"	
F Packer Width	62 5/8"	62 5/8"	62 5/8"	62 5/8"	



KEY FEATURES

- Self cleaning hopper
- No blade, no clean-out doors
- External single stage packing cylinders
- Pendulum Packer eliminates trash "build up"
- Leak free hopper and body

- 12-foot arm reach, inline design
- 1000-LB arm lifting capacity
- Smoothest arm on the market
- 20, 23, 27 and 30 cu. yd. body size

DDY SPECIFICATIONS dy Floor 3/16 " ASTM A656 GF			
dy Floor 3/16 " ASTM A656 GF			
	3/16 " ASTM A656 GR. 80		
dy Side Walls 10 GA. ASTM 1011 GF	10 GA. ASTM 1011 GR. 80		
dy Roof 10 GA. ASTM 1011 GF	10 GA. ASTM 1011 GR. 80		
DPPER SPECIFICATIONS			
pper Floor 5/16" Steel 80 000 PSI or	5/16" Steel 80 000 PSI or better		
pper Sides 5/16" Steel 80 000 PSI or	5/16" Steel 80 000 PSI or better		
ILGATE SPECIFICATIONS			
le and Rear Walls 10 GA. ASTM 1011 GF	10 GA. ASTM 1011 GR. 80		
CKER SPECIFICATIONS			
cker Face 5/16" Steel 80 000 PSI or	5/16" Steel 80 000 PSI or better		
cker Top 1/4" Steel 80 000 PSI or	1/4" Steel 80 000 PSI or better		
RM SPECIFICATIONS			
n Reach 144"	144"		
m Lifting Capacity 1000 LBS	1000 LBS		
m Cycle Time 10-18 SEC.	10-18 SEC.		
kup Possibilities 32-96 GAL.	32-96 GAL.		
/DRAULICS			
mp DENISON T6CC	DENISON T6CC		
mp Flow Packer 20 GPM @ 700 RPN	20 GPM @ 700 RPM		
mp Flow Arm 20 GPM @ 700 RPM	20 GPM @ 700 RPM		
draulic Tank 66 US GAL.	66 US GAL.		
stem Pressure 2500 PSI	2500 PSI		
LINDERS			
dy Lifting 6 3/8" 4 sections	6 3/8" 4 sections		
cker 5 x 3 1/2 x 18 1/2	5 x 3 1/2 x 18 1/2		
lgate 2 1/2 x 1 3/4 x 36	2 1/2 x 1 3/4 x 36		
n Extension 1 1/2 x 1 x 54	1 1/2 x 1 x 54		
n Lift 3 x 1 1/2 x 16			
m Grabber 1 1/2 x 1 x 6			





LABRIE ENVIROQUIP GROUP

Labrie Enviroquip Group is one of the largest manufacturer's of refuse and recycling collection vehicles in North America. Our product lines of Labrie, Leach, and Wittke are renowned to be the most reliable, efficient, productive, and innovative in the solid waste industry today.

Throughout our history, we have been recognized for the design and production of the highest quality vehicles available on the market, while our customers benefit from a single trusted source of engineering expertise.

At Labrie we continually push the boundaries of innovation to provide a greener, safer, smarter and more efficient way of waste management and collection.

We are committed to building and delivering the finest refuse collection equipment in the industry to suit all of your collection needs. With the strongest dealer network in the industry (over 45 distribution points across the continent), our stock and demo program, engineering expertise, and the Labrieplus 24/7 customer support center, Labrie delivers the ultimate ownership experience.

Labrieplus is Labrie's full service customer support center located in the U.S. Its mission is to provide quality replacement parts and premium hands-on field support to Labrie equipment owners. Labrieplus is the single source for Labrie, Leach, Wittke and Pendpac OEM and selected all makes of parts.



Labrie is certified ISO 9001-2008 and attests to the quality of these products. Labrie has made every reasonable effort to ensure that the information contained in this brochure is However, we accept no responsibility for any errors or omissions, and we reserve the right to modify designs, characteristics and products at any time. Contact Labrie for do price to the properties of the prope com. In case of discrepancy, the Web version takes precedence over any printed literatur

© Labrie Enviroquip Group 2015. - Printed in USA



Labrie (Head Office) 175-B, route Marie-Victorin, Levis, Quebec, Canada G7A 2T3

Toll free: 800 463-6638 info@labriegroup.com

Phone: 418 831-8250 Fax: 418 831-5255 www.labriegroup.com



Labrie is committed to delivering the ultimate ownership experience throughout North America. Our pursuit of excellence continues long after a Leach™, Labrie™ or Wittke™ is put into service.

OUR NORTH AMERICAN NETWORK IS QUALITY DRIVEN:

- = Labrieplus 24/7 customer support system, provides quality replacement parts, premium hands-on field and live assistance. Peace of mind guaranteed.
- A network of over 45 premium distributors located throughout the United States and Canada are highly trained to assist you; providing live assistance from a dedicated staff of professional representatives to support all of our Leach[™], Labrie[™] and Wittke[™] products.

labrie plus

Labrieplus (USA Office) 1981 W. Snell Road, P.O. Box 2785, Oshkosh, Wisconsin, USA 54903-2785

Toll free: 800 231-2771 Phone: 920 233-2770 Fax: 920 232-2496