



ALLEYGATOR ZERO

 **labrie**
Labrie Enviroquip Group

 **CNG**
CNG READY
SINCE 2001



ALLEYGATOR ZERO

THE IDEAL SOLUTION FOR NARROW STREETS

PICK UP BINS OTHERS LEAVE BEHIND WITH THE ZERO SWING OUT LIFT

The Alleygator Zero represents the culmination of decades of innovation in waste collection technology. The patented zeroradius arm and pendulum packer coupled with advanced hydraulic controls contribute to the lowest Total Cost of Ownership for any product in its class.

KEY FEATURES OF THE ALLEYGATOR ZERO:

- Alley friendly access
- Increased maintenance safety with self cleaning packer
- Green design operation
- Reduced operator injuries with smooth operation
- Lowest maintenance cost




LABRIE ALLEYGATOR ZERO

BODY DIMENSIONS

		20 cu.yds.	23 cu.yds.	27 cu.yds.	30 cu.yds.
A	Overall Length	224"	240"	262"	278"
B	Overall Height Above Frame	98 1/4"	98 1/4"	98 1/4"	98 1/4"
C	Body Width	99"	99"	99"	99"
D	Tailgate Length	17 3/16"	37 1/8"	17 3/16"	37 1/8"
E	Packer Height	13 1/2"	13 1/2"	13 1/2"	13 1/2"
F	Packer Width	62 5/8"	62 5/8"	62 5/8"	62 5/8"

* Not shown on drawing



KEY FEATURES

- Self cleaning hopper
- No clean-out doors
- External single stage packing cylinders
- Pendulum Packer eliminates trash "build up"
- Leak free hopper and body
- 7-foot arm reach, inline design
- 500 LB arm lifting capacity
- Zero swing-out lifting arm motion
- 20, 23, 27 and 30 cu. yd. body size

BODY SPECIFICATIONS

Body Floor	3/16" ASTM A656 GR. 80
Body Side Walls	10 GA. ASTM 1011 GR. 80
Body Roof	10 GA. ASTM 1011 GR. 80

HOPPER SPECIFICATIONS

Hopper Floor	Steel 5/16" 80 000 PSI or better
Hopper Sides	Steel 5/16" 80 000 PSI or better

TAILGATE SPECIFICATIONS

Side and Rear Walls	10 GA. ASTM 1011 GR. 80
---------------------	-------------------------

PACKER SPECIFICATIONS

Packer Face	Steel 5/16" 80 000 PSI or better
Packer Top	Steel 1/4" 80 000 PSI or better

ARM SPECIFICATIONS

Arm Reach	84"
Arm Lifting Capacity	500 LBS
Arm Cycle Time	8-20 SEC.
Pickup Possibilities	32-96 GAL.

HYDRAULICS

Pump	DENISON T6CC
Pump Flow Packer	20 GPM @ 700 RPM
Pump Flow Arm	20 GPM @ 700 RPM
Hydraulic Tank	66 US GAL.
System Pressure	2500 PSI

CYLINDERS

Body Lifting	6 3/8" 4 sections
Packer	5 x 3 1/2 x 18 1/2
Tailgate	2 1/2 x 1 3/4 x 36
Arm Extension	1 1/2" x 66"
Arm Grabber	1 1/2" x 8 1/4"



LABRIE ENVIROQUIP GROUP

Labrie Enviroquip Group is one of the largest manufacturer's of refuse and recycling collection vehicles in North America. Our product lines of Labrie, Leach, and Wittke are renowned to be the most reliable, efficient, productive, and innovative in the solid waste industry today.

Throughout our history, we have been recognized for the design and production of the highest quality vehicles available on the market, while our customers benefit from a single trusted source of engineering expertise.

At Labrie we continually push the boundaries of innovation to provide a greener, safer, smarter and more efficient way of waste management and collection.

We are committed to building and delivering the finest refuse collection equipment in the industry to suit all of your collection needs. With the strongest dealer network in the industry (over 45 distribution points across the continent), our stock and demo program, engineering expertise, and the Labriepius 24/7 customer support center, Labrie delivers the ultimate ownership experience.

Labriepius is Labrie's full service customer support center located in the U.S. Its mission is to provide quality replacement parts and premium hands-on field support to Labrie equipment owners. Labriepius is the single source for Labrie, Leach, Wittke and Pendpac OEM and selected all makes of parts.

DRIVE EXCELLENCE

Labrie is certified ISO 9001-2008 and attests to the quality of these products. Labrie has made every reasonable effort to ensure that the information contained in this brochure is accurate. However, we accept no responsibility for any errors or omissions, and we reserve the right to modify designs, characteristics and products at any time. Contact Labrie for prices and options or to obtain the phone number of your local Labrie distributor. For the most recent version of our spec sheets, please go to Labrie website at www.labriegrup.com. In case of discrepancy, the Web version takes precedence over any printed literature.

© Labrie Enviroquip Group 2015. - Printed in USA



Labrie (Head Office)


175-B, route Marie-Victorin, Levis, Quebec, Canada G7A 2T3

Toll free: 800 463-6638

info@labriegrup.com

Phone: 418 831-8250 Fax: 418 831-5255

www.labriegrup.com



- Over 60 Premium Distributor Locations
- 7 Regional Sales Managers
- 7 Field Service Representatives
- 2 Technical Advisors / Demo Operators
- 1 National Account Manager

Visit www.labriegrup.com to view a complete listing of our premium distributor network

PREMIUM PRODUCTS COME WITH PREMIUM SUPPORT.

Labrie is committed to delivering the ultimate ownership experience throughout North America. Our pursuit of excellence continues long after a Leach™, Labrie™ or Wittke™ is put into service.

OUR NORTH AMERICAN NETWORK IS QUALITY DRIVEN:

- **Labriepius 24/7 customer support system**, provides quality replacement parts, premium hands-on field and live assistance. Peace of mind guaranteed.
- **A network of over 45 premium distributors** located throughout the United States and Canada are highly trained to assist you; providing live assistance from a dedicated staff of professional representatives to support all of our Leach™, Labrie™ and Wittke™ products.



Labriepius (USA Office)

1981 W. Snell Road, P.O. Box 2785, Oshkosh, Wisconsin, USA 54903-2785

Toll free: 800 231-2771

Phone: 920 233-2770

Fax: 920 232-2496