

READ SAFETY DIRECTIONS

Quench[®] PRO Ant Bait Liquid

ACTIVE CONSTITUENT: 0.05 g/L IMIDACLOPRID

A LIQUID BAIT FOR THE CONTROL OF CERTAIN PEST ANTS

Contains a sweet food source in a low dose bait that is effective against many common pest ants in indoor and outdoor situations.

[IMPORTANT: Read the attached booklet before use]

[IMPORTANT: Read this booklet before use]

Contents 32 mL - 1 L

HOW IT WORKS

QuenchPRO Ant Bait Liquid has a special sweet based attractant to lure foraging worker ants to the liquid. Worker ants take the liquid back to the nest, passing it on to the rest of the colony. Initially ant activity may increase but this will ease as worker ants take the QuenchPRO Ant Bait Liquid back to the nest.

Since not all ants feed on sugary type foods, this bait may not be attractive to certain species of ants.

HOW TO USE

1. Ensure alternate ant food sources are removed.
2. Use this liquid applicator to pour a small quantity (5 mL) of QuenchPRO Ant Bait Liquid onto a non-porous surface in numerous places along ant trails.
3. The greater the number of bait placements the greater the chance of control since more ants will be able to access the bait.
4. Ants will begin feeding on the liquid soon after placement. You should expect to see affected ants in the first 24 hours, with numerous dead ants appearing within 48 hours. You should expect to see fewer ants within ONE WEEK as the bait is transferred back to the colony. Once feeding is established, maintain sufficient bait levels until feeding has ceased. It is recommended that bait levels are monitored at least daily for the first 2 days.
5. If the applied QuenchPRO Ant Bait Liquid becomes sticky or forms a skin, simply wipe away with a clean disposable damp cloth and re-apply. Dispose of cloth after use. If necessary, re-apply daily.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

FOR MAXIMUM CONTROL

Refrain from using household pesticides which repel ants from intended baiting. Remove ant food sources that may attract ants away from bait.

Place bait as close to ant nest locations as possible.

If nest location is not known, place multiple baits to improve uptake.

Increased ant activity around the bait is normal and indicates that the bait is working.

In some situations where very large multi-queened ant colonies are present, this product will need to be used as part of an integrated ant management program utilising suitably registered barrier surface sprays and/or direct nest treatment.

CAUTION

Do not place in exposed areas accessible to children, pets and other animals. Do not allow to contact food, livestock feed or their water. Do not use in a direct mix with any other products and avoid use in areas where other insecticides have been sprayed.

STORAGE AND DISPOSAL

Store in closed, original container in a cool dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

EXCLUSION OF LIABILITY

This product is designed only for the particular purposes indicated on this label. Failure to use this product strictly as directed may be illegal; prove dangerous; render the product ineffective and void any Warranty or Liability of Sundew Solutions Pty Ltd. So far as it is lawfully able to do so, Sundew Solutions Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

® Quench is a registered trademark of Sundew Solutions Pty Ltd

APVMA Approval Number 69195/135223

Batch Number

Date of Manufacture

Distributed by

Sundew Solutions Pty Ltd

Unit 11, 4 Dunlop Court

Bayswater VIC 3153

Ph 1800 786 339

www.sundewsolutions.com.au