

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING** 

# SECLIRA<sup>®</sup> PRESSURISED FLY BAIT

ACTIVE CONSTITUENT: 10 g/kg DINOTEFURAN

PROPELLANT: DIMETHYL ETHER



For the control of nuisance flies in domestic, commercial, industrial and agricultural situations as specified in the Directions for Use Table.

NET CONTENTS: 400g, 454g, 500g, 567g, 600g

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place Southbank VIC 3006

FOR SPECIALIST ADVICE **IN AN EMERGENCY ONLY PHONE 1800 033 111** TOLL FREE-ALL HOURS-AUSTRALIA WIDE

APVMA Approval No.: 83016/107323



# DIRECTIONS FOR USE RESTRAINTS

DO NOT apply bait in locations accessible to domestic animals or livestock.

DO NOT apply in a manner which may cause contamination of animal feed.

DO NOT apply to organic material including manure or refuse heaps.

DO NOT apply spray treatment outdoors is rain is expected within 48 hours.

SITUATION	PEST	CRITICAL COMMENTS
SECLIRA PRESSURISED FLY BAIT is not a conventional residual spray and therefore does not work by flies simply contacting a sprayed surface. The attractants within this bait mean that flies will be attracted to and subsequently attempt to feed on treated surfaces; they will then pick up a lethal dose. Because of this bait function, only portions of vertical surfaces need to be treated.		
Building Exteriors & Surround: Abattoirs, poultry farms, animal housing, domestic dwellings, garbage containers, food processing plants and other industrial and commercial areas. Interior: Commercial and industrial facilities and animal houses.	Nuisance flies including: Adult houseflies ( <i>Musca</i> <i>domestica</i> ) and Lesser houseflies ( <i>Fannia</i> <i>canicularis</i> ), and Sheep blowflies ( <i>Lucilia cuprina</i> )	Spray surfaces where flies rest. Best results are achieved when applied to non-porous surfaces. Area Treatment: Point can toward target area from a distance no further than 30 cm and press down actuator. Make a light application at a rate of 60 cm/sec and avoid run off or dripping from targeted area. Area treatments are effective where flies congregate, roost and feed, which may include garbage receptacles and lids, refuse containers, under tables and benches, recycling bins, dumpsters, behind vending machines, plant/flower pots, under bars, eave areas, walls and/or areas where flies like to congregate or infest. DO NOT apply bait in areas that are frequently cleaned. This product will not adhere to surfaces that are dusty or greasy. Reapply when reinfestation occurs. Band Treatment: Spray from a distance of no further away from targeted area than 15 cm to create a band application at a rate of 60 cm/sec. Band applications may be made to areas such as beam edges, receptacle edges, table or bench edges, around windows and window frames, under narrow eaves and other areas where there is a narrow area where flies land, roost and/or are likely to infest. Reapply when reinfestation occurs. Note: Around feedlot manure heaps DO NOT apply bait on manure heaps or dispose of treated targets with manure. See also Note on Application below.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.



# **GENERAL INSTRUCTIONS**

SECLIRA® PRESSURISED FLY BAIT can be applied in many locations. SECLIRA® PRESSURISED FLY BAIT should be applied to surfaces such as walls, fences, under eaves and garbage bins. Best results are achieved when applied to non-porous surfaces. This product is not designed to be applied directly to soil, compost, manure heaps or edible refuse. Avoid cool or windy locations because flies prefer warm sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak. Fly control should be considered part of an integrated strategy which incorporates good sanitation, appropriate management of breeding sites (e.g. manure and other decaying organic matter) and exclusion measures for preventing access of flies into internal areas.

#### Notes on Application:

Avoid applying this product to dusty/dirty surfaces. DO NOT spray the moving parts of any machinery, electric motors or switchgear with the water-based product. To avoid unwanted staining of interior and exterior surfaces, a small hidden area should be sprayed and checked for any discolouration before widespread use.

# **Re-baiting:**

Re-apply bait when flies are no longer visibly affected in areas where the product has been applied (usually after about 4 to 6 weeks). For season-long control, monthly applications may be required, depending on the situation and duration of the fly season.

# INSECTICIDE RESISTANCE WARNING

# GROUP 4A INSECTICIDE

For insecticide resistance management SECLIRA PRESSURISED FLY BAIT is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to SECLIRA PRESSURISED FLY BAIT and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if SECLIRA PRESSURISED FLY BAIT or other Group 4A insecticides are used repeatedly. The effectiveness of SECLIRA PRESSURISED FLY BAIT on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from failure of SECLIRA PRESSURISED FLY BAIT to control resistant insects. For further information on managing insecticide resistance contact your local supplier or BASF Australia Ltd representative.

#### PRECAUTIONS

Keep out of reach of children.

DO NOT allow contact with raw or processed food, utensils, food preparation surfaces or packaging.

DO NOT use as a space (aerosol) spray.

DO NOT apply to surfaces accessible to children.

DO NOT apply past the point of run-off.

DO NOT spray directly on animals, feed or drinking supplies, or on milking equipment.

BEWARE: Deliberately sniffing or inhaling concentrated spray can be harmful or fatal.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate waterways with the chemical or used containers. Clean up spillage promptly.



# STORAGE AND DISPOSAL

Keep in a cool place out of the sun and out of the reach of children. DO NOT puncture or incinerate this can, even when empty. Recycle empty cans if a facility is available or place used can in household rubbish.

# SAFETY DIRECTIONS

Wash hands after use.

# FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. New Zealand 0800 764 766.

# SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

#### **CONDITIONS OF SALE**

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

Batch No: Date of Manufacture: APVMA Approval Number: 83016/107323

Seclira is a Registered Trademark of BASF Website: www.crop-solutions.basf.com.au

We create chemistry

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place Southbank VICTORIA 3006

# FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE.