

CITY OF BARDWELL

ORDINANCE NO. 1991-1

AN ORDINANCE OF THE CITY OF BARDWELL, TEXAS REQUIRING THAT A CULVERT PIPE WITH THE DIMENSIONS OF 15" DIAMETER AND 24' IN LENGTH BE PLACED UNDER ALL DRIVEWAYS AND IN CULVERT DITCHES; PROVIDING A PENALTY THEREFORE.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF BARDWELL, TEXAS:

SECTION ONE: This Ordinance shall be known as the Culvert Ordinance of the City of Bardwell.

SECTION TWO: All culverts placed in any driveway or ditch within the City limits of Bardwell shall be at least 15" in diameter and shall be at least 24' in length.

SECTION THREE: It shall be unlawful for an individual to place a Culvert Pipe that is not in accordance with the dimensions stated in this Ordinance.

SECTION FOUR: Each person, firm, or corporation whatsoever who violates this Ordinance shall be guilty of a misdemeanor and shall be fined up to the sum of \$200.00. Each day said violation occurs shall be deemed a separate act and violation. The City shall also reserve the right to seek injunctive relief in the Courts of the State of Texas.

Introduced, Passed, Approved and Adopted on the first reading, this 6 day of Sept., 1991.

APPROVED:

Larry Gilbert
MAYOR, City of Bardwell, Texas

ATTEST:

Barbara Gilbert
CITY SECRETARY, City of Bardwell