

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name DAP

Synonyms 10124 - DAP CU SPR 0.3% • 10126 - DAP CU SPR 0.5% • 20835 - PRODUCT CODE • 33762 – DAP ZERO • AMMONIUM PHOSPHATE, DIBASIC • AUSSIE GOLD • DAP (SCF) • DIAMMONIUM HYDROGEN ORTHOPHOSPHATE • DIAMMONIUM HYDROGEN PHOSPHATE • DIAMMONIUM PHOSPHATE • GF DAP • GROW FORCE DAP • SCF DAP • SOUTHERN CROSS INTERNATIONAL AUSSIE GOLD DAP • SOUTHERN CROSS INTERNATIONAL DAP

1.2 Uses and uses advised against

Uses PHOSPHORUS FERTILISER • PHOSPHORUS FERTILIZER

1.3 Details of the supplier of the product

Supplier name INCITEC PIVOT LIMITED

Address Level 8, 28 Freshwater Place, Southbank, Victoria, 3006, AUSTRALIA

Telephone (03) 8695 4400; 1800 009 832

Fax (03) 8695 4419

Email ipf.customer.service@incitecpivot.com.au

Website <http://www.incitecpivot.com.au>;
www.incitecpivotfertilisers.com.au

1.4 Emergency telephone numbers

Emergency 1800 033 111 (All Hours)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
DIAMMONIUM HYDROGEN ORTHOPHOSPHATE	7783-28-0	231-987-8	>80%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

PRODUCT NAME DAP

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).
First aid facilities None allocated.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (phosphorus oxides) when heated to decomposition. May evolve ammonia and nitrogen oxides when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Ventilate area where possible.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Recover spilt fertiliser as soon as possible.

If in a warehouse and the product has not been contaminated or degraded, return it to the original stockpile. Otherwise, store in a separate bay or containers.

If in the open, and the product cannot be immediately recovered, take steps to protect the product from the elements and loss to waterways. Cover the spilt product with a water-proof tarpaulin, weighed down to prevent it being blown off by wind.

For disposal options, see Section 13.

In agricultural fields, spread any residual fertiliser out over as wide an area as possible. If left too thick, plant growth may be affected. Plants may die, and germination and emergence stifled for some time.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use, read the product label, including sections on "Safety Directions" and "Care of Equipment". Use safe work practices. Avoid eye of skin contact and dust inhalation. Observe good personal hygiene, including washing hands before eating. When lifting flexible intermediate bulk containers, use properly designed and approved equipment that meets Australian Standards AS3668 and AS2359. Refer to the Incitec Pivot pamphlet "Guidance for the Safe Handling of Fertiliser Bulk Bags".

7.2 Conditions for safe storage, including any incompatibilities

When stored in a confined, unventilated space/hold this product can give off ammonia or other odours. As oxygen may be depleted, it is essential that ventilation is carried out prior to entry to ship holds. Fertilisers should be stored in a cool, dry, covered and well-ventilated area. Do not allow to get wet. Store away from acids; oxidising agents, e.g. hypochlorite; farm chemicals, e.g. insecticides, fungicides and herbicides; and foodstuffs. Bulk fertilisers should be stored in bays or piles physically apart from other products. Concrete floors are recommended. Fertiliser may set in storage, posing a risk of engulfment when being removed from the stockpile. Conduct Risk Assessments, and ensure appropriate equipment, procedures and training are in place. DAP should not be stored in a silo. Refer to the Incitec Pivot "Silo Guidance Notes" for more detail. Ensure stockpiles of bulk bags are stable. Place the bags as close as reasonably practical to each other without causing undue damage. If stacking more than two high, stack in a pyramidal style. Ensure the third and subsequent layers are placed so as to straddle and bind the bags below them. When walking near, or between rows of stacked bags, maintain a distance equal to the height of the stack from the product. Bagged fertilisers should be stored under cover and out of direct sunlight (which degrades woven polypropylene packs). If stored in the open, do so for short periods only, and cover the bags with a tarpaulin. Avoid high stacking as this promotes caking. The Pallet Capacity Rating (design weight) must not be exceeded on the bottom tier.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters**Exposure standards**

No exposure standards have been entered for this product.

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation.

PPE

The selection of Personal Protective Equipment (PPE) should be based on a Risk Assessment of the amount of dust likely to be generated, including the quantity of product being handled, the presence and amount of fines and dust; the task being performed, the work environment in which it is being undertaken, and the level of exposure. Normal work clothing may suffice during transfer operations in the field, e.g. when filling fertiliser boxes, and in bulk storage facilities where contact with the product is limited under well ventilated conditions and occupational exposure limits are not exceeded.

Eye / Face	Where eye contact may occur, wear safety glasses with side shields.
Hands	Cotton gloves, which can be washed or disposed of if heavily soiled, will suffice under most circumstances. Use impervious PVC or rubber gloves in high risk situations.
Body	Where skin contact may occur and for individuals with sensitive skin, wear ankle length and long sleeved clothing or overalls.
Respiratory	Wear a dust mask where exposure to dust is light. Where the dust nuisance is high and ventilation is inadequate, use a properly fitted particulate filter respirator, either full face-piece or half mask plus goggles, that meets Australian Standards AS/NZS 1715 and AS/NZS 1716 "Selection, use and maintenance of respiratory protective devices".

Wash dust from hands and exposed skin. In risk situations, locate an eyewash station nearby. Wash contaminated clothing and other protective equipment before storage or reuse. Ensure all PPE conforms to the relevant Australian Standards. Read the labels on the PPE.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	GREY BROWN GRANULES
Odour	STRONG PUNGENT ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	DECOMPOSES
Melting point	NOT AVAILABLE

9.1 Information on basic physical and chemical properties

Evaporation rate	NOT RELEVANT
pH	8.0 (1 % solution)
Vapour density	NOT AVAILABLE
Relative density	1.62
Solubility (water)	SOLUBLE
Vapour pressure	NOT RELEVANT
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

9.2 Other information

Bulk density	900 to 1100 kg/m ³
--------------	-------------------------------

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid). Compatibility with Other Fertilisers. DAP is compatible in dry blends with most fertilisers. Compatibility with superphosphate is limited. This product is not recommended for use in the preparation of aqueous solutions (liquid fertilisers).

10.6 Hazardous decomposition products

May evolve toxic gases (phosphorus oxides) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. This product contains up to 3.0% fluoride (F) as an impurity. Chronic ingestion (e.g. improper or inadvertent use as a dietary phosphorus supplement for ruminants (cattle and sheep)) may result in fluorosis.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
DIAMMONIUM HYDROGEN ORTHOPHOSPHATE	> 6500 mg/kg (rat)	< 7950 mg/kg (rabbit)	--

Skin	Contact may result in mild irritation, rash and dermatitis.
Eye	Contact may result in mild irritation, lacrimation and redness.
Sensitisation	Not classified as causing skin or respiratory sensitisation.
Mutagenicity	Not classified as a mutagen.
Carcinogenicity	Not classified as a carcinogen.
Reproductive	Not classified as a reproductive toxin.
STOT - single exposure	Over exposure may result in irritation of the nose and throat, with coughing. Ingestion of large quantities may also result in nausea, vomiting and gastrointestinal irritation, and potential disturbances in calcium metabolism.

PRODUCT NAME DAP**STOT - repeated exposure** Not classified as causing organ damage from repeated exposure.**Aspiration** Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

Diammonium phosphate contains ammonium nitrogen and orthophosphate, both of which are readily taken up by plant roots. Both are sorbed and held tightly on the surface of soil colloids (clay and organic matter). The main way in which phosphorus is lost from agricultural soils is through soil erosion, attached to eroded soil particles. In the soil, ammonium is converted to nitrate, which is subject to leaching.

12.5 Other adverse effects

Avoid spills and contamination of waterways. Diammonium phosphate contains nitrogen and phosphorus, both of which can stimulate weed and algal growth if lost to static surface waterways. Algae affect water quality and taste. Depending on the concentration and species, ammonium may be toxic to fish. In the soil, ammonium is converted to nitrate. Nitrate is susceptible to leaching and may contaminate groundwater. High nitrate concentrations may render water unsuitable for human and livestock consumption.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Ideally, the fertiliser should be used for its intended purpose. Beneficial reuse is the preferred disposal option. For fertiliser that is physically degraded but not contaminated in any way, this may necessitate using different application equipment and methods to apply it. If the fertiliser is contaminated with other fertilisers, soil, or other non-harmful substances, and it can be satisfactorily applied, use it for its nutrient value in pasture, crops or on a recreational area, e.g. lawns and parks. If contaminated with other materials, e.g. fuel, oil or chemicals, the fertiliser waste must be disposed of in accordance with relevant local legislation. Contact the Waste Management Authority for advice.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classifications	Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).
Inventory listings	AUSTRALIA: AIIIC (Australian Inventory of Industrial Chemicals) All components are listed on AIIIC, or are exempt.

16. OTHER INFORMATION

Additional information	PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.
-------------------------------	---

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations	ACGIH American Conference of Governmental Industrial Hygienists CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds CNS Central Nervous System EC No. EC No - European Community Number EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) GHS Globally Harmonized System GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer LC50 Lethal Concentration, 50% / Median Lethal Concentration LD50 Lethal Dose, 50% / Median Lethal Dose mg/m³ Milligrams per Cubic Metre OEL Occupational Exposure Limit pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm Parts Per Million STEL Short-Term Exposure Limit STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure) SUSMP Standard for the Uniform Scheduling of Medicines and Poisons SWA Safe Work Australia TLV Threshold Limit Value TWA Time Weighted Average
----------------------	--

Report status	This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ("SDS").
----------------------	--

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

PRODUCT NAME DAP

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmtglobal.com

[End of SDS]