



# WALLPACKS/ SHOE BOXES



ALC-WP-60W-120V-50K-P ALC-WP-80W-120V-50K-P ALC-WP-100W-120V-50K-P ALC-WP-120W-120V-50K-P ALC-WP-150W-120V-50K-P

Photocell wallpack ,130 lumens/watts ,100-277V , bronze PC cover,with install clip, With Compatible photocell UL&DLC listed



ALC-HG-SL-100WL1D-50K702T3-[S3,S4] ALC-HG-SL-150WL1D-50K702T3-[S3,S4] ALC-HG-SL-200WL1D-50K702T3-[S3,S4] ALC-HG-SL-300WL1D-50K702T3-[S3,S4] !LED Eco Shoebox 100W,5000K,15000lm, 150lumen/w,AC100-277V, Mounting accessory is charged seperately,UL &DLC listed

New!LED Eco Shoebox 150W,5000K,22500lm, 150lumen/w ,AC100-277V, Mounting accessory is charged seperately,UL &DLC listed

LED Eco Shoebox 200W,5000K,30000lm, 150lumen/w ,AC100-277V, Mounting accessory is charged seperately,UL &DLC listed

LED Eco Shoebox 300W,5000K,45000lm, 150lumen/w ,AC100-277V, Mounting accessory is charged seperately,UL &DLC listed




## **HIGH BAYS**

WALL LIGHTS





2ft & 4ft linear highbay 4000k-5000k switchable (with sensor otpion, sensor price is not included) UL DLC listed

ALC-LHB2F130W27-50K-GEN2 ALC-LHB2F170W27-50K-GEN2 ALC-LHB2F255W27-50K-GEN2 ALC-LHB2F300W27-50K-GEN2



Specifications Size:Inch Structure Features Shell materials: Aluminum & PC. Finish: Dark Bronze/White





Eco LED High Bay Light ,5000k, 1-10V dimmbable, AC100-277V,CRI>80 UL and DLC listed



### **Product Picture**



ALC-HG-HL-100WLD-50K8023-M5 ALC-HL-HL-120WLD-50K8023-M5 ALC-HG-HL-150WLD-50K8023-M5 ALC-HG-HL-200WLD-50K8023-M5 ALC-HG-HL-240WLD-50K8023-M5 ALC-HG-HL-300WLD-50K8023-M5



## **DUSK TO DAWN LIGHT**



ALC-2STL-40W-120V-50K

ALC-2STL-55W-120V-50K

40W dusk to dawn light, 5200lumen, 5000k with photocell,100-277v,UL

55W dusk to dawn light, 6800lumen, 5000k with photocell,100-277v, UL

## **POST LIGHT**



40w post top light 4600lumen,100-277v, 5000k, ETL

60w post top light 6900lumen,100-277v, 5000k, ETL

100w post top light 11500lumen,100-277v,5000k, ETL

150w post top light 17250lumen,100-277v, 5000k, ETL

ALC-LS-RMS-PT40W-15001D ALC-LS-RMS-PT60W-15001D ALC-LS-RMS-PT100W-15001D ALC-LS-RMS-PT150W-15001D



## **EXIT SIGN / EMERGENCY LIGHTS COMBOS**



Input voltage 100-277v, Power:4W,output:1w 1.2v Nickel Cadmium Battery, Charging time:24hours, Discharge time: 90minutes UL listed

ALC-LS-ES037



Input voltage 100-277v,
Power:3.5W,output:3w 3.6v Nickel Cadmium
Battery, Charging time:24hours, Discharge
time: 90minutes UL listed

ALC-LS-ES007R



Input voltage 100-277v, Power:3.5W,output:3w 3.6v Nickel Cadmium Battery, Charging time:24hours, Discharge time: 90minutes UL listed

ALC-LS-ES082



### **BOLLARD LIGHT**



26.4" LED Bollards Light 25W 3250LM, UL Driver, Aluminum Alloy+PC, 360 Degree, IP64, 100-277v, 5000k **UL&DLC** listed

### **CORN BULB**



Corn Bulb Light led luminaire has a beautiful low profile design intended for indoor industrial/warehouse/commercial lighting applications LED driver and thermal management. High-performance illumination that lasts 50,000HRS. It's ideal for replacing 100-360W Metal Halide.

### 500 WATTS STADIUM LIGH



ALC-SP-J1500W50D60N(120-277V)J01 ALC-SP-J1500W50D60N(277V-480)J01

500 Watts,5000K,100-277VAC Input,0-10V Dimming,,SOSEN Driver,Black color,With Holder, 150LM/W, ETL&DLC listed

500 Watts,5000K,277V-480v AC Input,0-10V Dimming, SOSEN Driver, Black color, With Holder, 150LM/W, ETL&DLC listed

AITI LED C USA 1283 E. Main Street Suite 109 El Cajon California 92021

www.aitiledcorp.com info@aitiledcorp.com
AITILED CORPORATION MEXICO - COCOTEROS 156, COLONIA NUEVA SANTA MARIA, DELEGACION AZCAPOTZALCO, CP 02800 CDMX TEL: (55)8589-9810 (55)8589-9811 Ing. Hector



### LED FLOOD FIXTURES

### **FULL CUTOFF**





ALC-PT-FLM1-15W 15W Flood light ,100-277v,5000k,ETL



ALC-FWP-80W-120V-50K ALC-FWP-100W-120V-50K

Full cut off wall pack 80w 9200lumen, 100-277v, 5000k, UL & DLC listed

Full cut off wall pack 100w 11500lumen,100-277v, 5000k,UL &DLC listed



ALC-FLC-100W-120V-50K ALC-FLC-150W-120V-50K ALC-FLC-200W-120V-50K 100W Flood light ,100-277v, 5000k 150W Flood light ,100-277v,5000k ETL&DLC listed 200W Flood light ,100-277v, 5000k ETL&DLC listed



ALC-2FLCN-30W-120V-50K-K ALC-2FLCN-50W-120V-50K 30W Flood light 3750lumen,100-277v,5000k ETL&DLC listed 50W Flood light 6000lumen,100-277v, 5000k ETL&DLC listed

AITI LED USA 1283 E Main Street Suite 109 El Cajon California
www.aitiledcorp.com polorosas@aitiledcorp.com
AITI LED CORPORATION MEXICO - COCOTEROS 156 COLONIA NUEVA SANTA MARIA DELEGACION AZCAPOTZALCO,CP 02800 CDMX TEL: (55)8589-9810 (55)8589-9811 Ing. Hector Noriega
Olivo Ingriesas@aitiledcorp.com




ALC-CD-12 ALC-CD-14 ALC-CD-16 LED FLUSH CEILING FLUSH MOUNT LUMINAIRE 120 VOLTS ,16W,21W,26W. BRUSHED NICKEL FINISH AND WHITE ACRYLIC LENS



D556-90-CCT-WH-MS

LED Down Light can be widely used inindoorlighting (Damp location) suitablefor office,indoor playground,hotle,shop,indoor entertainment places,and otherindoor place.





ALC-RMS-H220740-20W ALC-RMS-H220760-30W ALC-RMS-H2207120-40W ALC-RMS-H2207180-60W

The features of this solar street light is an ALL-IN-ONE design. The light engine and battery and solar panel are built right into the LED fixture. No need for a power source which eliminates the need for wiring and trenching.



TUNNABLE TROFFER ALC-PT-TRO-24-3CP 2'x4' ALC-PT-TRO-22-3CP 2'x2'

TRO is field-adjustable, and can be programmed with a CCT of 3500K, 4000K, or 5000K, eliminating the need to stock multiple color temperatures.

Ideal use for office spaces, walkways, schools/campuses, shopping centers, hospitality and health care industry.

Constructed of one-piece ribbed unitized housing and corners that interlock, preventing damage to luminaire. All sides and corners are turned in and hemmed, removing sharp edges for safe handling and installation.

Luminaire is built with the highest quality 120-277VAC drivers.

0-10V dimmable standard

**ULLISTED** 



## STREET LIGHT COBRA HEAD









LC112LEDTIPO1A-US-35W
LC112LEDTIPO1A-US-40W
LC112LEDTIPO1A-US-60W
LC112LEDTIPO1A-US-80W
LC112LEDTIPO1A-US-100W
LC112LEDTIPO1A-US-120W
LC112LEDTIPO1A-US-150W
LC112LEDTIPO1A-US-200W

THE AITI LED CORPORATION COBRA ROAD LIGHTING has a beautiful profile design intended for outdoors streets, roads, parking lots applications. Combines the latest in LED technology including weather tight water proof LED driver and thermal management..High performance illumination that last 100,000 hours, the ideal to replace 70 w to 400 watts metal halide or high pressure sodium with tipical energy saving up to 80%. the ALC-RWLEDU is ready and compatible to work with DALI PROTOCOL (digital addressable Interface) is ready with 7 pins photo control receptacle and smart LED driver. 148 lumens per watt WITH UL/DLC Input Voltage 120v to 277v IP 6

AITI LED USA 1283 E. Main Street Suite 109 El Cajon California 92021 www.aitiledcorp.com polorosas@aitiledcorp.com
AITI LED CORPORATION MEXICO - COCOTEROS 156, COLONIA NUEVA SANTA MARIA ,DELEGACION AZCAPOTZALCO,CP 02800 CDMX TEL: (55)8589-9810 (55)8589-9811 Ing.
Hector Noriega Olivo hnoriegao@aitiledcorp.com









### **ABOUT US**

AITILED is proud to announce a new line of Commercial grade LED product's to support the existing Distribution marketplace. This line of Commercial grade LED lighting products will include advanced circuitry, superior thermal management, UL listing ,Energy Star compliance, DLC listings and exclusive to Distribution channels, extended product warranties. This will ensure the end user and the Distributor of the installed LED product, has high confidence in its quality and performance.

We look forward to emphasizing this line of products in the lighting marketplace and supporting our new

Electrical and Lighting Distribution partners across the United States.

AITILED, is a premier Lighting Manufacturer with a Manufacturing facility in the City of Mexicali, B.C. Mexico, and our National Distribution Center is in Texas Since the founding of the AITI (American Induction Technologies Inc.) company in 2005.

In its China facility does its own Circuit Engineering, Product Designs, Prototyping, Steel Die production of Metal Parts, Machinery Building, automated Injection Molding, a Full Metal Stamping Department, Prototyping, Advanced LED Circuitry, all Cord Set manufacturing, Lamp Holder manufacturing, Screw Shell manufacturing, LED Insertion Department, Electronic Component Insertion Department, Steel Roll Forming, Final Assembly, Graphic Design, Packaging and have an Extensive Quality Control and Product Testing Department.

The majority of all fixture housing and the related extrusion process is also done in house, in China These production and product support facts separates AITILED from other folks

Providing our customers with the latest products, our manufacturing and assembling in China allows AITILED to produce products in a timely manner and the ability to adjust to increased fixture demand by our valued customers.



### LC112LEDTIPO2





LC112LEDTIPO1A-35W

LC112LEDTIPO1A-40W

LC112LEDTIPO1A-60W

LC112LEDTIPO1A-80W

LC112LEDTIPO1A-100W

LC112LEDTIPO1A-120W

LC112LEDTIPO1A-150W

LC112LEDTIPO1A-200W

THE AITI LED CORPORATION COBRA ROAD LIGHTING has a beautiful profile design intended for outdoors streets, roads, parking lots applications. Combines the latest in LED technology including weather tight water proof LED driver and thermal management.. High performance illumination that last 100,000 hours, the ideal to replace 70 w to 400 watts metal halide or high pressure sodium with tipical energy saving up to 80%. the LC112LEDTIPO1A- is ready and compatible to work with DALI PROTOCOL (digital addressable Interface) is ready with 7 pins photo control receptacle and smart LED driver. 140 lumens per watt WITH UL/ NOM Input Voltage 120v to 277v IP 66

AITI LED USA 1283 E.Main Street Suite 109 El Cajon California 92021 www.aitiledcorp.com polorosas@aitiledcorp.com
AITI LED CORPORATION MEXICO - COCOTEROS 156, COLONIA NUEVA SANTA MARIA ,DELEGACION AZCAPOTZALCO,CP 02800 CDMX TEL: (55)8589-9810 (55)8589-9811 Ing.
Hector Noriega Oliv hnoriegao@aitiledcorp.com



To see more quality products please visit our web page www.aitiledcorp.com

To see our lighting representatives in USA please check our website: www.aitiledcorp.com



MEXICO
SALES REPRESENTATIVE
APORTA INOVA SA DE CV
ANGEL ALCALA
OFFICE: 55-3869-0139
alcala@aportainova.com.mx
www.aportainova.com.mx

USA SALES AITI LED CORPORATION 1283 E main St. Suite 109 El Cajon ,California 92021

Phone # 1 714 313 2271 Office:714-203-5318 polorosas@aitiledcorp.com aitiledventas@aitiledcorp



EXCLUSIVE DISTRIBUTOR IN MEXICO TRI-ALPHA INGIENERIA MEXICO OFFICES COCOTEROS 156 COLONIA NUEVA SANTA MARIA DELEGACION AZCAPOTZALCO C.P. 02800 CDMX PH: (55)8589 9810 (55)8589 9811 hnoriegao@tri-alpha.mx





