

Framing Series





About Us

EQT Group is an Australian-based forest products trading company committed to delivering Excellent Quality Timber to the Australian market.

We serve a wide range of industries through a growing selection of wood-based solutions — from structural construction and interior fit-outs to furniture, cultural and creative design, and international trade services.

Our operations span across product sourcing, branding, marketing, distribution and consulting, allowing us to respond flexibly to Australia's evolving demand for versatile, sustainable timber materials.

With a focus on sustainability, consistency, and long-term partnerships, **EQT Group** combines product excellence with a deep understanding of market needs. Our name reflects our values — Equilibrium, Quest, and Tenacity — guiding every aspect of our operations from sourcing to service.

At **EQT Group**, we don't just deliver timber. We deliver confidence, craftsmanship, and commitment to quality.





Our Brands

EQT Plywood

— Plywood Series

EQT Framing

Structural Timber Framing Series

EQT Furniture

— *Furniture Series*, Bespoke Solid Timber Furniture & DIY Marine Plywood Designs

EQT Accessories

— Wooden Cultural & Creative Accessories Series

EQT Consulting

— Consulting Series, Import & Export Trades





Manufactured using mutiple layers of selected veneers laminated under heat and pressure using structural adhesives. Engineered for high strength, stability and consistency.

Glue	A-Bond, Phenolic Resin, E0
Width	70mm 200mm 90mm 240mm 120mm 300mm 140mm 360mm
Length	2.4m - 6.0m (custom lengths available)
Thickness	35mm 65mm 42mm 45mm 63mm
Treatment	H2, H2S







Structural LVL

Ideal for beams, joists, lintels, rafters, and structural framing in residential, commercial, and industrial buildings.

Standard	AS/NZS 4357
Structural Rating	F11, F17
Modulus of Elasticity (MOE)	E9, E11, E13, E15

Formwork LVL

Ideal for concrete formwork systems including beam and slab soffits, wall and column supports, and structural framing in temporary works.

Standard	AS/NZS 4357
Structural Rating	F17, F22
Modulus of Elasticity (MOE)	E13, E15

Scaffolding Plank LVL

Used as scaffold planks in construction, staging, elevated work platforms, and industrial scaffolding systems.

Standard	AS/NZS 1577
Structural Rating	F17, F22
Modulus of Elasticity (MOE)	E13, E15



MGP10

Manufactured by machine-graded structural pine timber for framing applications, which provides a reliable balance of strength, stability, and cost-effectiveness.

Kiln-Dried		
Width	70mm 190mm 360mn 90mm 240mm 120mm 270mm 140mm 300mm	
Length	2.4m - 6.0m (custom lengths available)	
Thickness	35mm 45mm	
Treatment	Untreated, H2, H2S, H3	
Standard	AS/NZS 1748.1 AS1684	
Modulus of Elasticity (MOE)	E10	





I-JOIST

Manufactured using LVL or solid pine flanges and an OSB or plywood web, which is designed for floor and roof framing, offering superior strength, stiffness, and dimensional stability.

Glue	A-Bond, Phenolic Resin, E0
Flange Material	LVL, Solid Pine
Web Material	OSB, Structural Plywood
Depth	200mm 360mm 240mm 400mm 300mm
Flange Size	45mm x 35mm 45mm x 63mm 45mm x 75mm
Length	4.8m – 13.2m (custom lengths available)
Treatment	Untreated, H2, H2S
Standard	AS/NZS 4063, AS/NZS 1720, AS 1684
Modulus of Elasticity (MOE)	E13, E15





Our Core Values

Excellent Quality Timber — with Equilibrium, Quest, and Tenacity.

Equilibrium

We operate with composure and clarity
 striking a balance between quality, supply, and service to foster long-term, stable partnerships.

Quest

We are always on a journey
pursuing innovation, refining quality, and discovering smarter, more sustainable product solutions.

Tenacity

We endure

— through every market shift and logistical challenge, we remain committed, dependable, and driven to grow.

In the global forest products trade, success demands more than just quality goods — it calls for balance, vision, and resilience. That is precisely what EQT represents.