


CAMPUS CRUISER ASSEMBLY INSTRUCTIONS

STEP 1

Take one cart and set it with the wheels down on the ground. Remove cable ties and tape from the base pad.



STEP 2

Take one sidewall, with the sealed edge up, and separate the two sides to open into a rectangular shape.



STEP 3

Place the sidewall over top of the base cart and slide it down into the metal frame. It should fit in the “groove” created between the grey base pad and the metal sides of the frame. Push down to make sure the sidewalls are resting on the metal cart and the holes on the shorter ends line up with the holes in the metal frame.



STEP 4

Insert the provided 175lb cable ties through the holes in the sidewalls and the base cart near the bottom each the shorter side of the cart. Secure the cable tie by inserting the flat end through the slot on the other end of the tie. Make sure the cable tie is **NOT** twisted. This can be done on the inside or outside of the cart. Pull tight and cut off the excess material if desired.



NOTE: Only 175lb 0.76”+ thick cable ties are to be used. Standard zip ties can break easily when the bin is loaded down.

CAMPUS CRUISER ASSEMBLY INSTRUCTIONS

OPERATION: Push the carts from behind instead of pulling the carts from the front to avoid injury to ankles. Do not lift a full cart upstairs, hand holes are only for lifting over curbs and handling of the sidewalls.

To disassemble the bin, simply cut the cable ties and remove them, then lift the sidewall off of the cart and and collapse flat. The sidewalls can be laid on the ground, or on the original pallet and stacked up. The cart bases can be stored any way you like but placing them upside down in an alternating pattern as you stack them (see photo in step 1) will likely be the most efficient use of space. You may want to protect the metal with a piece of foam, paper, etc. so that the cart frames do not scratch each other.

100 carts should take up approximately 132 square feet of space. Sidewalls are 68”L x 30”W x 1”H and cart bases are 39.25”L x 28.25”W.

To re-order parts, contact Customer Service at 1-800-825-2561 x109.

PARTS LIST

PART NAME	ITEM NUMBER
Sidewall Sleeves 39”x28”x30”	10MM 39X28X30 SLEEVE
Fully Assembled Cart 39 ¼” x 28 ¼”;	ALUMINUM BASE CART
3” swivel caster	SCC-20S314-PPUB BLUE
4” swivel caster	SCC-20S414-SPUS (upgrade)
10mm base pad 38 3/16” X 27 1/16”	10MM 960X680 BASEPAD
Rivets for base pad (4)	Avdel Blind Pop Rivets, Part #AD610BSLF200
175lb Cable ties 11/32”W x .076” Thick	L-SI Item # 18” 175LB HEAVY DUTY CABLE TIES
or	ULINE Item # S-1402ONAT (reusable)

CAMPUS CRUISER LIMITED WARRANTY

L-S Industries, Inc. warrants the Campus Cruiser from defects in material and workmanship for a period of 6 months from date of original purchase. Warranty assumes that the product is only used for the intended purpose of university student move-in support, and only in the university environment.

Warranty claims should be submitted to L-S Industries Customer Service by phone at 1-800-825-2561 x109 or by email at customerservice@l-si.com.