



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

Click the picture
for TDS

MACHINES FOR SALE

Vantage

POLISHING CONCRETE ESSENTIALS

FGR-4H25

Surface Prepping | Grinding | Polishing

- ▶ 25" Four Headers
- ▶ Variable Speed | Easy Operation
- ▶ Aluminum Alloy Die-Casting Gear Box
- ▶ Heavy Duty | Upgraded Materials and Hardware for Longer Lifetime
- ▶ Convenient to Transport
- ▶ Stainless Steel Water Tank
- ▶ Vacuum Port
- ▶ CNC Machined Components & Parts
- ▶ Emergency Stop Button and Reverse Button on Control Panel



Specification	
Size	25"
Plates	4x13.5" Tool Holder
RPM	0-1500
Inverter	10 HP
Current	26.6 A
Voltage	220 V Single Phase
Weight	783 lbs
Water Tank	9 Gallon
Packing	45"x28"x50"

Tool Kits Included	
	
Lift Handle	Shroud
	
Resin Pads Holder	LED Light
	
Tooling Bag	Extension Cord

1-800-822-1801
www.vantageproductsinc.com

FGR - 4H25

783 lbs

Sale Price - \$7,795

Rent Price - \$500/day

Vantage

POLISHING CONCRETE ESSENTIALS

FG-3H22-P

Surface Prepping | Grinding | Polishing

- ▶ 22" Planetary 3 Headers
- ▶ Compact & Featured New Designs
- ▶ Detachable Grinding Head
- ▶ Dry or Wet Use
- ▶ Durable Components & Parts
- ▶ 5.5 | 7.5 HP Power Choices



Specification	
Size	22" Diameter
Plates	3x9" Tool Holder
RPM	300-1200
Inverter	5.5 7.5 HP
Current	15.2 20 A
Voltage	220 V Single Phase
Weight	441 511 lbs
Water Tank	3 Gallon
Packing	39"x24"x36"

Tool Kits Included	
	
Lift Handle	Shroud
	
Resin Pads Holder	LED Light
	
Tooling Bag	Extension Cord

1-800-822-1801
www.vantageproductsinc.com

FG - 3H22-P

441 / 511 lbs

Sale Price - \$8,600



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

Click the picture
for TDS

MACHINES FOR SALE

Vantage

POLISHING CONCRETE ESSENTIALS

FG-2H20

Surface Prepping | Grinding | Polishing

- ▶ 20" Two Headers
- ▶ Variable Speed | Easy Operation
- ▶ Convenient to Transport
- ▶ Vacuum Port
- ▶ Emergency Stop Button and Reverse
- ▶ Botton on Control Panel



FG - 2H20

419 lbs

Sale Price - \$4,895

Rent Price - \$200 /day

Specification

Size	20"
Plates	2x12" Tool Holder
RPM	0-1500
Inverter	5.5 HP
Current	15.2 A
Voltage	220 V Single Phase
Weight	419 lbs
Water Tank	8 Gallon
Packing	30"x26"x50"

Tool Kits Included



1-800-822-1801

www.vantageproducts.com

Vantage

POLISHING CONCRETE ESSENTIALS

FG-2H28

Surface Prepping | Grinding | Polishing

- ▶ 28" Two Headers
- ▶ Variable Speed | Easy Operation
- ▶ Ideal Model for Mid to Large Job
- ▶ Heavy Duty | Upgraded Materials and Hardware for Longer Lifetime
- ▶ Convenient to Transport
- ▶ Stainless Steel Water Tank
- ▶ Vacuum Port
- ▶ CNC Machined Components & Parts
- ▶ Emergency Stop Button and Reverse Botton on Control Panel



FG - 2H28


644 lbs

Sale Price - \$6,895

Specification

Size	28"
Plates	2x15" Tool Holder
RPM	0-1500
Inverter	10 HP
Current	26.6 A
Voltage	220 V Single Phase
Weight	644 lbs
Water Tank	9 Gallon
Packing	39"x31"x54"

Tool Kits Included



1-800-822-1801

www.vantageproducts.com



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

**Click the picture
for TDS**

MACHINES FOR SALE



HUSQVARNA PG-540 GRINDER

Sale Price - \$15,688.52



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

Click the picture
for TDS

MACHINES FOR SALE

Vantage POLISHING CONCRETE ESSENTIALS

VFG -Z30

HEPA Concrete Dust Extractor

- ✓ OSHA compliant H13 HEPA filter tested and certified with EN1822-1 and IEST RP CC001.6
- ✓ Unique jet pulse filter cleaning technology ensures efficient and clean filtration.
- ✓ Welded frame/platform provide sturdy support in tough jobsite.
- ✓ The 22 meters long plastic bag can be separated to approximately 40 individually sealed bags for fast, safe handling and disposal of dust.
- ✓ Compact vertical unit is easy to maneuver and transport.



Model	VFG-Z30
Voltage	230v,60hz
Power	5.1 hp
Current	14.4 amp
Water lift	100 inch
Airflow (max)	354 cfm
Filter cleaning	Jet pulse filter cleaning
Pre-filter	48ft ² >99.5%@1.0um
Hepa filter(H13)	39ft ² >99.99%@0.3um
Collection	Continuous drop-down bag
Dimension	22"X32.3"X58"
Weight	143 lbs

Standard accessory	
2" floor brush	2" S wand, aluminum
2.75"/2" reducer	2" EVA hose x25ft
2" hose cuff, 2-pc	2.5" PU hose with HPVC spiral x33ft
2.75"/2.5" reducer	

VFG-Z30

143 lbs

Sale Price - \$3,885

Vantage POLISHING CONCRETE ESSENTIALS

VFG - Z20

HEPA Concrete Dust Extractor

- ✓ OSHA compliant H13 HEPA filter tested and certified with EN1822-1 and IEST RP CC001.6.
- ✓ Unique jet pulse filter cleaning system, efficiently purges the pre-filter without opening the vacuum to maintain a smooth airflow, and to avoid creating a second dust hazard.
- ✓ Both continuous bagging system for effective dust storage and a regular plastic bag system are compatible.
- ✓ An hour counter and vacuum meter for filter control are standard.



Model	VFG-Z20
Voltage	110v,60hz
Power	3.4 hp
Current	18 amp
Water lift	100 inch
Airflow (max)	236 cfm
Filter cleaning	Jet pulse filter cleaning
Pre-filter	32ft ² >99.5%@1.0um
Hepa filter(H13)	26ft ² >99.99%@0.3um
Collection	Continuous drop-down bag
Dimension	22.4"X28"X51.2"
Weight	105 lbs

Standard accessory	
2" floor brush	2" wand, aluminum
2.75"/2" reducer	2" double layer EVA hose X25ft
2" hose cuff, 2-pc	

VFG-Z20

105 lbs

Sale Price - \$2,495



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

Click the picture
for TDS

MACHINE INFORMATION

Vantage

POLISHING CONCRETE ESSENTIALS

VFG - AC360

HEPA Concrete Dust Extractor

- ✓ Comply with the newest OSHA regulation.
- ✓ Innovative auto cleaning technology, 100% hands free, significant labor savings. No circuit board needed, more reliabilities and lower maintenance cost.
- ✓ Double HEPA filtration system. Primary set of 2 cylindrical H11 filters rotate to function filter cleanings, second stage triple H13 certified filters with efficiency >99.97% @0.3um.
- ✓ Embedded ON/OFF button designs to avoid impact during transportation, switch controls motors individually.
- ✓ Longopac system compatible.



Model	VFG-AC360
Voltage	230v,60hz
Power	5.4 hp
Current	14.4 amp
Water lift	100 inch
Airflow (max)	354 cfm
Filter cleaning	100% auto clean
Pre-filter	43.05ft²>99.9%@0.3um
Hepa filter(H13)	38.75ft²>99.97%@0.3um
Collection	Continuous drop-down bag
Dimension	22"X32.3"X56"
Weight	154 lbs

Standard accessory	
	
2" brush	2" S wand
	
2.75"/2" reducer	2.5"PU hose with HPVC spiral33ft
	
2" hose cuff	2" EVA double layer hose25ft
	
2.75"/2.5"reducer	

VFG-AC360

154 lbs

Sale Price - \$4,250

Vantage

POLISHING CONCRETE ESSENTIALS

VFG - COMB20

HEPA Concrete Dust Extractor

- ✓ Three Ametek motors, for controlling the on/off independently.
- ✓ Continuous drop-down bagging system, easy and fast loading/unloading.
- ✓ 2 stage filtering, pre-filter is cyclone separator, Filtering more than 98% dust, make fewer dust to enter in vacuum cleaner, prolong the vacuums working time, to protect the filters in vacuum and extend the life time.
- ✓ Imported polyester fiber PTFE coated HEPA filter, low pressure loss, high filter efficiency.



Model	VFG - COMB20
Voltage	110v,60hz
Power	3.4 hp
Current	18 amp
Water lift	72 inch
Airflow (max)	285 cfm
Filter cleaning	Jet pulse filter cleaning
Filter efficiency	>99.5% @0.3um
Filter area	32.29ft²
Collection	Continuous folding bag
Dimension	25.7"X40.5"X57.5"
Weight	182 lbs

Standard accessory	
	
2" floor brush	2" wand, aluminum
	
2.75"/2"reducer	2"ouble layer EVA hose X25ft
	
2" hose cuff, 2-pc	

VFG-COMB20

182 lbs

Sale Price - \$3,395



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

Click the picture
for TDS

MACHINE INFORMATION

Vantage

POLISHING CONCRETE ESSENTIALS

VFG-AC260

HEPA Concrete Dust Extractor

- ✓ Comply with the newest OSHA regulation.
- ✓ Innovative auto clean technology, 100% hands free, significant labor savings. No circuit board needed, more reliabilities and lower maintenance cost.
- ✓ Double HEPA filtration system. Primary set of 2 cylindrical H11 filters rotate to function filter cleanings, second stage double H13 certified filters with efficiency > 99.97% @ 0.3um.
- ✓ Embedded ON/OFF button designs to avoid impact during transportation.
- ✓ Longopac system compatible.



Model	VFG-AC260
Voltage	110v, 60hz
Power	3.2 hp
Current	16 amp
Water lift	90 inch
Airflow (max)	258 cfm
Filter cleaning	100% auto clean
Pre-filter	34.44ft ² > 99.9% @ 0.3um
Hepa filter (H13)	25.83ft ² > 99.97% @ 0.3um
Collection	Continuous drop-down bag
Dimension	22.4" X 28" X 51.2"
Weight	105 lbs



VFG-AC260

105 lbs

Sale Price - \$3,495



HUSQVARNA DG-120H VAC

Sale Price - \$3,492



PLATINUM CONCRETE COATINGS OF TEXAS



18703 W Little York Rd.
Suite 103
Katy, Tx 77449

[Click the picture
for TDS](#)

MACHINE INFORMATION



DUROMAX GENERATOR

13,000 W / 15,000 W
Sale Price - \$1,799 /
\$2,500