

YERIFY W/ CODE PROVIDE HURRICANE -STRAPS ON ALL RAFTERS SEE ELEVATIONS AS PER CODE. METAL ROOF OVER 30# FELT, OVER 1/2" PLYMOOD OR LATHING (MATCH EXISTING FRAMING) 2"x4" LOOKOUTS, SPACED SAME AS RAFTERS INSULATION -CEILING JOISTS--2"x SUB-FASCIA - 1"X8" FASCIA 2 - 2"x4" TOP PLATE 'S OR SIMILAR, REFER TO BUILDER SPECS 2"X CONT. WALL COVERING 2"x4" STUDS @ 16" O.C.-- 1"X TRIM BD. STRUCTURAL SHEATHING (RE:NOTE "A") INSULATION -

2"x6" RAFTERS @ \_24" O.C., BRACE @ A MAX. OF 12' O.C.

VERIFY W/ CODE

BAFFLES, BETWEEN RAFTER

NOTE "A": PROVIDE A MINIMUM OF 7/16" STRUCTURAL WOOD PANEL ATTACHED W/ 8d COMMON OR 10d BOX NAILS AT 4" SPACING ON EDGE

NOTE "B": CORNICE DETAIL FOR REFERENCE ONLY. REFER TO BUILDER SPECS FOR ACTUAL MATERIALS.

## TYP. CORNICE DETAIL


## GARAGE DOOR TRACK-2"x4" STUDS @ 16" O.C.-BEAM AS REQ'D--DOOR STOP WITH FITTED SEAL 2×4 CASING-INSULATED GARAGE DOOR-RE: FLOOR PLAN FOR SIZE

GARAGE DOOR CLEARANCE

THE INTENT OF THIS DETAIL IS TO SHOW THE MINIMUM REQUIRED DISTANCE FROM THE TOP OF THE GARAGE DOOR OPENING TO THE CEILING OF THE GARAGE.

## EXTERIOR ELEVATION NOTES:

- 1. CONTRACTOR TO VERIFY ALL WINDOW AND DOOR STYLES AND SIZES WITH OWNER PRIOR TO CONSTRUCTION.
- 2. PROVIDE STEPS AND GUARD RAILS AS PER CODE BASED ON SITE CONDITIONS.
- 3. GROUND LINES SHOWN FOR REFERENCE ONLY AND VARY DEPENDING ON SITE CONDITIONS.
- 4. ALL FINISH MATERIALS TO BE VERIFIED WITH OWNER PRIOR TO CONSTRUCTION.
- 5. REFER TO TYPICAL WALL DETAIL FOR FRAMING METHODS AND OTHER MISC. INFORMATION.
- 6. CONTRACTOR TO PROVIDE ADEQUATE ROOF VENTILATION AS REQ'D BY CURRENT CODES.




LEFT VIEW

Mebsite: Email: sales@hpzplans.com

www.HPZplans.com

Phone: 601.336.3254

Fax: 1.800.574.1387



ā

12.22.16

Drawn By: J.A.B.

SHEET NUMBER

