



LABELS MARKERS CO.®

# SMS430

SIGN MAKING SYSTEM

## Industrial Sign and Label System



Network / USB / \* / \*

300 DPI resolution

Industrial Quality


**Maintenance labels | Health and Safety | Chemical labelling**  
**Cable and Wire marking | Pipe and Valve marking**  
**Equipment marking | Six Sigma and LEAN |**

### SMS-430 - Fast, Flexible and Network Ready!

The SMS-430 is technologically up to date, with the latest print head design and connectivity options to deliver a strong, reliable sign and label workhorse. Capable of producing labels from 13mm up to 100mm wide and in over 40 different quality materials, the systems high definition output is ideal for even the smallest of text and label details. Supplied with Microsoft® approved NiceLabel software and thousands of industrial graphics, the SMS-430 is a single solution for an enormous range of sign and labeling requirements.







With the SMS-430 you can easily create all of the labels below!



## STANDARD TAPE QUALITIES:

- **Industrial Vinyl (E300)** - Standard 3-5 year, perfect for most applications.
- **Premium Vinyl (ST700)** - High quality 5-7 year, for higher durability.
- ★ **High-Tack (HT700)** - High tack adhesive, ideal for difficult surfaces like wood, concrete, oil and low friction plastics.
- **Polyester (PT700)** - High tack adhesive, high temperature, low halide - ideal for machine plates and pipes.
- 🔥 **High Temperature Tape (H250)** - High tack adhesive and extra high temperature resistance.
- ❄️ **Cold Weather Tape (CW200)** - Good adhesion to extremely cold surfaces.



## SPECIAL MATERIALS:

**Removable Tape (M300)** - Removable tape for temporary signs.

**Reflective Tape (RT500)** - Reflective tape for indoor and outdoor usage.

**Fluorescent Tape (FL500)** - Fluorescent tape with a very high visibility.

**Photoluminescent Tape (RG500)** - Glow-in-the-dark tape for signs that need to remain visible after a power cut.

**Tags (T300)** - Ideal for Lock-out/Tag-out, in a large range of colours and sizes. Fully printable and extremely tough.

**Wire-Wraps (WI100)** - Self laminating, wrap around cable and wire marking.

**Cable Tags (EC100)** - High quality cable and hose tags, fixed with cable ties.

**Shrink Tubes (ES100)** - Shrink tubing for cable and wire marking - high quality 3:1 in a range of sizes and colours.

**Raised Profile Labels (RL100)** - Create your own Raised Profile Labels and replace your engraved plates at a lower cost.

For a **FREE sample pack** of our label materials  
contact us on [sales@labelsmarkers.com](mailto:sales@labelsmarkers.com) or call us on +961 76 812957

## SMS-430 - Durable signs and labels from a durable work horse

From health and safety signage to data base connected labels, the SMS-430 can deliver both simple and sophisticated solutions. It has over 40 different materials for every application including: cable and wire marking, high or low temperatures, oily and difficult surfaces, permanent or removable adhesives, mild or aggressive chemical resistance and more...

### A dependable system, delivered with top class software!



- Comes with 'click and go' ready to use label templates – just add text and print.
- Professional software with extensive print & design capabilities
- Easy to use Design Wizards speed up production
- Design and edit texts, barcodes, lines, shapes and images
- Advanced functionality for multiple field linking
- Powerful 'form' designer for standardised layouts with user data entry
- Thousands of industrial symbols and icons in compliance with the latest regulations
- Advanced design tools like rich text, linestyles, group, textframes with automatic font size
- Easily import data into your labels from data bases and spread sheets (Excel, Acces)
- Microsoft® certified software

### Printer specifications

<b>Printing Method</b>	Direct Thermal & Thermal Transfer
<b>Resolution</b>	300dpi
<b>Speed</b>	Min. 25,4 ~ Max. 101,6mm/s (1 ~ 4ips)
<b>Print Length</b>	Min. 5mm ~ Max. 1270mm
<b>Print Width</b>	Max. 104mm
<b>Dimensions</b>	W 220mm x D 278mm x H 187mm
<b>Weight</b>	2,4kg
<b>Sensors</b>	1x "Media gap" / 1x "Reflective" / 1x "Transmissive" 1x "Print head up" / 1x "Ribbon out"
<b>Operation Interface</b>	2x LED indicator / 1x button (Feed)
<b>Connectivity</b>	USB-A, USB-B, RS-232, Ethernet   * Optional: Bluetooth, WiFi
<b>Agency Listing</b>	CE, FCC, UL/cULus, CCC, RoHS, BSMI
<b>Media Type</b>	Roll-feed, Die-cut, Continuous, Tags
<b>Ribbon Type</b>	Wax, Resin, Wax/Resin



Visit our comprehensive website to review the large range of material available!

[www.labelsmarkers.com](http://www.labelsmarkers.com)



LABELS MARKERS CO.®

**Labels Markers Co.**  
Baabda 1003  
Lebanon

☎ (Leb) +961 76 812957  
☎ (Leb) +961 81 043690  
☎ (KSA) +966 57 097 6176  
@ sales@labelsmarkers.com  
🌐 www.labelsmarkers.com