



ReLINE
floor marking

Superior floor marking products





INDEX

INTRO

INTRODUCING RELINE	2
FLOOR MARKING TAPE vs PAINT	3

SUPERIOR FLOOR MARKING

SUPREME V	4
LEAN	4
X-TREME	4
MEAN LEAN	4
HAZARD STRIPES	5
CUSTOM PRINTED TAPE	5
REGLO STRIPS	5
REVIEW	5
RELIN CLEANER	5

SHAPES, SIX SIGMA & 5S LEAN MANUFACTURING

CIRCLES	6
ARROWS	6
FOOT PRINTS & PEDESTRIANS	6
NUMBERS & LETTERS	6
STRIPS	7
CORNERS	7
T & X SHAPES	7

SAFETY SIGNS FOR FLOORS

STOP SIGNS	8
WARNING SIGNS	8
ROUND SAFETY SIGNS	9
RECTANGULAR SAFETY SIGNS	10
DIRECTION SIGNS	11
REVOLVING DOOR MARKINGS	11
SIDE-STOP & HALF SIGNS	12
LOCK-OUT / TAG-OUT SIGNS	12
BARCODES	12
REGLO (GLOW IN THE DARK)	13
RELIN: DURABLE FLOOR MARKING FOR EVERY INDUSTRY	13

INTRODUCING RELINE

ReLINE is the **easiest, fastest, cheapest** and **most comprehensive** floor marking system for industrial applications.

The combination of **high durability** and the **wide range of colors and sizes**, makes **ReLINE** the only complete floor marking system!

ReLINE is very suitable for the implementation of the **5S System** and **Lean manufacturing**.

FLOOR MARKING EXAMPLES

Below you will see clear examples of several of ReLINE applications.



FLOOR MARKING



HAZARD STRIPES



WALKWAYS



LETTERS & NUMBERS



FLOOR SIGNS



FOOT PRINTS



DOOR SWINGS



GLOW-IN-THE-DARK



FLOOR BARCODES



CORNERS



STOP SIGNS



IN-LINE PRINT

CHOOSING THE BEST FLOOR MARKING METHOD

There are two main floor marking methods: tape and paint. Advancement in adhesive tape technology and the extensive amount of work that painting requires are two reasons tape has become a more popular choice for most industrial applications.



FLOOR MARKING TAPE





No fumes

No time needed to dry

No spills

Warranty up to 2 years, depending on traffic/exposure

Using an applicator, both straight & curved lines are easy

Only cleaning the floor surface required

Minimal required accessories

Application does not usually interrupt work

Conforms to uneven surfaces such as concrete, asphalt, brick and tile

Can be easily removed

Quickly applied for temporary conditions, like a liquid spill



Minimal required accessories

Application does not usually interrupt work

Conforms to uneven surfaces such as concrete, asphalt, brick and tile

Can be easily removed

Quickly applied for temporary conditions, like a liquid spill



Can be easily removed

Quickly applied for temporary conditions, like a liquid spill



PAINT



Fumes require ventilation, the wearing of PPE and possible facility shutdown

Needs time to dry

Spills likely

Warranty depending on traffic/exposure

Difficult to do straight or curving lines by hand

Extensive preparation time

May require brushes and/or rollers, taping, drop cloths, etc.

Application will usually disrupt work for extended period

Uneven surfaces may require treatment to make surfaces smooth enough to paint

Requires harsh chemicals or abrasive machines for removal

Not designed for quick application





Are you interested? Call us or send us an email!

+31 (0)35 - 601 69 41 | info@rebo.nl



SUPERIOR FLOOR MARKING

ReLINE
APPLICATOR
Art.#: RL7000095



Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELIN SUPREME V

	30 meters	60 meters	120 meters
Width	5 cm	5 cm	5 cm
Width	7,5 cm	7,5 cm	7,5 cm
Width	10 cm	10 cm	10 cm
Width	15 cm	15 cm	15 cm
Width	30,5 cm	30,5 cm	30,5 cm
Width	61 cm	61 cm	61 cm
Width	86,5 cm	86,5 cm	86,5 cm

Available colours:

Red, Orange, Yellow, Blue, Green, Black, White

SPECS

New building / smooth floors:	Superior
Porous floors:	Excellent
Old, oily, dirty or epoxy floors:	Excellent
Uneven or tiles:	Excellent
Available in 5S shapes:	Yes
Available / custom colors:	7 / Yes
Standard widths in centimeters:	5 - 86,5 cm
Beveled edge:	Yes
Roll length:	30 meters
Nominal thickness:	0,91 mm



RELIN LEAN

	30 meters	60 meters
Width	5 cm	5 cm
Width	7,5 cm	7,5 cm
Width	10 cm	10 cm
Width	15 cm	15 cm
Width	30,5 cm	30,5 cm
Width	61 cm	61 cm
Width	86,5 cm	86,5 cm

Available colours:

Red
Orange
Yellow
Blue
Green
Black
White

SPECS

New building / smooth floors:	Good
Porous floors:	N.R.
Old, oily, dirty or epoxy floors:	N.R.
Uneven or tiles:	N.R.
Available in 5S shapes:	Yes
Available / custom colors:	5 / No
Standard widths in centimeters:	5 - 86,5 cm
Beveled edge:	No
Roll length:	30 meters
Nominal thickness:	0,76 mm



RELIN X-TREME

	30 meters	60 meters	120 meters
Width	5 cm	5 cm	5 cm
Width	7,5 cm	7,5 cm	7,5 cm
Width	10 cm	10 cm	10 cm

Available colours: Red, Orange, Yellow, Blue, Dark blue
Green, Black, White, Grey, Brown, Purple

SPECS

New building / smooth floors:	Superior
Porous floors:	Superior
Old, oily, dirty or epoxy floors:	Excellent
Uneven or tiles:	Excellent
Available in 5S shapes:	Yes
Available / custom colors:	11 / No
Standard widths in centimeters:	5 / 7,5 / 10 cm
Beveled edge:	Yes
Roll length:	30 meters
Nominal thickness:	0,76 mm



RELIN MEAN LEAN

	30 meters	60 meters	120 meters
Width	5 cm	5 cm	5 cm
Width	7,5 cm	7,5 cm	7,5 cm
Width	10 cm	10 cm	10 cm

Available colours: Red, Orange, Yellow, Dark blue,
Green, Black, White

SPECS

New building / smooth floors:	Good
Porous floors:	Not Recommended
Old, oily, dirty or epoxy floors:	N.R.
Uneven or tiles:	N.R.
Available in 5S shapes:	Yes
Available / custom colors:	7 / No
Standard widths in centimeters:	5 / 7,5 / 10 cm
Beveled edge:	No
Roll length:	30 meters
Nominal thickness:	0,56 mm



RELIN DEEP FREEZE

	30 meters	30 meters
Width	5 cm	10 cm

Available colour:

Yellow

SPECS

New building / smooth floors:	Superior
Porous floors:	OK
Old, oily, dirty or epoxy floors:	Superior
Uneven or tiles:	N.R.





SUPERIOR FLOOR MARKING

ReLINE
APPLICATOR
Art.#: RL7000095



Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINER HAZARD STRIPES

	Supreme V			Lean	
	15 meters	30 meters	120 meters	30 meters	60 meters
Width	5 cm	5 cm	5 cm	5 cm	5 cm
Width	7,5 cm	7,5 cm	7,5 cm	7,5 cm	7,5 cm
Width	10 cm	10 cm	10 cm	10 cm	10 cm
Width	15 cm	15 cm	15 cm	15 cm	15 cm
Width	30,5 cm	30,5 cm	30,5 cm	30,5 cm	30,5 cm
Width	61 cm	61 cm	61 cm	61 cm	61 cm
Width	86,5 cm	86,5 cm	86,5 cm	86,5 cm	86,5 cm

Available colours: **Black Yellow**, **Black White**, **Red White**, **Green Yellow***, **Green White*** *Colours not available in Lean.

SPECS

	Lean	Supreme
New building / smooth floors:	Good	Superior
Porous floors:	N.R.	Excellent
Old, oily, dirty or epoxy floors:	N.R.	Excellent
Uneven or tiles:	N.R.	Excellent
Available in 5S shapes:	Yes	Yes
Available / custom colors:	3 / No	5 / Yes
Standard widths in centimeters:	5 - 86,5 cm	5 - 86,5 cm
Beveled edge:	No	Yes
Roll length:	30 meters	30 meters
Nominal thickness:	0,76 mm	0,91 mm



RELINER CUSTOM PRINTED TAPE

	Regular		Regular
	15 meters	30 meters	
Width	5 cm	5 cm	1. Black print: on a white, yellow or red background 2. White print: on a red background 3. Orange or Blue print: on a white background
Width	7,5 cm	7,5 cm	
Width	10 cm	10 cm	
	Full Colour		Full Colour
	7,5 meters	15 meters	
Width	5 cm	5 cm	Any colour, image of icon on a white background Minimum order of 3 rolls, or additional setup costs.
Width	7,5 cm	7,5 cm	
Width	10 cm	10 cm	

Ask us for custom designed walk ways up to 86,5 cm width

SPECS

New building / smooth floors:	Superior
Porous floors:	Excellent
Old, oily, dirty or epoxy floors:	Excellent
Uneven or tiles:	Good
Available in 5S shapes:	Yes
Available / custom colors:	3 / Yes
Standard widths in centimeters:	5 / 7,5 / 10 cm
Beveled edge:	Yes
Roll length:	15 meters
Nominal thickness:	0,93 mm



REGLO STRIPS

15 meters		Available colours: Yellow, Red or White With Glow Strip
0,6 cm In-Line Glow Strip		
Width	10 cm	
2,5 cm In-Line Glow Strip		
Width	10 cm	
2,5 cm In-Line Glow Strip (custom design)		
Width	10 cm	

Minimum order of 3 rolls, or additional setup costs

CUSTOM PRINTED GLOW FEET


23 x 8 cm 20 pc. (10 left/10 right)

2,5 cm Glow footprints with custom design

SPECS

New building / smooth floors:	Superior
Porous floors:	Good
Old, oily, dirty or epoxy floors:	Excellent
Uneven or tiles:	Good
Available in 5S shapes:	Yes
Available / custom colors:	3 / No
Standard widths in centimeters:	10 cm
Beveled edge:	Yes
Roll length:	15 meters
Nominal thickness:	0,91 mm

In compliance with these standards:
DIN 67510 Class C, ASTM E2072-04, ASTM E2030-07



NEW! ReVIEW Protect your floor signs!

Specify your own ReLINE Shape, Text or Bar code and protect it with our ReVIEW

Display size:	A3	A4	A5
Frame width:	5 cm	5 cm	5 cm
Minimum quantity:	10	10	15

Select any standard, supreme or hazard stripe (5cm) as a border.
Colors: **Red, Orange, Yellow, Blue, Green, Black, White, or Hazard**

Call for prices of custom sizes!

Custom printed frames available by request.



STANDARD FRAME



CUSTOM DESIGN

ReLINE Cleaner

Recommended cleaning product and degreaser.

For floor preparation before ReLINE application, as well as maintenance of any ReLINE products



2 Liters

Contains **no** hazardous chemicals



Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINE CIRCLES *All shapes are available in every standard color*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/ LEAN	SUPREME	X-TREME
RLSTA	4,6 cm Ø	A	150	✓	✓	✓
RLSTA	5 cm Ø	A	140	✓	✓	✓
RLSTA	6,5 cm Ø	A	110	✓	✓	✓
RLSTA	7,5 cm Ø	A	100	✓	✓	✓
RLSTA	9 cm Ø	A	70	✓	✓	✓
RLSTB	9 cm Ø Donut - 6 cm center	B	70	✓	✓	✓
RLSTA	9,5 cm Ø	A	65	✓	✓	✓
RLSTA	14 cm Ø	A	25	✓	✓	✓
RLSTA	15 cm Ø	A	20	✓	✓	✓
RLSTA	20 cm Ø	A	10	✓	✓	✓
RLSTA	23 cm Ø	A	8	✓	✓	✓
RLSTA	30 cm Ø	A	7	✓	✓	✓
RLSTA	30,5 cm Ø	A	7	✓	✓	✓
RLSTA	40 cm Ø	A	6	✓	✓	✓
RLSTA	51 cm Ø	A	3	✓	✓	✓
RLSTA	61 cm Ø	A	2	✓	✓	✓



RELINE ARROWS *All shapes are available in every standard color*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/ LEAN	SUPREME	X-TREME
RLPIA	5 cm Arrow head	A	100	✓	✓	✓
RLPIA	14 cm Arrow head	A	60	✓	✓	✓
RLPIA	18 cm Arrow head	A	55	✓	✓	✓
RLPIA	30,5 cm Arrow head	A	20	✓	✓	✓
RLPIA	40,5 cm Arrow head	A	12	✓	✓	✓
RLPIB	25 cm x 9,5 cm / Stem -5 cm	B	40	✓	✓	✓
RLPIB	25 cm x 9,5 cm / Stem -9 cm	B	40	✓	✓	✓
RLPIB	25 cm x 9,5 cm / Stem -9,5 cm	E	40	✓	✓	✓
RLPIB	30,5 cm x 10 cm / Stem -5 cm	B	35	✓	✓	✓
RLPID	30,5 cm x 10 cm / Stem -5 cm	D	13	✗	✓	✗
RLPIB	46 cm x 15 cm / Stem -7,5 cm	B	12	✓	✓	✓
RLPIB	71 cm x 33 cm / Stem -12 cm	B	3	✓	✓	✓
RLPIB	86,5 cm x 30 cm / Stem -15 cm	B	2	✓	✓	✓
RLPIC	71 cm x 33 cm / Stem -12 cm	C	3	✓	✓	✓



RELINE FOOT PRINTS & PEDESTRIANS *All shapes are available in every standard color*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/ LEAN	SUPREME	X-TREME
RLVO	23 cm x 8 cm	A	35	✓	✓	✓
RLVO	24 cm x 9 cm	A	25	✓	✓	✓
RLVO	14,5 cm x 5 cm	A	70	✓	✓	✓
RLVG	18 cm x 30,5 cm	B	18	✗	✓	✓
RLVG	29,7 cm x 50 cm	B	12	✗	✓	✓
RLVGLO	23 cm x 8 cm	C	30	✗	✓*	✗

* GLOW colours: Red, Yellow or White with glow stripe



RELINE NUMBERS & LETTERS *All shapes are available in every standard color*

CODE *	DESCRIPTION	QUANTITY	MEAN LEAN/ LEAN	SUPREME	X-TREME
RL-CIJ / RL-LET	9 cm	45	✓	✓	✓
RL-CIJ / RL-LET	16 cm	30	✓	✓	✓
RL-CIJ / RL-LET	20,5 cm	25	✓	✓	✓

* RL-CIJ = Numbers RL-LET = Letters

ABC
123





Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELIN STRIPS *Alle vormen zijn leverbaar in alle standaard kleuren*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/LEAN	SUPREME	X-TREME
RLSRA	2 cm x 8 cm	A	150	✓	✓	✓
RLSRA	5 cm x 5 cm	A	150	✓	✓	✓
RLSRA	7,5 cm x 7,5 cm	A	100	✓	✓	✓
RLSRA	10 cm x 10 cm	A	75	✓	✓	✓
RLSRA/B	5 cm x 10 cm	A/B	110	✓	✓	✓
RLSRA	7,5 cm x 15 cm	A	50	✓	✓	✓
RLSRA	10 cm x 20 cm	A	20	✓	✓	✓
RLSRA/B	5 cm x 46 cm	A/B	25	✓	✓	✓
RLSRA/B	8 cm x 15 cm	A/B	50	✓	✓	✓
RLSRB	5 cm x 25 cm	B	50	✓	✓	✓
RLSRB	5 cm x 50 cm	B	25	✓	✓	✓
RLSRB	20 cm x 80 cm	B	10	✓	✓	✓
RLSRB	20 cm x 100 cm	B	7	✓	✓	✓
RLSRB	20,3 cm x 15,2 cm	B	20	✓	✓	✓
RLSRB	25 cm x 80 cm	B	7	✓	✓	✓
RLSRB	25 cm x 100 cm	B	5	✓	✓	✓
RLSRB	30 cm x 80 cm	B	6	✓	✓	✓
RLSRB	30 cm x 100 cm	B	5	✓	✓	✓
RLSRB	30,5 cm x 24 cm	B	18	✓	✓	✓
RLSRC	7,5 cm x 87,5 cm	C	100	✓	✓	✓
RLSRC	15 cm x 105 cm	C	25	✓	✓	✓
RLSRC	40 cm x 40 cm	C	10	✓	✓	✓

A

Type A - Straight corners

B

Type B - Rounded corners

C

Type C - Square with rounded corners

RELIN CORNERS *All shapes are available in every standard color*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/LEAN	SUPREME	X-TREME
RLHO	90° Corner 10 cm x 10 cm x 2,5 cm	A/b	80	✓	✓	✓
RLHO	90° Corner 9 cm x 9 cm x 5 cm	B	80	✓	✓	✓
RLHO	90° Corner 10 cm x 10 cm x 5 cm	A/B	60	✓	✓	✓
RLHO	90° Corner 11,5 cm x 11,5 cm x 4 cm	A/B	60	✓	✓	✓
RLHO	90° Corner 15 cm x 15 cm x 5 cm	A/B	50	✓	✓	✓
RLHO	90° Corner 15 cm x 15 cm x 7,5 cm	A/B	50	✓	✓	✓
RLHO	90° Corner 18 cm x 18 cm x 9 cm	B	20	✓	✓	✓
RLHO	90° Corner 20 cm x 20 cm x 10 cm	A/B	15	✓	✓	✓
RLHO	12,5 cm x 12,5 cm x 5 cm	B	65	✓	✓	✓
RLHO	15 cm x 15 cm x 2,5 cm	B	55	✓	✓	✓
RLHO	15,5 cm x 15,5 cm x 2,5 cm	B	55	✓	✓	✓
RLHO	L-corner 5 cm x 5 cm x 2 cm	C	100	✓	✓	✓
RLHO	L-corner 10 cm x 10 cm x 5 cm	C	60	✓	✓	✓
RLHO	L-corner 15 cm x 15 cm x 5 cm	C	40	✓	✓	✓
RLHO	L-corner 15 cm x 15 cm x 7,5 cm	C	40	✓	✓	✓
RLHO	L-corner 20 cm x 20 cm x 10 cm	C	15	✓	✓	✓
RLHO	45° Corner 5 cm	D	60	✓	✓	✓
RLHO	45° Corner 7,5 cm	D	50	✓	✓	✓
RLHO	45° Corner 10 cm	D	40	✓	✓	✓
RLHO	90° Round corner 5 cm	E	30	✓	✓	✓
RLHO	90° Round corner 7,5 cm	E	25	✓	✓	✓
RLHO	90° Round corner 10 cm	E	20	✓	✓	✓
RLHO	30,5 cm x 30,5 cm x 10 cm Curve	F	10	✓	✓	✓

A

B

C

D

E

F

RELIN T AND X SHAPES *All shapes are available in every standard color*

CODE	DESCRIPTION	SHAPE	QUANTITY	MEAN LEAN/LEAN	SUPREME	X-TREME
RLTH	13,5 cm x 9 cm x 4,5 cm	A	60	✓	✓	✓
RLTH	15 cm x 15 cm x 7,5 cm	A/B	40	✓	✓	✓
RLTH	24 cm x 14 cm x 4 cm	A	20	✓	✓	✓
RLTH	25 cm x 15 cm x 5 cm	A	20	✓	✓	✓
RLTH	9 cm x 15 cm x 5 cm	B	50	✓	✓	✓
RLTH	10 cm x 15 cm x 5 cm	A/B	50	✓	✓	✓
RLTH	15 cm x 20 cm x 7,5 cm	A	30	✓	✓	✓
RLTH	17,5 cm x 10 cm x 2,5 cm	A	48	✓	✓	✓
RLTH	14,5 cm x 9 cm x 2,5 cm	B	55	✓	✓	✓
RLTH	19 cm x 11,5 cm x 4 cm	B	25	✓	✓	✓
RLTH	20,5 cm x 15 cm x 5 cm	A/B	25	✓	✓	✓
RLTH	24 cm x 24 cm x 9 cm	A/B	20	✓	✓	✓
RLXH	15 cm x 15 cm x 5 cm	C	50	✓	✓	✓

A

B

C

Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINE STOP SIGNS *All sizes are displayed in centimeters*



30,5 RL0001-ENL 61,0 RL0004-ENL
40,5 RL0002-ENL 76,0 RL0005-ENL
51,0 RL0003-ENL 81,0 RL0006-ENL



30,5 RL0007-ENL 61,0 RL0010-ENL
40,5 RL0008-ENL 76,0 RL0011-ENL
51,0 RL0009-ENL 81,0 RL0012-ENL



30,5 RL0013-ENL 61,0 RL0016-ENL
40,5 RL0014-ENL 76,0 RL0017-ENL
51,0 RL0015-ENL 81,0 RL0018-ENL



30,5 RL0019-ENL 61,0 RL0022-ENL
40,5 RL0020-ENL 76,0 RL0023-ENL
51,0 RL0021-ENL 81,0 RL0024-ENL



30,5 RL0025-ENL 61,0 RL0028-ENL
40,5 RL0026-ENL 76,0 RL0029-ENL
51,0 RL0027-ENL 81,0 RL0030-ENL



30,5 RL0031-ENL 61,0 RL0034-ENL
40,5 RL0032-ENL 76,0 RL0035-ENL
51,0 RL0033-ENL 81,0 RL0036-ENL



30,5 RL0037-ENL 61,0 RL0040-ENL
40,5 RL0038-ENL 76,0 RL0041-ENL
51,0 RL0039-ENL 81,0 RL0042-ENL



30,5 RL0043-ENL 61,0 RL0046-ENL
40,5 RL0044-ENL 76,0 RL0047-ENL
51,0 RL0045-ENL 81,0 RL0048-ENL

RELINE WARNING SIGNS *All sizes are displayed in centimeters*



30,5 RL0049-ENL 61,0 RL0052-ENL
40,5 RL0050-ENL 76,0 RL0053-ENL
51,0 RL0051-ENL 81,0 RL0054-ENL



30,5 RL0055-ENL 61,0 RL0058-ENL
40,5 RL0056-ENL 76,0 RL0059-ENL
51,0 RL0057-ENL 81,0 RL0060-ENL



30,5 RL0061-ENL 61,0 RL0064-ENL
40,5 RL0062-ENL 76,0 RL0065-ENL
51,0 RL0063-ENL 81,0 RL0066-ENL



30,5 RL0067-ENL 61,0 RL0070-ENL
40,5 RL0068-ENL 76,0 RL0071-ENL
51,0 RL0069-ENL 81,0 RL0072-ENL



30,5 RL0073-ENL 61,0 RL0076-ENL
40,5 RL0074-ENL 76,0 RL0077-ENL
51,0 RL0075-ENL 81,0 RL0078-ENL



30,5 RL0079-ENL 61,0 RL0082-ENL
40,5 RL0080-ENL 76,0 RL0083-ENL
51,0 RL0081-ENL 81,0 RL0084-ENL



30,5 RL0085-ENL 61,0 RL0088-ENL
40,5 RL0086-ENL 76,0 RL0089-ENL
51,0 RL0087-ENL 81,0 RL0090-ENL



30,5 RL0091-ENL 61,0 RL0094-ENL
40,5 RL0092-ENL 76,0 RL0095-ENL
51,0 RL0093-ENL 81,0 RL0096-ENL



30,5 RL0097-ENL 61,0 RL0100-ENL
40,5 RL0098-ENL 76,0 RL0101-ENL
51,0 RL0099-ENL 81,0 RL0102-ENL



30,5 RL0103-ENL 61,0 RL0106-ENL
40,5 RL0104-ENL 76,0 RL0107-ENL
51,0 RL0105-ENL 81,0 RL0108-ENL



30,5 RL0109-ENL 61,0 RL0112-ENL
40,5 RL0110-ENL 76,0 RL0113-ENL
51,0 RL0111-ENL 81,0 RL0114-ENL



30,5 RL0115-ENL 61,0 RL0118-ENL
40,5 RL0116-ENL 76,0 RL0119-ENL
51,0 RL0117-ENL 81,0 RL0120-ENL

Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINE ROUND SAFETY SIGNS *All sizes are displayed in centimeters*



30,5 RLO121-ENL 61,0 RLO124-ENL
40,5 RLO122-ENL 76,0 RLO125-ENL
51,0 RLO123-ENL 81,0 RLO126-ENL



30,5 RLO127-ENL 61,0 RLO130-ENL
40,5 RLO128-ENL 76,0 RLO131-ENL
51,0 RLO129-ENL 81,0 RLO132-ENL



30,5 RLO133-ENL 61,0 RLO136-ENL
40,5 RLO134-ENL 76,0 RLO137-ENL
51,0 RLO135-ENL 81,0 RLO138-ENL



30,5 RLO139-ENL 61,0 RLO142-ENL
40,5 RLO140-ENL 76,0 RLO143-ENL
51,0 RLO141-ENL 81,0 RLO144-ENL



30,5 RLO145-ENL 61,0 RLO148-ENL
40,5 RLO146-ENL 76,0 RLO149-ENL
51,0 RLO147-ENL 81,0 RLO150-ENL



30,5 RLO151-ENL 61,0 RLO154-ENL
40,5 RLO152-ENL 76,0 RLO155-ENL
51,0 RLO153-ENL 81,0 RLO156-ENL



30,5 RLO157-ENL 61,0 RLO160-ENL
40,5 RLO158-ENL 76,0 RLO161-ENL
51,0 RLO159-ENL 81,0 RLO162-ENL



30,5 RLO163-ENL 61,0 RLO166-ENL
40,5 RLO164-ENL 76,0 RLO167-ENL
51,0 RLO165-ENL 81,0 RLO168-ENL



30,5 RLO0169-ENL 61,0 RLO172-ENL
40,5 RLO170-ENL 76,0 RLO173-ENL
51,0 RLO171-ENL 81,0 RLO174-ENL



30,5 RLO175-ENL 61,0 RLO178-ENL
40,5 RLO176-ENL 76,0 RLO179-ENL
51,0 RLO177-ENL 81,0 RLO180-ENL



30,5 RLO181-ENL 61,0 RLO184-ENL
40,5 RLO182-ENL 76,0 RLO185-ENL
51,0 RLO183-ENL 81,0 RLO186-ENL



30,5 RLO187-ENL 61,0 RLO190-ENL
40,5 RLO188-ENL 76,0 RLO191-ENL
51,0 RLO189-ENL 81,0 RLO192-ENL



30,5 RLO193-ENL 61,0 RLO196-ENL
40,5 RLO194-ENL 76,0 RLO197-ENL
51,0 RLO195-ENL 81,0 RLO198-ENL



30,5 RLO199-ENL 61,0 RLO202-ENL
40,5 RLO200-ENL 76,0 RLO203-ENL
51,0 RLO201-ENL 81,0 RLO204-ENL



30,5 RLO205-ENL 61,0 RLO208-ENL
40,5 RLO206-ENL 76,0 RLO209-ENL
51,0 RLO207-ENL 81,0 RLO210-ENL



30,5 RLO211-ENL 61,0 RLO214-ENL
40,5 RLO212-ENL 76,0 RLO215-ENL
51,0 RLO213-ENL 81,0 RLO216-ENL



30,5 RLO217-ENL 61,0 RLO220-ENL
40,5 RLO218-ENL 76,0 RLO221-ENL
51,0 RLO219-ENL 81,0 RLO222-ENL



30,5 RLO223-ENL 61,0 RLO226-ENL
40,5 RLO224-ENL 76,0 RLO227-ENL
51,0 RLO225-ENL 81,0 RLO228-ENL



30,5 RLO229-ENL 61,0 RLO232-ENL
40,5 RLO230-ENL 76,0 RLO233-ENL
51,0 RLO231-ENL 81,0 RLO234-ENL



30,5 RLO235-ENL 61,0 RLO238-ENL
40,5 RLO236-ENL 76,0 RLO239-ENL
51,0 RLO237-ENL 81,0 RLO240-ENL



30,5 RLO241-ENL 61,0 RLO244-ENL
40,5 RLO242-ENL 76,0 RLO245-ENL
51,0 RLO243-ENL 81,0 RLO246-ENL



30,5 RLO247-ENL 61,0 RLO250-ENL
40,5 RLO248-ENL 76,0 RLO251-ENL
51,0 RLO249-ENL 81,0 RLO252-ENL



30,5 RLO253-ENL 61,0 RLO256-ENL
40,5 RLO254-ENL 76,0 RLO257-ENL
51,0 RLO255-ENL 81,0 RLO258-ENL



30,5 RLO259-ENL 61,0 RLO262-ENL
40,5 RLO260-ENL 76,0 RLO263-ENL
51,0 RLO261-ENL 81,0 RLO264-ENL



30,5 RLO265-ENL 61,0 RLO268-ENL
40,5 RLO266-ENL 76,0 RLO269-ENL
51,0 RLO267-ENL 81,0 RLO270-ENL



30,5 RLO271-ENL 61,0 RLO274-ENL
40,5 RLO272-ENL 76,0 RLO275-ENL
51,0 RLO273-ENL 81,0 RLO276-ENL



30,5 RLO277-ENL 61,0 RLO280-ENL
40,5 RLO278-ENL 76,0 RLO281-ENL
51,0 RLO279-ENL 81,0 RLO282-ENL



30,5 RLO283-ENL 61,0 RLO286-ENL
40,5 RLO284-ENL 76,0 RLO287-ENL
51,0 RLO285-ENL 81,0 RLO288-ENL



30,5 RLO289-ENL 61,0 RLO292-ENL
40,5 RLO290-ENL 76,0 RLO293-ENL
51,0 RLO291-ENL 81,0 RLO294-ENL



30,5 RLO295-ENL 61,0 RLO298-ENL
40,5 RLO296-ENL 76,0 RLO299-ENL
51,0 RLO297-ENL 81,0 RLO300-ENL



SAFETY SIGNS FOR FLOORS

ALL SIGNS ARE FULLY CUSTOMIZABLE!

Set up fee, graphics
and/or proofs £20,00

Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINE RECTANGULAR SAFETY SIGNS *All sizes are displayed in centimeters*



30,5 x 23,0 RL0301-ENL 91,5 x 68,5 RL0304-ENL
61,0 x 46,0 RL0302-ENL 127 x 84,0 RL0305-ENL
76,0 x 53,0 RL0303-ENL



30,5 x 23,0 RL0306-ENL 91,5 x 68,5 RL0309-ENL
61,0 x 46,0 RL0307-ENL 127 x 84,0 RL0310-ENL
76,0 x 53,0 RL0308-ENL



30,5 x 23,0 RL0311-ENL 91,5 x 68,5 RL0314-ENL
61,0 x 46,0 RL0312-ENL 127 x 84,0 RL0315-ENL
76,0 x 53,0 RL0313-ENL



30,5 x 23,0 RL0316-ENL 91,5 x 68,5 RL0319-ENL
61,0 x 46,0 RL0317-ENL 127 x 84,0 RL0320-ENL
76,0 x 53,0 RL0318-ENL



30,5 x 23,0 RL0321-ENL 91,5 x 68,5 RL0324-ENL
61,0 x 46,0 RL0322-ENL 127 x 84,0 RL0325-ENL
76,0 x 53,0 RL0323-ENL



30,5 x 23,0 RL0326-ENL 91,5 x 68,5 RL0329-ENL
61,0 x 46,0 RL0327-ENL 127 x 84,0 RL0330-ENL
76,0 x 53,0 RL0328-ENL



30,5 x 23,0 RL0331-ENL 91,5 x 68,5 RL0334-ENL
61,0 x 46,0 RL0332-ENL 127 x 84,0 RL0335-ENL
76,0 x 53,0 RL0333-ENL



30,5 x 23,0 RL0336-ENL 91,5 x 68,5 RL0339-ENL
61,0 x 46,0 RL0337-ENL 127 x 84,0 RL0340-ENL
76,0 x 53,0 RL0338-ENL



30,5 x 23,0 RL0341-ENL 91,5 x 68,5 RL0344-ENL
61,0 x 46,0 RL0342-ENL 127 x 84,0 RL0345-ENL
76,0 x 53,0 RL0343-ENL



30,5 x 23,0 RL0346-ENL 91,5 x 68,5 RL0349-ENL
61,0 x 46,0 RL0347-ENL 127 x 84,0 RL0350-ENL
76,0 x 53,0 RL0348-ENL



30,5 x 23,0 RL0351-ENL 91,5 x 68,5 RL0354-ENL
61,0 x 46,0 RL0352-ENL 127 x 84,0 RL0355-ENL
76,0 x 53,0 RL0353-ENL



30,5 x 23,0 RL0356-ENL 91,5 x 68,5 RL0359-ENL
61,0 x 46,0 RL0357-ENL 127 x 84,0 RL0360-ENL
76,0 x 53,0 RL0358-ENL



30,5 x 23,0 RL0361-ENL 91,5 x 68,5 RL0364-ENL
61,0 x 46,0 RL0362-ENL 127 x 84,0 RL0365-ENL
76,0 x 53,0 RL0363-ENL



30,5 x 23,0 RL0366-ENL 91,5 x 68,5 RL0369-ENL
61,0 x 46,0 RL0367-ENL 127 x 84,0 RL0370-ENL
76,0 x 53,0 RL0368-ENL



30,5 x 23,0 RL0371-ENL 91,5 x 68,5 RL0374-ENL
61,0 x 46,0 RL0372-ENL 127 x 84,0 RL0375-ENL
76,0 x 53,0 RL0373-ENL



30,5 x 23,0 RL0376-ENL 91,5 x 68,5 RL0379-ENL
61,0 x 46,0 RL0377-ENL 127 x 84,0 RL0380-ENL
76,0 x 53,0 RL0378-ENL



30,5 x 23,0 RL0381-ENL
61,0 x 46,0 RL0382-ENL
76,0 x 53,0 RL0383-ENL
91,5 x 68,5 RL0384-ENL
127 x 84,0 RL0385-ENL



30,5 x 23,0 RL0386-ENL
61,0 x 46,0 RL0387-ENL
76,0 x 53,0 RL0388-ENL
91,5 x 68,5 RL0389-ENL
127 x 84,0 RL0390-ENL



30,5 x 23,0 RL0391-ENL
61,0 x 46,0 RL0392-ENL
76,0 x 53,0 RL0393-ENL
91,5 x 68,5 RL0394-ENL
127 x 84,0 RL0395-ENL



30,5 x 23,0 RL0396-ENL
61,0 x 46,0 RL0397-ENL
76,0 x 53,0 RL0398-ENL
91,5 x 68,5 RL0399-ENL
127 x 84,0 RL0400-ENL



30,5 x 23,0 RL0401-ENL
61,0 x 46,0 RL0402-ENL
76,0 x 53,0 RL0403-ENL
91,5 x 68,5 RL0404-ENL
127 x 84,0 RL0405-ENL



30,5 x 23,0 RL0406-ENL
61,0 x 46,0 RL0407-ENL
76,0 x 53,0 RL0408-ENL
91,5 x 68,5 RL0409-ENL
127 x 84,0 RL0410-ENL



30,5 x 23,0 RL0411-ENL
61,0 x 46,0 RL0412-ENL
76,0 x 53,0 RL0413-ENL
91,5 x 68,5 RL0414-ENL
127 x 84,0 RL0415-ENL



30,5 x 23,0 RL0416-ENL
61,0 x 46,0 RL0417-ENL
76,0 x 53,0 RL0418-ENL
91,5 x 68,5 RL0419-ENL
127 x 84,0 RL0420-ENL



30,5 x 23,0 RL0421-ENL
61,0 x 46,0 RL0422-ENL
76,0 x 53,0 RL0423-ENL
91,5 x 68,5 RL0424-ENL
127 x 84,0 RL0425-ENL



30,5 x 23,0 RL0426-ENL
61,0 x 46,0 RL0427-ENL
76,0 x 53,0 RL0428-ENL
91,5 x 68,5 RL0429-ENL
127 x 84,0 RL0430-ENL



30,5 x 23,0 RL0431-ENL
61,0 x 46,0 RL0432-ENL
76,0 x 53,0 RL0433-ENL
91,5 x 68,5 RL0434-ENL
127 x 84,0 RL0435-ENL



30,5 x 23,0 RL0436-ENL
61,0 x 46,0 RL0437-ENL
76,0 x 53,0 RL0438-ENL
91,5 x 68,5 RL0439-ENL
127 x 84,0 RL0440-ENL

ALL SIGNS ARE FULLY CUSTOMIZABLE!

Set up fee, graphics and/or proofs £20,00

Visit our comprehensive website to review the large range of products available! www.rebo.nl/webshop

RELINE DIRECTION SIGNS *All sizes are displayed in centimeters*



30,5 x 10,0 RLO441R-ENL
61,0 x 20,0 RLO442R-ENL
86,5 x 30,5 RLO443R-ENL



30,5 x 10,0 RLO444R-ENL
61,0 x 20,0 RLO445R-ENL
86,5 x 30,5 RLO446R-ENL



30,5 x 10,0 RLO447R-ENL
61,0 x 20,0 RLO448R-ENL
86,5 x 30,5 RLO449R-ENL



30,5 x 10,0 RLO450R-ENL
61,0 x 20,0 RLO451R-ENL
86,5 x 30,5 RLO452R-ENL



30,5 x 10,0 RLO456R-ENL
61,0 x 20,0 RLO457R-ENL
86,5 x 30,5 RLO458R-ENL



30,5 x 10,0 RLO441L-ENL
61,0 x 20,0 RLO442L-ENL
86,5 x 30,5 RLO443L-ENL



30,5 x 10,0 RLO444L-ENL
61,0 x 20,0 RLO445L-ENL
86,5 x 30,5 RLO446L-ENL



30,5 x 10,0 RLO447L-ENL
61,0 x 20,0 RLO448L-ENL
86,5 x 30,5 RLO449L-ENL



30,5 x 10,0 RLO450L-ENL
61,0 x 20,0 RLO451L-ENL
86,5 x 30,5 RLO452L-ENL



30,5 x 10,0 RLO456L-ENL
61,0 x 20,0 RLO457L-ENL
86,5 x 30,5 RLO458L-ENL



30,5 x 10,0 RLO441U-ENL
61,0 x 20,0 RLO442U-ENL
86,5 x 30,5 RLO443U-ENL



30,5 x 10,0 RLO444U-ENL
61,0 x 20,0 RLO445U-ENL
86,5 x 30,5 RLO446U-ENL



30,5 x 10,0 RLO447U-ENL
61,0 x 20,0 RLO448U-ENL
86,5 x 30,5 RLO449U-ENL



30,5 x 10,0 RLO450U-ENL
61,0 x 20,0 RLO451U-ENL
86,5 x 30,5 RLO452U-ENL



30,5 x 10,0 RLO456U-ENL
61,0 x 20,0 RLO457U-ENL
86,5 x 30,5 RLO458U-ENL



61,0 x 40,5 RLO459-ENL
86,5 x 66,0 RLO460-ENL



61,0 x 40,5 RLO461U-ENL
86,5 x 66,0 RLO462U-ENL



61,0 x 35,5 RLO463-ENL
86,5 x 51,0 RLO464-ENL



61,0 x 61,0 RLO465-ENL
86,5 x 86,5 RLO466-ENL



61,0 x 61,0 RLO467-ENL
86,5 x 86,5 RLO468-ENL

RELINE REVOLVING DOOR MARKINGS *All sizes are displayed in centimeters*



53,0 x 106,5 RLO651-ENL
71,0 x 142,0 RLO652-ENL
86,5 x 172,5 RLO653-ENL



53,0 x 53,0 RLO654-ENL
71,0 x 71,0 RLO655-ENL
86,5 x 86,5 RLO656-ENL





SAFETY SIGNS FOR FLOORS

ALL SIGNS ARE FULLY CUSTOMIZABLE!

*Set up fee, graphics
and/or proofs £20,00*

Sterling Price List

RELINE SIDE-STOP & HALF SIGNS *All sizes are displayed in centimeters*



18,0 x 30,5	RL0601R-ENL	18,0 x 30,5	RL0601L-ENL	18,0 x 30,5	RL0605R-ENL	18,0 x 30,5	RL0605L-ENL	15,0 x 30,5	RL0609R-ENL	15,0 x 30,5	RL0609L-ENL
35,5 x 61,0	RL0602R-ENL	35,5 x 61,0	RL0602L-ENL	35,5 x 61,0	RL0606R-ENL	35,5 x 61,0	RL0606L-ENL	30,5 x 61,0	RL0610R-ENL	30,5 x 61,0	RL0610L-ENL
43,0 x 76,0	RL0603R-ENL	43,0 x 76,0	RL0603L-ENL	43,0 x 76,0	RL0607R-ENL	43,0 x 76,0	RL0607L-ENL	43,0 x 76,0	RL0611R-ENL	43,0 x 76,0	RL0611L-ENL
81,0 x 152	RL0604R-ENL	86,5 x 152	RL0604L-ENL	86,5 x 152	RL0608R-ENL	86,5 x 152	RL0608L-ENL	86,5 x 152	RL0612R-ENL	86,5 x 152	RL0612L-ENL



15,0 x 30,5	RL0613R-ENL	15,0 x 30,5	RL0613L-ENL	15,0 x 30,5	RL0617R-ENL	15,0 x 30,5	RL06017L-ENL	15,0 x 30,5	RL0621R-ENL	15,0 x 30,5	RL0621L-ENL
30,5 x 61,0	RL0614R-ENL	30,5 x 61,0	RL0614L-ENL	30,5 x 61,0	RL0618R-ENL	30,5 x 61,0	RL0618L-ENL	30,5 x 61,0	RL0622R-ENL	30,5 x 61,0	RL0622L-ENL
43,0 x 76,0	RL0615R-ENL	43,0 x 76,0	RL0615L-ENL	43,0 x 76,0	RL0619R-ENL	43,0 x 76,0	RL0619L-ENL	43,0 x 76,0	RL0623R-ENL	43,0 x 76,0	RL0623L-ENL
81,0 x 152	RL0616R-ENL	81,0 x 152	RL0616L-ENL	81,0 x 152	RL0620R-ENL	81,0 x 152	RL0620L-ENL	81,0 x 152	RL0624R-ENL	81,0 x 152	RL0624L-ENL

RELINE LOCK-OUT/TAG-OUT SIGNS *All sizes are displayed in centimeters*





30,5 x 23,0 RL2001-ENL
61,0 x 46,0 RL2002-ENL
76,0 x 53,0 RL2003-ENL
91,5 x 68,5 RL2004-ENL
127 x 84,0 RL2005-ENL

30,5 x 23,0 RL2006-ENL
61,0 x 46,0 RL2007-ENL
76,0 x 53,0 RL2008-ENL
91,5 x 68,5 RL2009-ENL
127 x 84,0 RL2010-ENL

30,5 x 23,0 RL2011-ENL
61,0 x 46,0 RL2012-ENL
76,0 x 53,0 RL2013-ENL
91,5 x 68,5 RL2014-ENL
127 x 84,0 RL2015-ENL

30,5 x 23,0 RL2016-ENL
61,0 x 46,0 RL2017-ENL
76,0 x 53,0 RL2018-ENL
91,5 x 68,5 RL2019-ENL
127 x 84,0 RL2020-ENL

30,5 x 23,0 RL2021-ENL
61,0 x 46,0 RL2022-ENL
76,0 x 53,0 RL2023-ENL
91,5 x 68,5 RL2024-ENL
127 x 84,0 RL2025-ENL



30,5 x 23,0 RL2026-ENL
61,0 x 46,0 RL2027-ENL
76,0 x 53,0 RL2028-ENL
91,5 x 68,5 RL2029-ENL
127 x 84,0 RL2030-ENL

30,5 x 23,0 RL2031-ENL
61,0 x 46,0 RL2032-ENL
76,0 x 53,0 RL2033-ENL
91,5 x 68,5 RL2034-ENL
127 x 84,0 RL2035-ENL

30,5 x 23,0 RL2036-ENL
61,0 x 46,0 RL2037-ENL
76,0 x 53,0 RL2038-ENL
91,5 x 68,5 RL2039-ENL
127 x 84,0 RL2040-ENL

30,5 x 23,0 RL2041-ENL
61,0 x 46,0 RL2042-ENL
76,0 x 53,0 RL2043-ENL
91,5 x 68,5 RL2044-ENL
127 x 84,0 RL2045-ENL

30,5 x 23,0 RL2046-ENL
61,0 x 46,0 RL2047-ENL
76,0 x 53,0 RL2048-ENL
91,5 x 68,5 RL2049-ENL
127 x 84,0 RL2050-ENL

All signs are also available as magnetic signs (+25%)

RE-LINE BARCODES

RE-LINE barcodes are always sharp and extremely legible, giving positive scanner reads every time. In combination with our durable materials, our bar codes are perfect for long term applications.

8,8 x 14,0cm

8,8 x 19,0cm

8,8 x 24,0cm

10,0 x 15,0cm



RELINE REGLO

All ReLINE signs are also available in a **"glow in the dark"** version, REGLO. The ReLINE REGLO series is ideal for indicating **evacuation routes**, **emergency equipment** and / or **exit marking** for employees during power outages.

Using REGLO provides a **safer work environment** and complies with all current EU and International standards.

Interested? Ask us about the range available!

Send an email to: info@rebo.nl
Or call us: **+31 - (0)35 601 69 41**



RELINE: A DURABLE FLOOR MARKING FOR EVERY INDUSTRY!

ReLINE floor markings and signs **can be fully customized** - you choose the colour, symbols, logo and texts. All floor marking is **extremely durable**, designed to **with stand forklift traffic** and has a **two year guarantee** as standard.



ReLINE FLOOR MARKING IS A PRODUCT FROM:



Rebo Systems has over 35 years experience in delivering **Industrial Sign and Labelling solutions**. We have extensive experience in the needs of:


- Facility Managements
- Chemical Industries
- Health and Safety
- Logistics
- Manufacturing
- Process Industries
- Maintenance
- 5S and LEAN
- Oil and Gas



Rebo's long standing experience and market knowledge means we offer our customers the best solution for their needs.... backed by excellent service, a friendly smile and a 'can do' attitude.

**You can order all of the ReLINE products
at our webshop!**

www.Rebo.nl/webshop



Or scan this code



Providing a safer work environment



Rebo B.V.
Beckeringsstraat 21
3762 EV Soest (NL)

+31 (0)35 60 169 41
@ info@rebo.nl
www.rebosystems.com

