PROJECT TITLE * WESLEY'S OLD METHODIST CHURCH, CHURCH STREET, WOLVERTON MK12 5JN

CLIENT KINGS CHURCH - MK (PASTORS: ANDY & SHAARON FORBES).

P R O P O S E D.

PLANNING / LISTED BUILDING DOCUMENT
BASED ON INFORMATION BY OTHERS

S E C T I O N A-A



REPLACE EXISTING ELECTRICS WHERE POSSIBLE FOLLOW EXISTING SERVICE RUNS.
NEW SKIRTING DETAIL TO INCORPORATE 30X15MM, D LINE TRUNKING SEMI CIRCULAR PROFILE INCORPORATED IN TRADITION O GEE SKIRTING DETAIL.

PROPOSED FIRE DETECTION SEE SPECIALISTS REPOT 5/4/2013 BY H.A.S.A LTD
FIRE ALARM SYSTEM TO BS5839: PTI: CATEGORY L1

HEATING AND VENTILATION DETAILS PROVIDED BY MECHANICAL SERVICES LEC LTD

AISLE / HALL CIRCULATION ROUTE
20MM WOODBLOCK FLOOR
ON DIMPLE MEMBRANE ON
SCREED MIN 65MM (MESH REINFORCED)
ADJUST FOR LEVEL THRESHOLD BETWEEN FLOOR FINISHES
ON POLYTHENE ON 50MM CELOTEX INSULATION
ON 1200 GAUGE DAMP PROOF MEMBRANE
0N 150 BEAM AND BLOCK FLOOR
225MM MIN VOID BELOW SUSPENDED FLOOR
EXPANSION JOINTS TO S.E. DETAILS

MAIN HALL FLOOR CONSTRUCTION
20MM ENGINEERED BOARD
ON DIMPLED MEMBRANE ON
SCREED MIN 65MM (MESH REINFORCED) INCORPORATE UNDER FLOOR HEATING PIPES
ADJUST FOR LEVEL THRESHOLD BETWEEN FLOOR FINISHES
ON POLYTHENE ON 50 MM CELOTEX INSULATION
ON 1200 GAUGE DAMP PROOF MEMBRANE
0N 150 BEAM AND BLOCK FLOOR
225MM MIN VOID BELOW SUSPENDED FLOOR
EXPANSION JOINTS TO S.E. DETAILS

AISLE / HALL CIRCULATION ROUTE
20MM WOODBLOCK FLOOR
ON DIMPLE MEMBRANE ON
SCREED MIN 65MM (MESH REINFORCED)
ADJUST FOR LEVEL THRESHOLD BETWEEN FLOOR FINISHES
ON POLYTHENE ON 50MM CELOTEX INSULATION
ON 1200 GAUGE DAMP PROOF MEMBRANE
0N 150 BEAM AND BLOCK FLOOR
225MM MIN VOID BELOW SUSPENDED FLOOR
EXPANSION JOINTS TO S.E. DETAILS

WELFARE BLOCK
20MM HEAVY DUTY NON SLIP VINYL FLOORING CHECK MANUFACTURERS DETAILS FOR COMPATIBILITY WITH UNDER FLOOR HEATING
ON DIMPLED MEMBRANE ON
SCREED MIN 65MM (MESH REINFORCED) INCORPORATE UNDER FLOOR HEATING PIPES
ADJUST FOR LEVEL THRESHOLD BETWEEN FLOOR FINISHES
ON POLYTHENE ON 50MM CELOTEX INSULATION
ON 1200 GAUGE DAMP PROOF MEMBRANE
0N 150 BEAM AND BLOCK FLOOR
225MM MIN VOID BELOW SUSPENDED FLOOR
EXPANSION JOINTS TO S.E. DETAILS

DATUM LINE 78.00M

SCALE BAR 3M @ 1.50

WALKER ASSOCIATES ARCHITECTS.

ADDRESS GODFREY HOUSE NO 17 CHURCH STREET WEEDON NORTHANTS NN7 4PL
TEL / FAX 01327 340 310 MOBILE 0797 985 4896. E-mail walkerarchitects@hotmail.co.uk

CHARTERED ARCHITECT LYNNE WALKER B.A.HONS.DIP ARCH.RIBA.

THIS DRAWING IS COPY RIGHT AND MUST NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION FROM WALKER ASSOCIATE ARCHITECTS.
DO NOT SCALE ALL DIMENSIONS SHOULD BE CHECKED PRIOR TO THE COMMENCEMENT OF WORKS AND ANY DISCREPANCIES REFERRED TO THE ARCHITECT IMMEDIATELY.

SCALE 1/50
DETAIL. PROPOSED SECTION A-A
JOB NUMBER 3003 / LB6