

## WK - INFECTION CONTROL POLICY

### **INTRODUCTION**

The broad definition of infection is the invasion of tissue by pathogenic organisms. Infections generally result from a combination of factors, including:

- the presence of micro-organisms
- a compromised or weakened status of the host and
- the chain of transmission of the micro-organism.

Bacteria, viruses, and other organisms that can cause human disease may be found wherever people live and work.

This policy is designed to be consistent with Wonder Kidz's health and safety framework. Its objective is to identify the requirements of infection prevention and control and develop safe work practices based on risk management procedures. Therefore, the risks associated with infections in the workplace will be addressed via a risk management approach.

However, this policy is also designed to support any advice or directions from government health authorities. Therefore, no part of this policy, either stated or implied, is intended to compromise any public health advice or recommendations that may be issued occasionally and may require additional controls to be implemented.

### **IDENTIFYING INFECTION TRANSMISSION HAZARDS**

Various routes transmit micro-organisms, and multiple paths may transmit the same infective agent. There are several main routes of transmission:

- Blood-borne transmission through sharp tools or contact with cuts or scratches.
- Direct contact through person-to-person contacts or via contaminated articles or equipment.
- droplet transmission, such as through sneezing, coughing, or talking.
- airborne transmission through microscopic droplets or dust particles
- gastrointestinal infection through contaminated food or fluid or via an infected food handler, and/or
- vector-borne infections transmitted by carrier insects or animals such as mosquitoes, flies, or rats.

The source of infection may be Childs/customers, staff or visitors, and the person may either be acutely ill or in the incubation (window) period of a disease. They may be chronic carriers or colonised with the infective agent but have no apparent illness.

Contaminated items in the environment, including surfaces, equipment, or food, are other possible sources of infection.

The ability to resist infection varies depending on age and underlying medical conditions. Other factors, such as nutritional status or drug therapy, may also reduce a person's immunity, making them more susceptible to infection.

Persons recently exposed to trauma or recently undergone surgery or invasive therapeutic and/or diagnostic procedures will also be more susceptible to infection.

### **ASSESSING INFECTION TRANSMISSION HAZARDS**

As part of the risk management approach, Wonder Kidz must ensure that the team and Children at the workplace are not exposed to any infections as reasonably practicable.

Given the nature of our work, it is safe to assume that any infection brought into the workplace will pose a risk of injury to persons at the workplace. When approaching a task or duty, consideration must be given to the potential pathological agents involved, the transmission paths of the agents and who may potentially be at risk. The overall risk can then be analysed and assessed based on the following:

- What are the aspects of the task or procedure that facilitate transmission of infection?
- What existing controls are in place?
- What is the likelihood of transmission?
- What are the likely consequences of transmission?
- What factors will increase or decrease the risk of transmission?

### **CONTROLLING INFECTION TRANSMISSION HAZARDS**

Wonder Kidz will ensure, as far as reasonably practicable, that the risks associated with infections in the workplace are controlled. The process of controlling exposure to infection transmission risks will be determined in consultation with all personnel in the workplace who are required to carry out the task and will include:

- The development of infection control principles
- The development of administrative requirements designed to minimise the risk of infection transmission.

- The development of effective work practices and procedures
- Ensuring that all staff required to undertake a task that may potentially expose them to infection through their work have enough training, skills, knowledge, level of competence and education and/or qualifications to undertake the task and
- A regular review of our policies and procedures.

Suppose exposure to infections within the workplace has been assessed as a risk, consistent with national and international requirements. Wonder Kidz will adopt a three-level approach to infection control precautions in that case.

The three-level approach involves:

- Level 1 – General: Infection control procedures for the prevention or minimisation of transmission for all persons at a workplace
- Level 2 – Standard: infection control procedures for persons who may encounter blood and/or bodily fluids, such as first aid persons and
- Level 3 – Transmission-based precautions: provides high protection to all persons at the workplace following identification of a positive transmission and assumes that Level 1 and Level 2 controls are in place.

### **Level 1 Controls – General**

Infectious agents can be spread in a variety of ways, including:

- Breathing in airborne germs – coughs and sneezes release airborne pathogens inhaled by others.
- touching contaminated objects or eating contaminated food
- Skin-to-skin contact – transfer of some pathogens can occur through touch or by sharing objects and
- Contact with body fluids – pathogens in saliva, urine, faeces, or blood can be passed on via cuts or through the mucus membranes of the mouth and eyes.

The first level relates to general procedures designed to eliminate or minimise the risk of infection transmission. These infection control procedures will involve good personal and environmental hygiene, including:

- Regular hand hygiene such as handwashing or hand constant rubbing – washing hands with water and soap for at least 20 seconds or using alcohol-based hand sanitiser can prevent the spread of many pathogens, especially after visiting the toilet, before and after preparing food, and after

touching Childs/customers or equipment. Wet hands will be dried with a single-use use paper towel.

- Routine environmental cleaning and disinfection, including high contact points such as door handles, lift buttons, telephone equipment, and high traffic areas such as reception areas.
- Promoting respiratory hygiene and cough etiquette, such as covering the nose and mouth with the crook of the elbow or tissue when coughing or sneezing and disposing of tissue in a closed bin.
- Any cuts or open wounds will be appropriately treated and covered with a waterproof dressing.
- Appropriate waste bins will be provided to dispose of contaminated tissues and other dirty items and
- Appropriate use of PPE, such as gloves, when undertaking cleaning and disinfection procedures. PPE and training on its use will be provided to all personnel in the workplace following the manufacturer's guidelines and Australian and New Zealand Standards. PPE will be removed before leaving the work areas where the cleaning and disinfection occur. Controls – Standard health procedures.

The second level of control is referred to as 'standard precautions. It will be applied to all persons at the workplace, Children/staff, or visitors regardless of their diagnosis or presumed infection status wherever there is potential contact with:

- blood
- Body fluids, secretions, and excretions (except sweat)
- non-intact skin, or
- mucous membranes, including eyes.

Standard precautions will involve the use of safe work practices and protective barriers, including:

- hand hygiene
- Routine environmental cleaning
- managing spills
- waste management
- The safe use and disposal of sharps
- Decontamination of equipment
- Appropriate use of gloves

- Appropriate use of facial protection/masks
- Use of protective clothing
- Appropriate device handling
- Appropriate handling of any laundry items and/or protective clothing and
- Incorporation of respiratory hygiene and cough etiquette.

### **Level 3 Controls – Transmission-based precautions.**

Additional control measures will be initiated where persons are known or suspected to be infected with pathogens. These precautions are in addition to the general and standard precautions and are called Level 3 or 'transmission-based precautions' (TBPs). **Transmission-based precautions (TBPs)** are used in addition to standard precautions when standard precautions alone may be insufficient to prevent transmission of infection.

The three types of additional precautions are:

- **Airborne precautions** must be applied where the infected patient is known or suspected to be infected with pathogens that an airborne route can transmit, e.g., Aspergillus, Legionella, Pulmonary tuberculosis, Chickenpox, Measles and Coronaviruses. These will include isolation of the infected person and, in the case of a Coronavirus exposure, use of a type P2 or N95 mask that meets the requirements of Australian and New Zealand Standard, *AS/NZS 1716:2012 Respiratory Protection Devices*
- **Droplet precautions** must be applied where the person is known or suspected of being infected with pathogens that can be transmitted by droplet route, e.g., Influenza, Bordetella pertussis (whooping cough), Rubella, Listeria, E. coli, Salmonella and Coronaviruses. These will include isolation of the infected person, maintaining a separation distance of at least one and a half meters, the use of protective gloves and eyewear and the initiation of room cleaning protocols, and
- **Contact precautions** designed to reduce the risk of transmission of micro-organisms by direct or indirect contact, e.g., viral Gastroenteritis, Clostridium difficile, Methicillin-resistant Staphylococcus aureus (also known as MRSA or staph) and Coronaviruses. These will include additional precautions to eliminate contamination of environmental surfaces and equipment by protective gloves and the implementation of other room cleaning protocols.

TBPs must be tailored to the infectious agent and transmission mode, including cleaning protocols and procedures. To minimise the exposure time of other people in office/retail-based settings or more industrial environments, people identified as at risk of transmitting droplet or airborne diseases (for example, a person

with suspected Coronavirus exposure) should be attended to immediately and placed into appropriate transmission-based precautions to prevent further spread of the disease.

### **ENVIRONMENTAL CLEANING**

Environmental cleaning refers to the appropriate cleaning of surfaces found in the workplace. Deposits of dust, soil and microbes on surfaces are a potential source of associated infections. The following basic principles should be followed:

- Written cleaning protocols should be prepared, including methods and frequency of cleaning.
- Cleaning procedures must be commensurate with the level of risk and tailored accordingly.
- Standard precautions (including wearing personal protective equipment (PPE), as applicable) must be implemented when cleaning surfaces and facilities.
- Cleaning methods should avoid the generation of aerosols.
- All cleaning items should be changed after each use and cleaned and dried before being used again. They should also be changed immediately after cleaning blood or body fluid/substance spills. Single-use cleaning items are preferred, where possible, such as lint-free cleaning cloths
- Spray should not be used because it can become contaminated and is difficult to clean. Sprays are ineffective, as they do not touch all parts of the surface to be cleaned.
- Detergents should not be mixed with other chemicals and
- All cleaning solutions should be prepared fresh before use.

Wonder Kidz will ensure that a person is identified and nominated as responsible for implementing, managing, and evaluating the cleaning service provided.

### **MANAGING SPILLS OF BLOOD, BODY FLUIDS AND SUBSTANCES**

Wonder Kidz will ensure procedures are in place for dealing with blood, bodily fluids, and substance spills. Cleaning protocols should be included alongside safe work procedures and emphasised in ongoing training.

The basic principles of blood and body fluid/substance spill management are:

- Standard precautions should apply, including using PPE, as applicable.

- spills should be cleared up before the area is cleaned (adding cleaning liquids to spills increases the spill's size and should be avoided), and
- generation of aerosols from spilled material should be avoided.

The management of spills should be flexible enough to cope with different types of spills whilst also considering the following factors:

- The nature (type) of the spill, for example, chemical substances, sputum, vomit, faeces, urine, or blood
- The pathogens most likely to be involved in these different spills – for example, stool samples may contain viruses, bacteria, or protozoan pathogens, whereas sputum may contain *Mycobacterium tuberculosis*.
- The size of the spill – for example, spot (few drops), small (<10cm) or large (>10cm)
- The type of surface – for example, carpet or impervious flooring
- the location involved – that is, whether the spill occurs in a contained area (such as an office), in a public place or within a community premises, and
- whether bare skin will likely contact the soiled (contaminated) surface.

#### **i) Cleaning spills – equipment**

Standard cleaning equipment, including a mop, cleaning bucket and cleaning agents, should be readily available for spill management. It should also be stored in an area known to all staff.

To help manage spills in areas where cleaning materials may not be readily available, a disposable 'spills kit' could be used, containing a large (20 L) reusable plastic container or bucket with a fitted lid containing the following items:

- Appropriate leak-proof biohazard bags and containers for disposal of waste material
- A designated, sturdy scraper and pan for spills.
- Absorbent mats and paper
- Approximately five sachets of a granular formulation containing 10,000ppm available chlorine or equivalent (each sachet should contain sufficient granules to cover a 10cm diameter spill)
- Disposable rubber gloves suitable for cleaning
- eye protection (disposable or reusable)
- Plastic apron, and

- A respiratory protection device for protection against inhalation of powder from the disinfectant granules or aerosols (which may be generated from high-risk spills during the cleaning process).

Single-use items in the spill kit should be replaced after each use of the spill kit. With all spill management protocols, the affected area must be left clean and dry before site use.

## **ii)Cleaning spills – procedures**

Care should be taken to thoroughly clean and dry areas where there is any possibility of bare skin contact with the surface.

PPE should be used for all cleaning procedures and disposed of or sent for cleaning afterwards. Hands should be washed and dried after cleaning.

Where a spill occurs on a carpet, shampoo as soon as possible, do not use disinfectant. Steam cleaning may be used instead.

Wash hands thoroughly after cleaning is completed.

## **iii)Cleaning spots or small spills**

Spots, drops of substances, or other small spills (up to 10cm) can easily be managed by wiping the area immediately with paper towels, cleaning it with warm water and detergent, and rinsing and drying it. Dry the area, as wet areas attract contaminants.

## **iv)Cleaning large spills**

Where large spills (more than 10cm) have occurred in a 'wet' area, such as a bathroom or toilet area, the spill should be carefully washed off into the sewerage system using copious amounts of water and the area flushed with warm water and detergent.

Large spills in 'dry' areas should be contained, and the generation of aerosols should be avoided.

Granular formulations that produce high available chlorine concentrations can contain the spilled material and help prevent aerosols. A scraper and pan should be used to remove the absorbed material. The spill area should then be cleaned with a mop and a bucket of warm water and detergent. The bucket and mop should be thoroughly cleaned after use and stored dry.

## **WASTE DISPOSAL**

Wonder Kidz will ensure that procedures are in place for correctly managing all waste generated and that they comply with regulations and guidelines administered by other Government agencies, e.g., Environmental Protection Agencies and Local Government Ordinances.

All waste should be stored in secure areas until collected. Trash should be removed daily and frequently from workplaces, such as specialised areas. Waste bags should be tied before removing from the area.

### **i)General waste disposal**

Place in the general waste bin for removal.

### **ii)Biohazard waste disposal**

Place in biohazard bags as soon as possible. Biohazard bags have a biohazard symbol and are currently coloured yellow.

## **MEDICAL/OTHER CONDITIONS**

Due to the potential hazards associated with this workplace, such as possible exposure to pathogens and infection, persons working at the workplace are required to disclose any medical condition or disability that may affect their capacity to participate in specific work activities that may impact their health and safety or the health and safety of others.

Suppose a Support staff becomes aware of any condition or impairment (temporary or otherwise) that may affect their capacity to participate safely in work activities or activities related to their work. In that case, they should immediately advise management as soon as practicable so that a suitable and applicable risk assessment can be undertaken.

All discussions will be strictly confidential, following Wonder Kidz's privacy policy. Any medical information disclosed will be used only for the purpose for which it was collected and will not be disclosed to other parties unless permitted by law, without the consent of the person making the disclosure.

## **DEALING WITH COVID-19 IN THE WORKPLACE**

COVID-19 spreads through respiratory droplets produced when an infected person coughs or sneezes. A person can acquire the virus by touching a surface or object that has the virus on it and then touching their mouth, nose, or eyes.

### **i)Cleaning and disinfection**

The best way to protect all persons in the workplace from the risk of exposure to COVID-19 is by implementing appropriate cleaning and disinfecting measures for the workplace. Combining cleaning and disinfection will be the most effective method in eliminating or spreading the COVID-19 virus in the workplace.

The workplace should be cleaned at least once a day. More frequent cleaning may be required in some circumstances. If equipment is shared between persons, it should be cleaned between uses, where practicable.

Cleaning is to be performed using detergent and water, and surfaces should be disinfected once cleaned. This would include any time there has been an instance or suspected case of COVID-19 in the workplace or where any persons are likely to touch a surface.

### **ii)Hygiene**

Good hygiene is necessary to stop the spread. Therefore, each Support staff must:

- Frequently wash their hands with soap for at least 20 seconds or use a hand sanitiser with greater than 60% ethanol or 70% isopropanol before and after eating and going to the toilets.
- Limit contact with others, including shaking hands.
- Stop touching their eyes, nose and face when their hands are not washed.
- Cover their mouth while coughing and sneezing with a clean tissue or elbow and
- Put used tissues straight into the bin.

Wonder Kidz will ensure that adequate hand-washing soap dispensers, sanitisers and tissue paper are readily available to all persons in the workplace.

### **iii)Self-isolation**

If Support staff suspect that they have contracted COVID-19 or have been in the presence of someone infected by COVID-19, they must isolate themselves (self-quarantine) and advise their manager immediately. This will be followed by contacting their doctor or the nearest hospital until a more thorough examination occurs.

## SUPPORT STAFF RESPONSIBILITIES

- To ensure overall success in controlling the risks related to infections at this workplace, persons working in Wonder Kidz must be able to implement the established infection control measures and follow the protocols that have been developed. To this end, Wonder Kidz will ensure that they:
  - have been trained and deemed competent by Wonder Kidz in the infection control protocols of this workplace before undertaking any work where they may come into direct contact with children/customers or members of the public, waste from their respective tasks and equipment, instruments or apparatus used.
  - Have enough training, skills, knowledge, level of competence and qualifications required to undertake any task that may potentially expose them to the risk of infection at work or undertaking work-related activities.
  - Have enough skills and training to effectively use all PPE required by Wonder Kidz to eliminate or minimise the risk of infection to themselves or others at work.
  - Follow any reasonable instruction by Wonder Kidz to eliminate or minimise the infection to themselves or others at work, including the mandatory use of PPE when and where required.
  - Actively participate in the development and review of Wonder Kidz's infection control protocols and procedures
  - actively participate in developing and reviewing Wonder Kidz's administrative requirements designed to minimise the risk of infection transmission at work.
  - will advise management immediately when they become aware of any potential exposure to infection to themselves or others at work during their work.
  - Do not undertake any activity, action or inaction that may knowingly place themselves or others at work at risk of exposure to an infection and
  - will advise management immediately when they become aware of contracting any illness or disease or having become aware of any condition, disability, or impairment (temporary or otherwise) that may potentially affect their capacity to participate in specific work activities or where specific work activities may further impact upon their health, safety or welfare or the health and safety of others at work.

Version control Date: 30. Feb.2021

Revision1: 15. Aug.2023

To be reviewed: Aug.2025