



AeroPure SFS

Sanitizing Filtration System By Filtropur



Owners Manual

Return your Warranty Registration card today to ensure you receive all the benefits you are entitled to.

Once your AeroPure purchase is registered, you are eligible to receive all the privileges of owning an AeroPure product. Complete and return the Warranty Registration card enclosed with your purchase at once, and take advantage of these important benefits.

For more information on our Renewable Lifetime Limited Warranty, please see last page of this manual and the enclosed warranty card.

- ◇ **Warranty Verification:** Registering your product within 10 days confirms your right to maximum protection under the terms and conditions of your AeroPure Limited Warranty.
- ◇ **Owner Confirmation:** Your completed Warranty Registration Card serves as verification of ownership in the event of product theft or loss.
- ◇ **Model Registration:** Returning your Warranty Registration Card right away guarantees you will receive all the information and special offers entitled to you as the owner of a AeroPure SFS 10600-02 series model.

Table of Contents:	
Safety Precautions	1
Diagram of Unit	2
Operating the Unit	3
Basic Maintenance	4-5
Filter Instructions	6
Shipping the Unit	7
Troubleshooting	8
Warranty	9
For your Records	10

Please Note

Your AeroPure SFS Air Cleaner has been carefully packaged to avoid damage in shipping and storage. **It is important to retain this packaging for possible future use.**

Please inspect your unit to insure that you receive the product free of any visible signs of damage. If you detect any damage, you should file a claim with the shipping company or carrier within 15 days of receipt.

The AeroPure SFS Air Cleaner is designed for “plug and go” operation and comes complete, ready for use. Simply follow the instructions for set up contained in this owner’s manual.

To receive maximum benefit from the AeroPure SFS Air Cleaner, we recommend replacing the SFS main filter every 12 months, the Carbon Post Filter and bottom Carbon Pre-filter every 3 months. **By replacing the SFS main filter you extend or renew your warranty another year.**

Important Safety Precautions

Please read all instructions before operating your air purifier. Basic precautions should always be observed when using electric appliances to reduce the risk of fire, shock and injury.

Observe the following general precautions to insure effective, safe and trouble-free operation of your AeroPure SFS Air Cleaner.


Warning: This air cleaner must be plugged into a 120 Volt, AC earth grounded outlet. Do not use this air cleaner with a wall outlet adapter. **Do not operate this air cleaner with an extension cord.**

1. **Plug the unit DIRECTLY** into an earth grounded standard 120 volt, AC electrical outlet. Insert the plug into the outlet fully. The plug is a polarized line plug (one blade is wider than the other) and can only be inserted one way as a safety feature.
2. **Place the unit on a flat and level surface** to allow continuous airflow to the bottom intake and out the top outlet gull.
3. **Always unplug the air cleaner** before moving it, opening the top lid, changing the post filter, main filter or before cleaning.

(Be sure to clean only with a dry, non-static cloth.)
4. **Do not place any foreign objects inside the unit** because electric shock and injury could result.
5. **Do not use the unit if any part is missing** or damaged in any way.
6. **Do not run the power cord under carpeting or near heaters, registers, radiators, stoves or fireplaces.** To avoid a tripping hazard, keep the power cord away from traffic areas.
7. **Never operate the air cleaner in areas where combustible gases** or vapors are present or any other flammable materials.
8. **Never immerse the unit in water or other liquids**, spray the air cleaner with liquids or clean the air cleaner under running water.
9. **The air cleaner is designed for indoors**, do not use this air cleaner outdoors.
10. **Do not operate this unit with a damaged cord or plug**, or after the unit malfunctions or has been damaged in any manner.

Call AeroPure Customer Service at 1-800-281-6242 for servicing instructions.
11. **This unit is designed for residential use only. Do not use in industrial or severe commercial applications.**
12. **A short power supply cord is provided** to reduce the risk resulting from becoming entangled in or tripping over a long cord. Do not use extension cords with this unit.

WARNING: To prevent fire or shock hazard, do not expose this unit to rain or moisture



2. **AeroPure's patented SFS Filtration System** The top of the line in clean air filtration.

Where to Place the Air Cleaner

The 10600-02 Series SFS Air Cleaner is designed as a portable floor model. **Place the air cleaner anywhere in the room; being careful not to block air from “entering” the intake grill, or “exiting” the top grill cover.** Do not place the air cleaner where drapes or other objects block airflow. For best performance, it is recommended to place the air cleaner at a reasonable distance from walls and heat source.

Air Cleaner Operation

After removing the protective plastic from the unit – plug the unit into a standard 120 volt earth grounded AC circuit and turn the On/Off button on the control panel. The control panel lights should be illuminated as follows:

On/Off - green light is ON

Main Filter - green light is ON

Bio- Monitor - green light is ON

The AeroPure indicator light system is an all “green” system. When the unit is operating properly, both indicator lights will be “green”.

Main Filter Light

When the Main Filter is operating at full efficiency, the green light is always ON. When the light goes OFF, this is your indication to “replace” the Main Filter. The average life expectancy of the Main Filter is 12 months. See Main Filter replacement instructions.

Bio Monitor Light

Green light ON indicates that airborne microorganisms are continuously being captured in the SFS Filtration System. If the light goes OFF, microorganism capture has been interrupted. Immediately turn off the unit and unplug it from the outlet. Call AeroPure customer service at 1-800-281-6242 for servicing instructions.

Cleaning the Unit

Before cleaning the unit, shut the air cleaner OFF and unplug it from the outlet. Clean exterior surfaces only with a soft cloth dampened with water. Do not use abrasive cleaners. Do not spray the unit with any liquid cleaner. Very gently wipe off the ionization wires (located directly below main filter) inside the unit with a dry, static-free cloth being careful not to put any tension or pressure on the wires.

Filter Replacement

SFS Main Filter—Replace every 12 months for maximum decontamination.

Post Filter—Replace at least every 3 months. This insures continued control of household odors.

Pre-filter—Replace every 3 months for consistent particulate collection and chemical reduction.


Ordering Replacement Filters

For ordering replacement filters directly from your AeroPure Authorized Dealer, call our Customer Service Department for contact information or to locate your closest authorized AeroPure dealer at **1-800-281-6242**. 3.


SFS AIR CLEANER

BASIC OPERATION/MAINTENANCE TIPS

1. Review enclosed owner's manual. Complete and mail in warranty card.
2. Maintenance on the machine should be performed when the unit is unplugged.
3. Remove carbon pre and post filters from shipping bag and install per directions on page 4 of the owner's manual. Pre and post filters should be replaced every 3 to 6 months.



4. Regularly vacuum around the lower outside of the pre-filter area.



4.


NOTE:

If the bio-light is out, the unit needs to be cleaned. Use the following cleaning instructions. The bio-light will reset when the unit is restarted


SFS AIR CLEANER

BASIC OPERATION/MAINTENANCE TIPS

5. Every 30 to 60 days remove the main filter by removing the top lid and main filter and vacuum the filter area and the unit chamber thoroughly.



6. While main filter is removed, clean the thin wires located just below the filter frame with a pipe cleaner that is included in your carbon filter package or a soft cloth. This is especially important if there is a buzzing or crackling sound when the unit is operating. Clean the white oxidation off the thin wires.




7. Re-install the main filter on the grid with the hole on the side of the cartridge aligned with the pin or the grid so the pin goes through the hole. Press down on the cartridge. Turn the clamps to the locking position. If there is any resistance to turning the locking clamps the cartridge is not properly installed on the grid.
8. Run the air cleaner on high for 10-15 minutes to capture any particles in the cartridge that may have been loosened by cleaning.
9. For more instruction or information call



1.800.281.6242 or email us at consumerrelations@filtropur.net




Post Filter Installation Instructions



1. Turn the air cleaner off and unplug from the power outlet.
2. To access post filter, release latch, open and raise lid. (Fig. A) Separate lid from the air purifier. Turn over to reveal inside of lid.
3. Remove the post filter by pulling it from the inside rim of the lid and discard. (Fig. B)
4. Carefully place new post filter in the lid. Press filter under the five tabs in the rim of the lid to secure in place. (Fig. C)
5. Replace the lid by matching the front tab to the catch below the control panel buttons, and press down gently until rear latch engages. Plug air cleaner into power outlet and turn on.

SFS Main Filter Installation Instructions

When the green Main Filter indicator light goes OFF, it is time to replace the SFS Main Filter. The average life expectancy of the SFS Main Filter is 12 months.



1. Turn the air cleaner off and unplug from power outlet.
2. To access SFS Main Filter, release latch, open and raise lid. (Fig. A) Separate lid from the air cleaner and set aside.
3. To release SFS Main Filter, move both gray handles toward front of air cleaner. (Fig. B)
4. To remove SFS Main Filter, lift filter from the internal chamber. (Fig. C)
5. To load SFS Main Filter, align hole in filter tab with brass pin. Press filter down. To lock filter in place, move both gray handles in toward the center of the filter as shown. (Fig. D)
6. Replace lid and latch. Plug air cleaner into power outlet and turn on.
Note: The proper filter must be used and loaded correctly or air cleaner will not turn on.

For additional instructions please call Customer Service at 1-800-281-6242

Carbon Pre-Filter Installation Instructions:

1. Turn the air cleaner off and unplug from outlet.
 2. To remove pre-filter located near base of the unit, gently pull end to unwrap and discard.
 3. Carefully wrap new Carbon Pre-filter around base snugly.
- 6.

Instructions on how to properly package the AeroPure SFS- Sanitizing Filtration System for shipment.

1. Place Styrofoam in bottom of box that says **BOTTOM FRONT**.
2. Place Cardboard Triangles in each corner
3. Place unit in box.
4. Place Styrofoam on top of the unit in the box and see where the Styrofoam notes **TOP FRONT**.
5. Close the lid, tape box closed for shipping, and put label on box.
6. Ensure **RMA FORM IS IN THE BOX AND/OR RMA NUMBER IS WRITTEN ON BOX OR LABEL**.

ATTENTION!!!!

DUE TO THE POSSIBILITY OF FURTHER DAMAGE TO YOUR UNIT WHICH MAY OCCUR IN SHIPPING IT IS EXTREMELY IMPORTANT TO PLACE THE STYROFOAM AND CARDBOARD TRIANGLES IN THEIR CORRECT POSITIONS ACCORDING TO THE DIRECTIONS!

Trouble Shooting Guide

Symptom	Check/Remedy
Unit will not turn ON	<ul style="list-style-type: none"> •Is the unit plugged into a "working" 120 Volt, AC, earth grounded outlet? •Is the units top cover in place, and snapped shut? •Is the Main Filter locked in place, with the Main Filter Locking Handles facing toward the center of the unit?
Unit will still not turn ON	<ul style="list-style-type: none"> •Call AeroPure Customer Service
Unit is ON, But no speed change	<ul style="list-style-type: none"> •Call AeroPure Customer Service
Unit runs, but power light is OFF	<ul style="list-style-type: none"> •Lamp is burned out. Call AeroPure Customer Service
Main SFS Filter light is out	<ul style="list-style-type: none"> •Replace Main SFS Filter. •Main Filter has reached its containment holding capacity.
Bio Monitor light is out	<ul style="list-style-type: none"> •Clean unit per instructions •Call AeroPure Customer Service.

LIMITED WARRANTY

SFS 10600-02 Series Room Air Cleaner

FVS, Inc. ("FVS") warrants your AeroPure Model SFS 10600-02 Series room air cleaner to be free of defects in materials and workmanship for one year, commencing on the date of purchase. This warranty applies to the entire unit, except for filters, which are excluded from and not covered by the warranty. Your warranty includes the entire cost of parts and labor needed to make any warranty repair.

You have been provided with a warranty registration card ("Card"). Return of that Card to FVS is a condition precedent to warranty coverage and performance. You must mail the Card (fully and accurately completed) to FVS no later than ten days after the date of purchase, directed to FVS, Inc., P.O. Box 470139, Broadview Heights OH 44147. If you do not timely return the Card to FVS, you will not have any warranty on your unit.

This warranty is provided only to the first owner of the unit who purchased it from an authorized AeroPure™ dealer; it does not apply to subsequent owners or to a unit purchased from any person or entity other than an authorized AeroPure™ dealer. In addition, this warranty does not apply to and does not cover damage to the unit resulting from any misuse or abuse of the unit, including any use of the unit contrary to or inconsistent with matters contained in the owner's manual. This warranty also does not apply to any damage resulting from repair or service work performed by any person or entity other than an authorized AeroPure™ service center, or to any damage resulting from the use of non-genuine filters, parts, or supplies, or to any damage resulting from fire or an act of God.

Renewable Warranty. You may extend this warranty for one year by (1) purchasing a genuine SFS main filter from FVS or an authorized AeroPure™ dealer, (2) installing that new filter no later than one year after your initial date of purchase, and (3) mailing the Renewable Lifetime Limited Warranty card to FVS no later than ten days after installation of the new main filter. By following the same steps each year, you may continue to extend the warranty on your SFS room air cleaner for additional one-year periods, for as long as you own the unit.

To obtain warranty service on your unit or any part thereof, bring or ship (at your expense) the defective unit (accompanied by written proof of purchase which identifies the original date of purchase and the original purchaser, as well as written proof of purchase and installation of new filters extending the original warranty, if applicable) to the authorized AeroPure™ dealer from which it was purchased, or to any other person or entity authorized by FVS to provide warranty service on AeroPure™ products. Information as to persons authorized to provide warranty service on AeroPure™ products can be obtained by calling the FVS Consumer Relations Department at 1-800-281-6242. Call that phone number if you cannot locate the authorized AeroPure™ dealer from which you bought your unit or if such dealer is no longer in business. If your unit is found on inspection to be defective in material or workmanship it will be repaired or replaced at the option of FVS and returned to you, and any return shipping costs will be paid by FVS or its designee. If on inspection your unit or part is determined not to be defective in material or workmanship, you must pay any return shipping costs.

All implied warranties on your Model SFS 10600-02 Series room air cleaner are limited in duration to the period of this express warranty. Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. FVS is not liable for any indirect, consequential, or incidental damages arising out of your use or inability to use your Model SFS 10600-02 Series room air cleaner. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

A Division of FVS, Inc. founded in 1986

1.800.281.6242 | www.aeropure.us



For Your Record:

The Model and Serial Number of your AeroPure SFS can be found on the bottom of the unit. Please note the model and serial number of your unit in the space below and retain this owners manual as a record of your purchase.

Date of Purchase: _____

Serial Number: _____

Purchased From: _____

Location: Address: _____

City, State, Zip: _____

Telephone Number: _____



1 Corporation center
Broadview Heights, OH 44147
Phone: 1-800-281-6242
©2018 All rights reserved
