


# Double-sided LED Billboard

## - The Slimmest Atrium Queen



**A one-sided LED digital billboard is good, but not as good as a double-sided one. Traditional double-sided LED billboards are fantastic, but not as fantastic as our slim double-sided one, which is probably the slimmest double-sided one in the market.**

**Our revolutionary double-sided LED billboard is of only 53 mm in depth. And 28 kg/m<sup>2</sup>.**

**The unbelievable slim double-sided LED billboard is a front service access solution and thus, an ideal solution to be suspended from the ceiling of a hall, any hall, be it arena, airport, railway station, shopping mall, exhibition center, etc.**

**The slim and elegant billboard would be an eye-catching beauty of any hall.**

# 1. Features



Side A



Side B



- Slim: 53 mm in depth
- Lightweight: 28 kg/m<sup>2</sup>
- Front service access

## 2. Specifications

Item Code	DLB1.9	DLB2.5	DLB2.9	DLB3.9
Pixel pitch	1.95 mm	2.5 mm	2.976 mm	3.91 mm
Pixel configuration	SMD1515	SMD1515	SMD1515	SMD2121
Unit Resolution	512*128	400*100	336*84	256*64
Pixel density	262144 pixels/m <sup>2</sup>	160000 pixels/m <sup>2</sup>	112896 pixels/m <sup>2</sup>	65536 pixels/m <sup>2</sup>
Brightness	800 nits	900 nits	900 nits	1000 nits
Max. power consumption	800 W/m <sup>2</sup>			
IP rating	Indoor only			
Serviceability	Front			
Refresh rate	2840 Hz			
Color depth	14 Bit			
Viewing angle	Horizontal 140°; Vertical 120°			
LED lifetime	80,000 hrs (50% brightness)			
Operational temperature	-20°C ~+45°C			
Operational humidity	10%~80%			
Input voltage	100~240V / 50~60Hz			
Unit dimensions	1000*250*53 mm			
Weight	7 kg/unit; 28 kg/m <sup>2</sup>			

### 3. Let's Explore Your Idea!

