

LED Digital Banner




LED digital banners bring your space to life in a user-friendly intuitive manner. They offer the best return on investment by increasing brand recognition with eye-catching graphics and in turn increasing your sales.

Although its pixel pitch is 1.25 mm, it's of waterproof, dust-proof, anti-crash and anti-static design. You could touch it, wipe it and it would not be damaged as does normal LED screen. Furthermore, it's very easy to install and operate.

It could also be equally used for decoration.

1. Features: very easy to install and maintain (**IP65**)



2. Specifications

Model No.	LDB300
Pixel pitch	1.25 mm
Brightness	600 nits
Resolution	240*45
Max. power consumption	15 W/pc
IP rating	Front / Rear: IP 65 / IP 31
Dimensions	300*60*20 mm (W*H*D) 11.81*2.36*0.79 inch (W*H*D)
Weight	0.35 kg (0.77 lbs)/pc
Serviceability	Front
Refresh rate	3840 Hz
Color depth	14 Bit
Viewing angle	Horizontal 160°; Vertical 140°
LED lifetime	80,000 hrs (50% brightness)
Operational temperature	-30°C ~ +55°C / -22°F ~ +131°F
Operational humidity	10% ~ 90%
Input voltage	100 ~ 240V / 50 ~ 60Hz