



SOFTWOOD STUDWOOD PRICES AND SPECS


Contents

J.D. Irving Limited – Studwood (Sussex & Chipman, NB).....	2
Delco Forest Products – Studwood (Rexton, NB)	3
Devon Lumber LTD – Studwood (Fredericton, NB).....	4
J.D. Irving Limited – Studwood (Truro, NS)	5
Timber Resource Group – Studwood (East Newport, ME)	6
Ledwidge Lumber – Studwood (Enfield, NS).....	7
Penobsquis Yard – Tamarack Studwood (Penobsquis, NB)	11

J.D. Irving Limited – Studwood (Sussex & Chipman, NB)

There is a \$3 volume bonus available for committed volumes through a contract.

A Fuel Surcharge Bonus will be added to these posted prices on a weekly basis, according to J.D. Irving, Limited's fuel surcharge table (available online: www.jdiwoodproducers.com).

J.D. Irving, Limited Studwood									
Posted Prices Effective September 8, 2024									
									
Mill	Product	Grade	Units	Zone 1 (1-40mi)	Zone 2 (41-60mi)	Zone 3 (61-80mi)	Zone 4 (81-100mi)	Zone 5 101mi+	
Grand Lake Timber (9 foot only) No Jack Pine	SF Studwood (9')	19, 29 (Spruce& Fir)	GMT	\$71.25	\$74.25	\$78.25	\$82.25	\$82.25	
	Sussex Sawmill	SF Studwood (9')	19, 29 (Spruce & Fir)	GMT	\$71.25	\$74.25	\$78.25	\$82.25	\$86.25
		SF Studwood (8')	18, 28 (Spruce & Fir)	GMT	\$66.25	\$69.25	\$73.25	\$77.25	\$81.25
Studwood Specifications									
GRADE 19 (9 foot studs) and GRADE 18 (8 foot studs)									
Species	Spruce/fir only; minimum 60% spruce, maximum 40% fir (white wood only)								
Age	Delivered within 3 months of date cut (live trees at time of cut)								
Length	9' studs = 108 " to 112" Loads may contain up to 20% 8-foot studs 8' studs+ 99" to 103"								
Diameter	9' studs= 5" minimum top to 13" maximum butt (inside bark) 8' studs= 4.5" minimum top to 13" maximum butt (inside bark)								
Defects	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over the length of the bolt. In any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots > 3" diameter.								
GRADE 29 (9 foot studs) and GRADE 28 (8 foot studs)									
Species	Less than 60% Spruce. Jack Pine is acceptable in full loads, or separated on the truck to the Sussex Mill only.								
NOTE:	Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 40+ piece sample extracted randomly from each load and measured using the above specifications (if spruce content in the sample is less than 60% the load shall be assessed as Grade 29 or 28. Quality (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by JD Irving Limited. Any supplier whose quality sample results fail below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.								

****PLUS ADDITIONAL FUEL SURCHARGE****

Contracts: Additional \$/GMT is available for signed contracts with committed volumes.

Performance bonuses for individuals who fill 90% of their contract commitment is also available.

Delco Forest Products – Studwood (Rexton, NB)

Delco Forest Products - Rexton, NB					
Softwood Studwood Price List					
1999 Route 470 West Branch, NB					
Gabriel LeBlanc (506) 521-0589, Reno Sonier (506) 623-9203, Office (506) 523-6480					
Call the SNB Office at (506) 433-9866 for questions.					
Price Effective: June 22, 2023					
All deliveries curtailed as of February 7th, 2025.					
Species	Length	Diameter	Age	Price	Unit Measure
Spruce, Fir, Jack Pine (Stick Scale for studs)	8' 4"	Minimum 4.5" top to maximum of 20"	Within 3 Months	\$145.00	cord
Spruce, Fir, Jack Pine (Stick Scale for studs)	9' No trim required		Within 3 Months	\$145.00	cord
Mill pays producers directly. Fuel surcharge not included in price.					
Specs:	Straight, sound, and live trees. No rot, stained wood, dead wood, spikes, butt flare, or forks. No excessive knots, and knots must be cut flush. Cow pasture spruce not accepted. No cross sticks or brush in loads.				
Mill Hours: 7am-4:30pm Monday to Friday.					

Producers are requested to contact the SNB office before delivering.

Devon Lumber LTD – Studwood (Fredericton, NB)


Scale Hours: Monday to Thursday 8:30am-4:00pm

Softwood Studwood Price List

Devon Lumber Co. LTD

200 Gibson Street, Fredericton (114 km from Sussex)

Office 457-7120



Effective August 6, 2024


Updated: May 20, 2025

Species	Length	Diameter	Mill Price
Balsam Fir	8' 4"-8'6"	min 5" top outside bark	162.64/cord
		max 9" butt outside bark	
Red & Black Spruce (white spruce not accepted)	8' 4"-8'6"	min 5" top outside bark	\$162.64/cord
		max 9" butt outside bark	

Specifications: All wood must be straight, sound, no red wood, well knotted, no flared butts, or excessive knots.




J.D. Irving Limited – Studwood (Truro, NS)

 J.D. Irving, Limited Truro Sawmill- Studwood	
GRADE 1 (10-foot) and GRADE 19 (9-foot) and GRADE 18 (8-foot)	
SPECIES	Spruce/fir only; minimum 75% spruce, maximum 25% fir (white-wood only)
AGE	Delivered within 3 months of date cut (live trees at time of cut)
LENGTH	10 foot studs (123"-127") Loads may contain up to 25% 9 foot and/or 8 foot studs
	9 foot studs (111"-115") Loads may contain up to 25% 8 foot studs
	8 foot studs (99"-103")
DIAMETER	10 foot and 9 foot studs = 5" minimum to 13" maximum (inside bark)
	8 foot studs = 4" minimum to 13" maximum (inside bark)
DEFECTS	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over the length of the bolt. In any 4 foot section of a bolt: not more than 8 knots > 3" diameter (i.e., no "pasture" spruce).
GRADE 2 (10-foot) and GRADE 29 (9-foot) and GRADE 28 (8-foot) as above <u>except</u>:	
SPECIES	Spruce, Balsam Fir, Jack Pine in any proportion. No other species.
<p>NOTE: Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 40+ piece sample extracted randomly from each load and measured using the above specifications (if spruce content in the sample is less than 60% the load shall be assessed as Grade 2 or 29).</p> <p>Quality: (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by J.D. Irving, Limited. Any supplier whose quality sample results fall below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.</p>	

J.D. Irving, Limited


Truro Sawmill - Studwood



Gatewood Posted NB Prices Effective May 26, 2021 - For NB Wood

Mill	Product	Grade	Units	N.B. Wood
Truro (Sproule)	SF Studwood (9')	19, 1	GMT	\$76.25
	SF Studwood (9')	29, 2	GMT	\$76.25
	SF Studwood (9')	19B, 1B	GMT	\$78.25
	SF Studwood (9')	29B, 2B	GMT	\$78.25

Timber Resource Group – Studwood (East Newport, ME)

 <h1>Timber Resource Group</h1>				
32 Stetson Rd. East Newport, ME Pile Down Yard				
Yard hours Monday-Thursday 6am to 3pm Friday 6am to 11am (US time)				
Pricing in Canadian Currency, may fluctuate with exchange rate. Price below @ 1.39				
Prices Effective May 1, 2023				
<i>Dated Updated: May 20, 2025</i>				
Species	Length	Diameter	Age	Mill Price Unit Measure
Mixed Spruce/Fir Studwood	10' - 16'	Min 4" top Min 6" butt	Within 3 Months	\$67.00 imperial ton equates to ~ \$73.85 mt
Minimum Butt Diameter: 7" inside the bark				
Minimum Top Diameter: 4" inside the bark				
Studwood Length: 10' - 16' @ 2-foot increments				
Rot Not accepted				
Scale Rule: Weight scale - Wood is paid by the ton				

Ledwidge Lumber – Studwood (Enfield, NS)

NOT PURCHASING ANY NEW BRUNSWICK WOOD CURRENTLY.

Softwood Studwood Price List

Ledwidge Lumber, Enfield NS

Price effective May 17, 2023



Updated: September 29, 2023

195 Old Post Rd., Enfield, NS **(306 km from Sussex)**

Scaler: Shawn Turple (902)- 221-1263

Contact SNB Office Prior to Cutting.

Species	Length	Diameter	Age	Mill Price	Unit Measure
Grade 1 Spruce 100%, up to 25% Fir, Jack Pine	8' 4" (cut 100") or 9' (cut 108")	min 4" top to max 15"	Within 3 Months	\$102.25	Metric Tonne

- Wood must be fresh & well cut
 - Trim butt flare
 - No crooked or knotty wood
- No dead or insect damaged wood
 - No stain, rot
 - No forks or boxy wood
- No white or red pine, hemlock, juniper, or Norway spruce

Distance Bonus below.

Plus Distance Bonus:

Zone 2 **\$3/tonne extra:** Pictou, Antigonish, Guysborough, Queens, Annapolis, Cumberland & part of Colchester Counties

Zone 3 **\$6/tonne extra:** Digby, Shelburne, Yarmouth Counties & Cape Breton Counties

PEI **\$10/tonne extra**

Call for New Brunswick specs and pricing

All loads are reviewed by a licensed scaler to determine wood quality and species. Loads below spec/grade may have deductions applied or may not be accepted.

When delivering wood to Ledwidge Lumber, we ask that the trucker be able to fill out the following information:

1. The vendor receiving payment for product delivered.
2. Town, County, PID no. from where product is being delivered.
3. If a trucking company is being paid by Ledwidge Lumber the company name and rate per tonne is required.
4. Landowner's Name and Land type (private or crown).

If using a Load Delivery Log Book you can leave a copy of the delivery slip and enter the ticket number.

Provide your email address to be added to our Supplier List for Updates

When drivers arrive with their first load of NB wood they must talk to Shawn, Donald, or Stephen in the scale house and sign off on a declaration about our procedures for accepting and stocking the studwood in a special area of our yard.

Our loader operators must be alerted they have NB wood and then will be unloaded in the correct area or will be directed to unload themselves.

Due to the importance of segregating the wood in our yard, **the hours for delivery of NB studwood at this time will be 7:00AM to 4:30PM Monday to Friday.**

Transportation certificates are mandatory and 1 copy must be left with the scale house.

Thanks for your cooperation on jumping through these hoops to make deliveries possible, we appreciate your business.

Shawn Turple- Head Scaler/Wood Procurement Team
email scales@ledwidelumber.com
Phone 902-883-9889 ext. 226 or 902-221-1263.

D. Ledwidge, President
J. Ledwidge, Vice-President, Woodlands Manager
M. McGrath, General Manager



www.ledwidelumber.com
sales@ledwidelumber.com
Office (902) 883-9889
Fax (902) 883-8659

LEDWIDGE LUMBER COMPANY LTD.

195 Old Post Rd. PO Box 39, Enfield, Nova Scotia, B2T 1C6

DATE _____

NAME _____

I, THE UNDERSIGNED, AGREE TO FOLLOW ALL RESTRICTIONS PLACED ON
WOOD DELIVERED FROM THE PROVINCE OF NEW BRUNSWICK.

RESTRICTIONS ARE AS FOLLOWS:

I WILL UNLOAD MY WOOD AT THE SIGNED 'NEW BRUNSWICK WOOD
ONLY' AREA.

I WILL NEVER HAVE MY WOOD UNLOADED AT THE BROW OR IN ANY
OTHER SECTION OF THE YARD.

I GUARANTEE THE WOOD I DELIVER IS FROM THE PROPER ADDRESS AND
HAVE A TRANSPORTATION CERTIFICATE TO ACCOMPANY IT.

I UNDERSTAND THAT IF I VIOLATE ANY PROCEDURES FOR DELIVERING NB
WOOD, THAT I MAY FACE PENALTIES INCLUDING; NON-PAYMENT,
REJECTION OF LOAD OR FUTURE REJECTIONS OF LOADS.

SIGNED _____

PARTNER OF CANADIAN WOODLANDS FORUM
MEMBER OF FOREST NOVA SCOTIA & THE MARITIME LUMBER BUREAU

Penobsquis Yard – Tamarack Studwood (Penobsquis, NB)

Tamarack Studwood <i>Penobsquis Wood Yard</i> Prices Effective June 14, 2023			
Karl VanWaldow (506) 756-0514, Monday – Thursday, 6am – 6pm and Fridays, 6am – 5pm.			
<i>Date Updated: June 14, 2023</i>			
Species/Product	Length	Diameter	Mill Price
Tamarack Studwood	8'6"	Top Size 9"	\$62.25 per metric ton