



**Southern
New Brunswick**
Forest Products
Marketing Board

PO Box 4969 Sussex, NB E4E 5L1
Email: snbmarketingboard@snbfpmb.ca
Phone (506)433-9866 Toll Free (833)500-9866 Fax (506)433-9869
Web: www.snbfpmb.ca

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

HARDWOOD SAWLOG, VENEER, & SPOOLWOOD PRICES AND SPECS

Contents

Columbia Forest Products – Hardwood logs & Veneer (Presque Isle, ME)	2
Groupe Savoie – Hardwood Logs (Saint Quentin, NB).....	3
Groupe Savoie, Westville Division – Hardwood Logs (Westville, NS).....	6
Biomass Products Inc. – Hardwood Logs (Richmond Corner, NB).....	7
Seacoast Fishing Supplies – Hardwood Sawlogs (Grand-Barachois, NB).....	9
Hardwood Products Company LLC – White Birch Spool Wood (Guilford & Ashland, ME).....	10
J.D. Irving Limited – Hardwood Sawlogs (Sussex, NB)	12
Garant – Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)	13
Maritime Wood Product Inc. – Aspen (Bath, NB).....	14
ThorHammer – Hardwood & Veneer (Napadogan, NB)	15
Penobsquis Wood Yard – Hardwood Logs (Penobsquis, NB)	17
H.C. Haynes, St. Stephen Yard – Spool Wood (St. Stephen, NB)	18

Columbia Forest Products – Hardwood logs & Veneer (Presque Isle, ME)

Columbia Forest Products, Presque Isle, Maine 04769
 Tyler Smith, Log Buyer
 (506) 323-0942




These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.

Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11'5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13	1/3 Heart Center Straight No Defects No Butt Swell	\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	# 1 SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	# 1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	# 2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	# 4	8'9", 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

Defect Description:






- 2"-3" Sound knot – One Defect
- Larger Sound Knots- one or more defects depending on log size and quality. Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.
- No sweep in 9", 10", 11" log.
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter, 1 ½" of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length. Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

Groupe Savoie – Hardwood Logs (Saint Quentin, NB)

			Effective: June 5th, 2023		Contact: Yves O'Brien. VP Procurement Cell: (506) 235-0506 Scale House: (506) 235-1066 Scale Hours: Mon-Thur. 6AM-5PM Friday 6AM-3PM			
251, Route 180, Saint-Quentin, NB, E8A 2K9								
LOGS (Class A) Roadside Price, less levies.			Sugar Maple (rock maple) Sound and straight, less than 50% heart		Yellow & White Birch Sound and straight		Red Maple (soft) & Beech Sound and straight.	
Small end diameter	Length	Number of clear faces	\$/m3	\$/mbfm	\$/m3	\$/mbfm	\$/m3	Prime Red Maple <50% heart (Class D)
36cm+ (14")	7'6" - 8'9"	4	\$ 168.51	\$ 874.03	\$ 186.51	\$ 972.03	\$ 65.51	\$ 70.51
		4-3	\$ 109.51	\$ 569.03	\$ 121.51	\$ 632.03	\$ 60.51	\$ 65.51
		0-1	\$ 60.51	\$ 315.03	\$ 67.51	\$ 350.03		
24-34cm (9-13")	7'6" - 8'9"	4	\$ 109.51	\$ 569.03	\$ 121.51	\$ 632.03	\$ 60.51	\$ 65.51
		4-3	\$ 75.51	\$ 392.03	\$ 83.51	\$ 436.03	\$ 55.51	\$ 60.51
		0-1	\$ 55.51	\$ 289.03	\$ 61.51	\$ 321.03	soft maple 10" (25cm) +	
20-22cm (8")	8'9" Straight	4	\$ 60.51	\$ 63.00	\$ 330.00	\$ 350.03	N/A	
Lengths: Saw logs	8'6", 7'6", 6'6"		Heated and/or stained logs will be paid at 40\$/m ³ or 50\$/m ³ (depending on size), roadside (Class C logs) Logs not meeting specs will be paid at 45 \$ / m3 roadside (Class B logs) Pieces classified as pallet will be paid at 40\$ / m3 roadside.					
Lengths: Veneer	8'9", 9'5", 10'5"							
Lengths: Aspen	8'6"							
Trucking is paid by Groupe Savoie ***200km+*** Thank you for your business!								




Information
<p>Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe Savoie.com</p>

Private wood

Saw logs						
Criteria	Specifications	Photos				
Diameter	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="background-color: #92d050;">Min</th> <th style="background-color: #92d050;">Max</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">9" s.e (23 cm)</td> <td style="text-align: center;">28" (70 cm)</td> </tr> </tbody> </table> <p style="text-align: center;">s.e = Small end</p>	Min	Max	9" s.e (23 cm)	28" (70 cm)	
Min	Max					
9" s.e (23 cm)	28" (70 cm)					
Length	<p style="text-align: center;">7'6'' - 8'9'' (+/- 2 in)</p> <p style="text-align: center;">Min 7'0'' for recovery logs</p>					
Heart rot	<p>> 10 inches: less than 33%</p> <p>Less than 10 inches: No rot</p>					
Sweep	<p>> 10 inches: Maximum of 30% (1/3) of diameter</p> <p>< 10 inches: straight</p>					
Split	<p>Accepted on 1 faces max.</p> <p>Twisted split is not tolerated if the 2nd face is affected</p>					


Information
<p>Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe Savoie.com</p>

Private wood

Saw logs		
Criteria	Specifications	Photos
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).	
Plywood logs (Veneer)	Maple: 9'5", 10'5", 11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight	
Important		
<p>- Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain</p>		

Groupe Savoie, Westville Division – Hardwood Logs (Westville, NS)

Updated: June 8, 2023

		2649 Foxbrook Road Westville, Nova Scotia B0K 2A0				Jody Hamper Office: (902) 396-3960 Cell: (902) 759-3234 email: jody.hamper@groupe-savoie.com				May 1, 2022					
Net Roadside Log Price		\$/MFBM		NB log Rule											
Grades (clear faces)	Dia"	Sugar Maple	\$/gmt	Dia"	Red Maple	\$/gmt	Dia"	Birch	\$/gmt	Dia"	Ash	\$/gmt	Dia"	Oak	\$/gmt
Prime (4)	10+	\$647.03	124 \$	12+	\$427.03	82 \$	10+	\$619.03	119 \$	10+	\$537.03	103 \$	10+	\$537.03	103 \$
1 (3)	10+	\$537.03	103 \$	10+	\$372.03	71 \$	10+	\$482.03	92 \$	10+	\$452.03	86 \$	10+	\$452.03	86 \$
2 (2)	9+	\$427.03	82 \$	9+	\$337.03	64 \$	9+	\$372.03	71 \$	9+	\$347.03	66 \$	9+	\$347.03	66 \$
Pallet log	8+	\$317.03	60 \$	8+	\$317.03	60 \$	8+	\$317.03	60 \$	8+	\$317.03	60 \$	8+	\$317.03	60 \$
		<i>\$60.00/t delivered up tp 100kms. \$65.00/t delivered over 101kms.</i>													
		<i>\$330.00/ MFBM-sugar maple, red maple, birch, oak, beech- lengths 8' 9", straight and sound, no rot.</i>													
Lengths: Saw logs	8'6", 7'6", 6'6"	\$100.00 / MFBM will be paid for culls up to 5% of the load. Scalers discretion Rot accepted 30% diameter													
Lengths: Veneer	8'9", 9'5", 10'5"	Maximum sweep 2" at 8 ft													
Lengths: Aspen	8'6"	Maximum 50% (1/2) heart in all maples (sugar and red) grade 2 and up Yard hours- Monday to Thursday 7:00 AM to 5:00 PM, Friday- 7:00 AM to 4:00 PM Palletwood- No clear faces, stained wood, 8+ inches \$/GMT is an approximate value Summer cut logs must be delivered within 2 weeks after harvesting													
Trucking is paid by Groupe Savoie (Except Aspen). Thank you for your business!															

Biomass Products Inc. - Hardwood Logs (Richmond Corner, NB)

MILL CLOSED INDEFINITELY

BIOMASS PRODUCT INC.

3394 RICHMOND CORNER , ROUTE 540

506-328-8797

AS of May 1/2020

ASH

\$550.00	13" & up	diameter
\$500.00	10" - 12"	diameter
\$400.00	8" - 9"	diameter

HARD MAPLE

\$600.00	13" & up	diameter
\$500.00	10" -12	diameter

YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU	10-11-12"
\$500.00	13" & UP

LOG SHEET SPECS

- 1.) 9`` minimum top - inside bark
- 2.) Gradual sweep - no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8`, 10`, 12`, 14`, 16`
- 6.) 4-6 inches of Trim



Seacoast Fishing Supplies – Hardwood Sawlogs (Grand-Barachois, NB)

Currently not purchasing.

White Ash logs

Price: \$319.64/cord delivered

Red Oak

Price: \$344.64/cord delivered

Contact: Don Boudreau: (506) 533-0455

Specifications:

Length: 8' 6" and up


Top Diameter: 7" minimum

Quality: 2 clear faces

Limited deliveries, please contact office prior to cutting.

506 433-9866

Hardwood Products Company LLC – White Birch Spool Wood (Guilford & Ashland, ME)

Hardwood Products Company LLC			
			
P.O. Box 149 31 School Street Guilford, Maine 04443			
Date Effective: December 22, 2025 Price below @ 1.38 exchange rate. Date Updated: May 28, 2026			
Ashland Maine, BOL Woodyard	Grade 1	\$ 746.03	/mbf
	Grade 2	\$ 587.33	/mbf
	Pallet Log		
Guilford, Maine	Grade 1	\$ 911.63	/mbf
	Grade 2	\$ 746.03	/mbf
	Pallet Log		

See next page for further information.

Hardwood Products Company LLC

P.O. Box 149
31 School Street
Guilford, Maine 04443

Wood Specifications – January 1, 2021

Scale Rule: Maine Log Rule

Plus: We give a 1" rise on 21' and longer logs

White Birch / Grade 1:

10" minimum diameter; 10'-6" minimum length (scaled every foot above 10'-6")
At least 3" of white wood from inside the bark to the closest point of the heart.
20" maximum diameter, outside the bark

White Birch / Grade 2:

7" minimum diameter; 8'-6" minimum length (scaled every foot above 8'-6")
At least 2" of white wood from inside the bark to the closest point of the heart.
20" maximum diameter, outside the bark.

Pallet Grade:

If a log does not have the minimum required white wood and it is solid, it will be graded as a
Pallet log
7" minimum diameter, 20" maximum diameter, 8'-6" minimum length, no rot or holes

No more than 6" of surface defect per 4' section. (bump / burl / cat face / knot / crotch)

No seams, splits, rot, holes, dead wood, checked or stained wood

The length of the log with the defects will be discounted on scale.

Any amount of sweep is acceptable.

Wood must be delivered within 2 weeks of harvest from April 1 to November 1

CULL LOGS: Will be marked with a "0", and saved for Contractor for 10 Business days unless other arrangements have been made.

PAYMENT: Processed each Friday for wood delivered during the previous weekly period (The previous Monday through Friday). Payment will be based on our mill scale.

SCALE HOURS: 5:00 AM - 3:00 PM Monday – Friday

WOOD YARD CLOSED:

Monday – May 31, 2021 Monday – September 6, 2021
Thursday – November 25, 2021

WOOD BUYER: Craig Lemieux

Work: 207-876-1509


Cell: 207-232-0294

Fax: 207-876-3313

e-mail: cplemieux@hwpwoodenware.com

SCALE HOUSE: 207-876-1549

J.D. Irving Limited – Hardwood Sawlogs (Sussex, NB)

 <p>J.D. Irving, Limited</p> <p>Sussex Yard - HARDWOOD SAWLOGS</p>	
<p>Effective September 8, 2024 Date Updated: September 12, 2024</p>	
Grade 2	
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)
LENGTH	8'6", 10'6" and 12'6"
DIAMETER	10" minimum top diameter (inside bark)
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt
	Maximum butt rot is 1/3 the smallest diameter of the bolt
	No stained logs accepted
	No split logs accepted
	No forked trees, butts cut flush and square with the centre line of the tree
PRICE	\$74.43 /GMT FOR ALL ZONES
<p>All loads containing burned wood, unacceptable species, or logs containing metal shall be rejected. Defective bolts within loads may be deducted from the scale and sent back to producers on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the attention of the scale staff or District Administrator Sussex Region at the time of delivery by the trucker or producer and, if unloaded, piled separately.</p> <p>These specifications are subject to change by J.D. Irving, Limited with minimal notice.</p>	

Garant – Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)

Mill Grade	Species	Price	Unit	Length	Diam.	Specs
Prime Plus	White Ash	\$ 712.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces knots cut flush
Prime	White Ash	\$ 662.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces knots cut flush
Select	White Ash	\$ 562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces knots cut flush
No. 1	White Ash	\$ 387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	2 clear faces knots cut flush
Prime Plus	Hard Maple	\$ 807.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces knots cut flush 1/2 heart or less
Prime	Hard Maple	\$ 757.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces knots cut flush 1/2 heart or less
Select	Hard Maple	\$ 707.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces knots cut flush 1/2 heart or less
No. 1	Hard Maple	\$ 387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces knots cut flush 1/3 heart or less
Prime Plus	Soft Maple	\$ 662.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	3 clear faces knots cut flush 1/2 heart or less
Prime	Soft Maple	\$ 612.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	3 clear faces knots cut flush 1/2 heart or less
Select	Soft Maple	\$ 562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	3 clear faces knots cut flush 1/2 heart or less
No. 1	Soft Maple	\$ 367.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces knots cut flush 1/3 heart or less
Prime Plus	Yellow Birch	\$ 662.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	14"+	2 clear faces knots cut flush 1/2 heart or less
Prime	Yellow Birch	\$ 612.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	12",13"	2 clear faces knots cut flush 1/2 heart or less
Select	Yellow Birch	\$ 562.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	10",11"	2 clear faces knots cut flush 1/2 heart or less
No. 1	Yellow Birch	\$ 367.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	8",9"	3 clear faces knots cut flush 1/3 heart or less

Specifications Sheet

Hard, Soft Maple, Yellow Birch

10 " Minimum top, inside the bark

Sweep must be **less than**

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted

No check or cracks

No excessive knots, maximum of 1 knots (Defect) per 8ft

No Rot. (diameter deductions will be made for heart rot)

1/2 heart (12" Dia. & up) or 3" of White wood (12" dia. & less)

Trim of at least 6 inches

Even lengths of 8', 10', 12', 14' and 16' plus trim

Preferred length is 12' and 16'

10' are not desired, Keep them to a minimum

Ash

8 " Minimum top, inside the bark

Sweep must be **less than**

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted

No check or cracks

No excessive knots maximum of 1 knots (Defect) per 8ft

No rot


Trim of at least 6 inches

Even length of 8', 10', 12', 14' and 16' plus trim

Preferred length is 12' and 16'

10' are not desired, Keep them to a minimum

Maritime Wood Product Inc. – Aspen (Bath, NB)

<h1>Aspen</h1> <h2>Bath, NB</h2>		 <p>Maritime Wood Product Inc.</p>			
156 Hospital St., Bath, NB E7J 1C1 (506) 278-3233, (506) 278-5914					
Species		Length	Diameter	Mill Price	Unit Measure
Aspen, no Balsam Poplar		8'-9'	Minimum 9"	\$77.43	Metric Tonne
Form: Straight, no rot, no forks, no major defects, 2-3 clear faces					

ThorHammer – Hardwood & Veneer (Napadogan, NB)

CURRENTLY NOT ACCEPTING

Effective Date:	22-Nov	ThorHammer Veneer Inc.	12 Alpha St. Napadogan, NB E6B 1Y6						
	Log Procurement:	Rod Cumberland	506-262-1965						
	Chief Scaler:	Jeremy Schriver	506-567-0078						
		Mill Office	506-367-0800						
PRIMARY SPECIES OF INTEREST ARE RED MAPLE, WHITE BIRCH and POPLAR VENEER LOGS - 10" TOP, 9' LENGTH									
PRICES ARE \$CAD, ROADSIDE - TRUCKING ADDED TO THESE PRICES - see REVERSE									
SPECIES	MILL GRADE	TOP DIAMETER	cm	PRICE /			OPEN	CLEAR FACES	
				MFMBM	PRICE / CORD	PRICE / M ³			
CAD									
RED MAPLE & WHITE BIRCH	PRIME	14" +	36+	\$782	\$339.64	\$147.50	Yes	4	
	SELECT	14" +	36+	\$623	\$270.64	\$117.50	Yes	3	
	#1 Special	11" +	28+	\$570	\$247.64	\$107.50	Yes	4	
	#1	11" +	28+	\$517	\$224.64	\$97.50	Yes	3	
	#2	10"+	25+	\$411	\$178.64	\$77.50	Yes	4	
	#3	10"+	25+	\$305	\$132.64	\$57.50	Yes	3	
	#4	<10"	<25	\$263	\$114.64	\$49.50	Yes	<3	
Red Maple	Good Log Run Average			\$591	\$256.64	\$111.50			
White Birch	Good Log Run Average			\$591	\$256.64	\$111.50			
Poplar and Ash*	Good log run Average			\$357	\$154.64	\$67.50			
* All poplar is scaled by weight on ThorHammer Veneer scales									
ThorHammer Veneer will also take the following veneer logs to help contractors and woodlot owners mal									
PRICES ARE \$CAD, & DELIVERED TO THE MILL									
SPECIES	GRADE	LENGTHS(')	TOP DIAMETER(")	PRICE/mfbm			ALLOWABLE DEFECTS		
				PRICE / CORD	PRICE / M ³	CAD			
YELLOW AND WHITE BIRCH	SLICER	9'5", 10'5", & 11'5"	14"+	\$2,687	\$1,167	\$507	STRAIGHT GRAIN, CENTERED HEART, 4 CLEAR FACES,		
	SELECT PLUS	8'9", 9'5", 10'5", & 11'5"	12" & 13"	\$2,387	\$1,037	\$451	1/3 HEART CENTER, STRAIGHT, NO DEFECTS, NO BUTT SWELL		
SUGAR MAPLE	SLICER	9'5", 10'5", & 11'5"	14"+	\$2,987	\$1,297	\$564	STRAIGHT GRAIN, CENTERED HEART, 4 CLEAR FACES		
SPECIES	MILL GRADE	TOP DIAMETER	Top diameter cm	PRICE /			OPEN	CLEAR FACES	
				MFMBM	PRICE / CORD	PRICE / M ³			
CAD									
SUGAR MAPLE & YELLOW BIRCH	PRIME	14" +	36+	\$915	\$397.64	\$172.50	Yes	4	
	SELECT	14" +	36+	\$650	\$282.64	\$122.50	Yes	3	
	#1 Special	10"+	25+	\$623	\$270.64	\$117.50	Yes	4	
	#1	10"+	25+	\$492	\$213.64	\$92.50	Yes	3	
	#2	10"+	25+	\$382	\$165.64	\$72.50	Yes	2	
#4	<10"	<25	\$263	\$114.64	\$49.50	Yes	<2		
DEFECTS:	1	Rot over 2", large knots over 2", seams over 2" deep, over 10% sweep. Culls include logs with crook, dote, ring shake, large worm holes, burls or swells							
	2	Scale at ThorHammer Veneer, Napadogan, will be final.							
	3	Scale at ThorHammer Veneer, Napadogan is based upon NB Log Rule.							
	4	Logs shorter than 108 inches will scaled and graded as four (4') logs.							
	5	All logs must have at least 8 inches(") of trim. In other words, an 8 foot log must be 8'8"; a 9 foot log INCLUDES this trim							
	6	All logs must be at least 10 inches(") in diameter; 7" and 8" logs will be graded number 4 regardless of spec.							
	7	All wood cut in sap season must not be over 4 weeks old.							
	8	All wood cut between October 1 and April 1 must be delivered to mill before July 1.							
	9	Cull logs must be removed from mill yard within 10 days, otherwise, the mill will dispose of them							
	10	STICK SCALE LOGS MUST BE UNLOADED WITH TOPS IN THE SAME DIRECTION							
	11	Trucking price	Distance	Per M ³ add	Per Cord Add	Per mfbm add			
		ZONE 1	50 Kms	\$20.00	\$46.00	\$106.00			
		ZONE 2	100 Kms	\$25.00	\$57.50	\$132.50			
		ZONE 3	150 Kms	\$30.00	\$69.00	\$159.00			
		ZONE 4	200 Kms	\$35.00	\$80.50	\$185.50			
		ZONE 5	250 Kms	\$40.00	\$92.00	\$212.00			
		ZONE 6	300 Kms	\$45.00	\$103.50	\$238.50			
	12	Please contact Rod or Jeremy for details on self-unloading, scaling, volume and timing of delivery							
	13	Local delivery day is Tuesday each week - 8:00 AM - 5:00 PM							

SPECIFICATIONS – SOFT HARDWOOD (Red Maple and Poplar) CORE-VENEER BOLTS

GENERAL INSTRUCTIONS:

1. Logs must be cut from live standing trees, have **2 Clear Faces and be Sound**.
2. Dry, dead and hollow logs and logs containing worm holes, splits, shakes, seams, conk and punk or punk knots will be rejected in most cases except as seen below.
3. Logs may contain up to 10% sweep but logs with short sharp crooks will be rejected.
4. All butts must be trimmed of excessive flare, butt hinge, stump pull and notches and be sawn straight and square.
5. Veneer cut while trees are in leaf out (May & June) must be delivered in the following month and within two months at any other time of the year.

ITEM OR CONDITION	SPECIFICATION
Length 8' plus trim of 8" - Longer lengths accepted and scale based on number of 4' plus trim (4") Bolts can be cut from the Log	2.67 m to 2.79 m (104" to 110") 9' (nine foot) logs are idea, and do not require trim, it is included
Small end diameter	25 cm (10") inside the bark (min 9.5")
Ends and butts	Sawn straight and square, flare, butt hinges, stump-pull and notches trimmed back
Conks: visible tree fungus associated with decay or rot.	Not accepted
Seams to center of log face	Not accepted – Will accept some extremely minor small seams that don't extend far into the sawn surface
Splits and cracks from dry wood or mechanical damage extending into the sawn surface	Not accepted
Center rot	Up to 4 cm (1½") of soft rot is acceptable
Crook - Sweep	10% only
Shake (complete separation of annual rings)	Will accept a bit of minor shake not more than half a circle.
Mechanical Damage	Saw cuts into surface of the log are not acceptable and splits in the sawn surface are also not acceptable.
LOG DIAMETER	KNOTS
24 cm to 26 cm	No defects allowed
28 cm and up	Not more than 6 smaller sound knots of 5.08 cm (2") Or 3 larger sound knots of 10.16 cm (4")

Approved: _____

Date: _____

Penobsquis Wood Yard – Hardwood Logs (Penobsquis, NB)

Currently Purchasing Hardwood Logs & Hardwood Pulpwood

This yard is run by Karl Von Waldow. Route 114, west of Picadilly Road.
Hours are Monday – Thursday 6AM–6PM. Fridays 6AM-5PM

Hardwood Logs


Start Date	October 17, 2022
Species	Sugar maple, red maple, yellow birch, white birch (maximum 20% white birch), red oak and white ash.
Spec	Length: 8'6" and 9'6" logs Diameter: Minimum 2 clear faces and minimum 8" top.
Price	\$80/tonne

Contact

Karl Von Waldow 506-756-0514
SNB Office 506-433-9869

H.C. Haynes, St. Stephen Yard – Spool Wood (St. Stephen, NB)

Market no longer available.

<p>H.C. Haynes, St. Stephen Yard</p> 				
<p>St. Stephen Yard: This yard is run by HC Haynes Inc. Take exit 4, at stop sign turn right onto Church St., travel ½ mile to stop sign & yard is straight ahead. Yard Hours: Monday - Thursday 6am - 5pm.</p>				
<p>Date Effective: November 28, 2023 This market is no-longer available. Date Updated: March 2, 2026</p>				
Spool wood	Minimum 7 Inch Top	9'6" Length	\$ 127.67	US Ton - 2000lbs
<p>Contact: John Kilbride (506) 784-9003</p>				
<p>White birch only. Straight, sound wood. Maximum 1" of sweep. Contact the SNB Office prior to cutting or shipping to confirm wood grade and delivery.</p>				
<p>NOTE: When shipping under the Board’s contract, put SNBFPMB and the producer’s name in brackets in the producer spot on the transportation certificate. * This replaces the contract number. *</p>				