

PO Box 4969 Sussex, NB E4E 5L1

Phone (506)433-9866 Toll Free (833)500-9866 Fax (506)433-9869

Web: www.snbfpmb.ca

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

HARDWOOD SAWLOG, VENEER, & SPOOLWOOD PRICES AND SPECS

Contents

Columbia Forest Products – Hardwood logs & Veneer (Presque Isle, ME)	2
Groupe Savoie Saint Quentin – Hardwood Logs (Saint Quentin, NB)	3
Groupe Savoie Westville Division – Hardwood Logs (Westville, NS)	
Groupe Savoie Westville Division – Hardwood Veneer (Westville NS)	
Biomass Products Inc. – Hardwood Logs (Richmond Corner, NB)	
Seacoast Fishing Supplies – Hardwood Sawlogs	10
Hardwood Products Company LLC (Guilford, ME)	11
J.D. Irving Limited – Hardwood Sawlogs (Sussex, NB)	12
Garant – Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)	13
Maritime Wood Product Inc. – Aspen (Bath, NB)	15

Columbia Forest Products - Hardwood logs & Veneer (Presque Isle, ME)

Columbia Forest Products, Presque Isle, Maine 04769 Tyler Smith, Log Buyer (506) 323-0942



These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.

Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11'5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13	1/3 Heart Center Straight No Defects No Butt Swell	\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	#1SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	#1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	#2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	#4	8'9", 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

Defect Description:

- 2"-3" Sound knot One Defect
- Larger Sound Knots- one or more defects depending on log size and quality.
 Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.
- No sweep in 9", 10", 11" log.
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter, 1 ½" of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length.
 Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

Groupe Savoie Saint Quentin - Hardwood Logs (Saint Quentin, NB)

Scale house: 508-235-1066



PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180 Saint-Quentin, N.-B. E8A 2K9 CONTACT: Yves O'Brien, VP Procurement

Cell:(506) 235-0506 wes.obrien@groupesavoie.com

Scale hours: Mon-Thur 6:00 am to 5:00 pm

Friday 6:00 am to 3:00 pm

May 2021

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE \$AVOIE *** 200KM + ***

LOGS: (class A)			SUGAF	maple) RMAPLE		and WHITE RCH	BE	D MAPLE (Soft) BEECH	
small end	length	# clear	less than	nd straight 1 50% heart	sound and straight			and straight Prime Red Maple <50% hart	
diameter		faces	\$/m3		\$/m3		\$/m3	(Class D)	
36 cm +		4	160	-832\$/Mpmp	150	-780\$/Mpmp	65	70	
(14 in +)	7'6"-8'9"	2-3	100	-5208/Mpmp	95	-4948/Mpmp	60	65	
		0 - 1	50	-260 \$/Mpmp	50	-260 \$/Mpmp	l		
24 to 34 cm		4	100	-520\$/Mpmp	90	-468\$/Mpmp	60	65	
(9 to 13 in)	7'6"-8'9"	2-3	70	-3648/Mpmp	65	-338\$/Mpmp	55	60	
		0 - 1	50	-260 \$/Mpmp	50	-260 \$Mpmp	* Soft Maple 10 In. (25cm) and up		
20 à 22cm (8 in)	8'9" Straight	4	55	-286 \$Mpmp	55	-286\$Mpmp	NA		

Heated and/or stained logs will be paid et 35\$/m³ or 45\$/m³ (depend of size) roadside (Class C logs) Logs not responding to specs will pe paid at 35 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 30 \$ / m3 roadside

Specifications:

Length: 8'9" (>11 inch can produce 7'0" long for recovery logs)

Clear Tace: Perfect face (no knot)

Forks: not accepted

Straight crack: accepted but loss in clear faces

Delimbing: knots flush with log

Class B log: do not respect class A logs specs

VENEER: (11 inch +) at small end Birch: 89", 90", 100" and 11"0"

Maple: 9'6", 10'6" and 11'6" Possible pieces will be put aside to be mesured by an independant certified

veneer scaler

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide

All pieces mesured one by one in solid m3 (1 cord = 2.26m3)

Prices in Mbf are approximate (factor 5.2)

^{***} Deduction of 15\$/m3 for veneer transport





Information Yves O'Brien

Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupesavoie.com

Private wood

	Saw logs	
Criteria	Specifications	Photos
Diameter	Min Max 9"s.e 28" (23 cm) (70 cm) s.e = Small end	
Length	7'6''- 8'9''(+/- 2 in) Min 7'0'' for recovery logs	Coupezici
Heart rot	> 10 inches: less than 33% Less than 10 inches: No rot	3 po.
Sweep	> 10 inches: Maximum of 30% (1/3) of diameter < 10 inches: straight	
Split	Accepted on 1 faces max. Twisted split is not tolerated if the 2nd face is affected	OK OK





Information

Yves O'Brien

Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupesavoie.com

Private wood

Saw logs											
Criteria	Specifications	Photos									
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)										
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).										
Plywood logs (Veneer)	Maple: 9'5",10'5",11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight										

Important

- Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain

Groupe Savoie Westville Division - Hardwood Logs (Westville, NS)

B0K 2A0



2649 Foxbrook Road Westville, Nova Scotia

Jody Hamper a Office: (902) 396-3960

Cell: (902) 759-3234

email: jody.hamper@groupesavoie.com

2021

Westville Division

Net Roadside Log Pri	ce	\$/MFBM			NB log Rule										
Grades (clear faces)	Dia"	Sugar Maple	\$/gmt	Dia"	Red Maple	\$/gmt	Dia"	Birch	\$/gmt	Dia"	Ash	\$/gmt	Dia"	Oak	\$/gmt
Prime (4)	10+	\$587.03	(113) \$	12+	\$387.03	(74) \$	10+	\$562.03	(108) \$	10+	\$487.03	(94) \$	10+	\$487.03	(94) \$
1 (3)	10+	\$487.03	(94) \$	10+	\$337.03	(65) \$	10+	\$437.03	(84) \$	10+	\$412.03	(79) \$	10+	\$412.03	(79) \$
2 (2)	9+	\$387.03	(74) \$	9+	\$287.03	(55) \$	9+	\$337.03	(65) \$	9+	\$287.03	(55) \$	9+	\$287.03	(55) \$
Pallet log	8+	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$
Tie Logs (0)	11+	\$287.03/ MF	BM -su	gar ma	ole, red maple, bi	irch, oa	k, beed	h- lengths 8' 9	", straig	ht and	sound, no rot				

Lengths -Saw logs 8'6", 7'6", 6'6' Rot accepted 30% diameter

Maximum sweep 2" at 8 ft

Lengths -Veneer 8'9", 9'5", 10'5 Maximum 50% (1/2) heart in all maples (sugar and red) grade 2 and up

Yard hours- Monday to Thursday 7:00 AM to 5:00 PM, Friday- 7:00 AM to 4:00 PM

Palletwood- No clear faces, stained wood, 8+ inches

\$/GMT is an approximate value

Summer cut logs must be delivered within 2 weeks after harvesting

Trucking is paid by Groupe Savoie

Groupe Savoie Westville Division - Hardwood Veneer (Westville NS)

GROUPE SAVOIE - WESTVILLE DIVISION PRICE LIST AND SPECIFICATIONS PURCHASING HARDWOOD LOGS AND VENEER

2649 Foxbrook Road Westville, Nova Scotia

B0K 2A0

Tel: (902) 396-3960 Fax: (902) 396-3962 Jody Hamper (902) 759-3234

Effective May 1, 2019

Logs must be shipped within 2 weeks in summer to prevent stain. Net Price Roadside \$/Mfbm Canadian dollars

Code	Grade	Lengths	Min Diameter Allowable Defects		Prices/MBFM
Y+	Slicer	8'9" 9'5" 10'5" 11'5"	14" and up	Straight, No Butt Swirls	\$2,687.03
Y+	Select Plus	8'9" 9'5" 10'5" 11'5"	12" 13"	1/3 Heart center Straight no Defects	\$2,387.03
ΥP	Prime	8'9" 9'5" 10'5" 11'5"	14" and up	No surface or end defects	\$1,487.03
YS	Select	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	No Defects	\$1,137.03
YO	#1 Special	8'9" 9'5" 10'5" 11'5"	14" and Up	One Defect	\$1,137.03
Y1	# 1	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	One defect & 3" End Defect	\$987.03
	Y+ Y+ YP YS YO	Y+ Slicer Y+ Select Plus YP Prime YS Select YO #1 Special	Y+ Slicer 8'9" 9'5" 10'5" 11'5" Y+ Select Plus 8'9" 9'5" 10'5" 11'5" YP Prime 8'9" 9'5" 10'5" 11'5" YS Select 8'9" 9'5" 10'5" 11'5" YO #1 Special 8'9" 9'5" 10'5" 11'5"	Y+ Slicer 8'9" 9'5" 10'5" 11'5" 14" and up Y+ Select Plus 8'9" 9'5" 10'5" 11'5" 12" 13" YP Prime 8'9" 9'5" 10'5" 11'5" 14" and up YS Select 8'9" 9'5" 10'5" 11'5" 11" 12" 13" YO #1 Special 8'9" 9'5" 10'5" 11'5" 14" and Up	Y+ Slicer 8'9" 9'5" 10'5" 11'5" 14" and up Straight, No Butt Swirls Y+ Select Plus 8'9" 9'5" 10'5" 11'5" 12" 13" 1/3 Heart center Straight no Defects YP Prime 8'9" 9'5" 10'5" 11'5" 14" and up No surface or end defects YS Select 8'9" 9'5" 10'5" 11'5" 11" 12" 13" No Defects YO #1 Special 8'9" 9'5" 10'5" 11'5" 14" and Up One Defect

Sugar Maple	M+	Slicer	9'5" 10'5" 11'5"	14" and up	Straight, No Defects & 1/3 heart centered	\$2,987.03
Sugar Maple	MP	Prime	9'5" 10'5" 11'5"	14" and up	No Defect 1/3 heart	\$2,637.03
Sugar Maple	MS	Select	9'5" 10'5" 11'5"	11" 12" 13"	No Defect 1/3 heart	\$1,487.03
Sugar Maple	MO	#1 Special	9'5" 10'5" 11'5"	14" and Up	One Defect 1/3 heart	\$1,487.03
Sugar Maple	M1	#1	9'5" 10'5" 11'5"	11" 12" 13"	One Defect 1/3 heart	\$1,012.03
Sugar Maple	M2S	#2	9'5" 10'5" 11'5"	14" and up	No Defect 1/2 heart	\$1,012.03

Specifications:

Yard hours Mon - Thurs 7am - 5 pm

Fri 7 am - 4 pm

Straight = less than 1 1/2" sweep at 12"+

Biomass Products Inc. - Hardwood Logs (Richmond Corner, NB)

BIOMASS PRODUCT INC.

3394 RICHMOND CORNER, ROUTE 540

506-328-8797

AS of May 1/2020

ASH

\$550.00 13" & up diameter \$500.00 10" - 12" diameter \$400.00 8" - 9" diameter

HARD MAPLE

\$600.00 13" & up diameter \$500.00 10" -12 diameter

YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU 10-11-12"

\$500.00 13" & UP

LOG SHEET SPECS

- 1.) 9" minimum top inside bark
- 2.) Gradual sweep no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8', 10', 12', 14',16'
- 6.) 4-6 inches of Trim



Seacoast Fishing Supplies - Hardwood Sawlogs

July 24/2020

Currently only purchasing White Ash logs

Contact: Don Boudreau: (506) 533-0455

Price: \$244.66/cord delivered

Specifications:

Length: 8' 6" and up

Top Diameter: 7" minimum

Quality: 2 clear faces

Limited deliveries, please contact office prior to cutting.

506 433-9865

Hardwood Products Company LLC (Guilford, ME)

Hardwood Products Company LLC

P.O. Box 149 31 School Street Guilford, Maine 04443

Wood Specifications - January 1, 2021

Scale Rule: Maine Log Rule
Plus: We give a 1" rise on 21' and longer logs

White Birch / Grade 1:

10" minimum diameter; 10'-6" minimum length (scaled every foot above 10'-6")

At least 3" of white wood from inside the bark to the closest point of the heart.

20" maximum diameter, outside the bark

\$705.23/mbf CAD

White Birch / Grade 2:

7" minimum diameter; 8'-6" minimum length (scaled every foot above 8'-6")

At least 2" of white wood from inside the bark to the closest point of the heart.

20" maximum diameter, outside the bark.

\$566.63/mbf CAD

Pallet Grade:

If a log does not have the minimum required white wood and it is solid, it will be graded as a Pallet log

7" minimum diameter, 20" maximum diameter, 8'-6" minimum length, no rot or holes

No more than 6" of surface defect per 4' section. (bump / burl / cat face / knot / crotch) No seams, splits, rot, holes, dead wood, checked or stained wood. The length of the log with the defects will be discounted on scale.

Any amount of sweep is acceptable.

Wood must be delivered within 2 weeks of harvest from April 1 to November 1

CULL LOGS: Will be marked with a "0", and saved for Contractor for 10 Business days unless other arrangements have been made.

PAYMENT: Processed each Friday for wood delivered during the previous weekly period (The previous Monday through Friday). Payment will be based on our mill scale.

SCALE HOURS: 5:00 AM - 3:00 PM Monday - Friday

WOOD YARD CLOSED:

 $\begin{array}{ll} Monday-May\ 31,\!2021 & Monday-September\ 6,\ 2021 \\ Thursday-November\ 25,\ 2021 \end{array}$

J.D. Irving Limited - Hardwood Sawlogs (Sussex, NB)

JD Irving is currently not purchasing hardwood logs. Effective at the end of the day, May 16th 2020.



J.D. Irving, Limited



Sussex- HARDWOOD SAWLOG SPECIFICATIONS

Grade 2	
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)
LENGTH	8'6", 10'6" and 12'6"
DIAMETER	10" minimum top diameter (inside bark)
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt
	Maximum butt rot is 1/3 the smallest diameter of the bolt
	No stained logs accepted
	No split logs accepted
	No forked trees, butts cut flush and square with the centre line of the tree
PRICE	\$0 /GMT Currently not buying

All loads containing burned wood, unacceptable species, or logs containing metal shall be rejected. Defective bolts within loads may be deducted from the scale and sent back to producers on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the attention of the scale staff or District Administrator Sussex Region at the time of delivery by the trucker or producer and, if unloaded, piled separately.

These specifications are subject to change by J.D. Irving, Limited with minimal notice.

Garant - Hard, Soft Maple, Yellow Birch, Ash (Woodstock, NB)



135 Phillips Dr. Woodstock, New Brunswick E7M 2K8

Mill Grade	Species	Price	!	Unit	Length	Diam.	Specs		
Prime Plus	White Ash	\$	712.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces	knots cut flush	
Prime	White Ash	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces	knots cut flush	
Select	White Ash	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces	knots cut flush	
No. 1	White Ash	\$	387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	2 clear faces	knots cut flush	
Prime Plus	Hard Maple	\$	807.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	2 clear faces	knots cut flush	1/2 heart or less
Prime	Hard Maple	\$	757.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	2 clear faces	knots cut flush	1/2 heart or less
Select	Hard Maple	\$	707.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	2 clear faces	knots cut flush	1/2 heart or less
No. 1	Hard Maple	\$	387.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces	knots cut flush	1/3 heart or less
Prime Plus	Soft Maple	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4"	14"+	3 clear faces	knots cut flush	1/2 heart or less
Prime	Soft Maple	\$	612.03	MBF	8'4",10'4",12'4",14'4",16'4"	12",13"	3 clear faces	knots cut flush	1/2 heart or less
Select	Soft Maple	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4"	10",11"	3 clear faces	knots cut flush	1/2 heart or less
No. 1	Soft Maple	\$	367.03	MBF	8'4",10'4",12'4",14'4",16'4"	8",9"	3 clear faces	knots cut flush	1/3 heart or less
Prime Plus	Yellow Birch	\$	662.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	14"+	2 clear faces	knots cut flush	1/2 heart or less
Prime	Yellow Birch	\$	612.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	12",13"	2 clear faces	knots cut flush	1/2 heart or less
Select	Yellow Birch	\$	562.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	10",11"	2 clear faces	knots cut flush	1/2 heart or less
No. 1	Yellow Birch	\$	367.03	MBF	8'4",10'4",12'4",14'4",16'4",NO 10'	8",9"	3 clear faces	knots cut flush	1/3 heart or less



Specifications Sheet

Hard, Soft Maple, Yellow Birch

10 " Minimum top, inside the bark Sweep must be **less** than

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted No check or cracks Minimum 2 clear faces

No excessive knots, maximum of 1 knots (Defect) per 8ft No Rot.

1/2 heart or less (diameter deductions will be made for heart rot)
Trim of at least 4 to 6 inches
Even lengths of 8', 10', 12', 14' and 16' plus trim
Preferred length is 12' and 16'

Ash

8 " Minimum top, inside the bark Sweep must be **less** than

- 3 inches in a 8 ft length
- 5 inches in a 12 ft length
- 6 inches in a 16 ft length

No crook, excessive flare will be deducted

No check or cracks

minimum 2 clear faces

No excessive knots maximum of 1 knots (Defect) per 8ft

No rot

Trim of at least 4 to 6 inches

Even length of 8', 10', 12', 14' and 16' plus trim

Preferred length is 12' and 16'

Maritime Wood Product Inc. - Aspen (Bath, NB)

Aspen Bath, NB



156 Hospital St., Bath, NB E7J 1C1 (506) 278-3233, (506) 278-5914

Species	Length	Diameter	Mill Price	Unit Measure
Aspen, no Balsam Poplar	8'-9'	Minimum 9"	\$77.43	Metric Tonne

Form: Straight, no rot, no forks, no major defects, 2-3 clear faces