

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

SOFTWOOD STUDWOOD PRICES AND SPECS

Contents

J.D. Irving Limited, Studwood (Sussex and Chipman)	. 2
Delco Forest Products, Studwood (Rexton NB)	.3
Devon Lumber Co. LTD, 8 foot Studwood (Fredericton NB)	.4
J.D. Irving Limited, Studwood (Truro Sawmill)	.5
Ledwidge Lumber, Enfield NS	.6
Timber Resource Group – Studwood (32 Stetson Rd., East Newport, ME)	.8

J.D. Irving Limited – Studwood (Sussex and Chipman, NB)

J.D. Irving, Limited Studwood Gatewood Posted Prices Effective April 3, 2022									
Mill	Product Grade Units Zone 1 Zone 2 Zone 3 Zone 4 Zone 1 (1-40mi) (41-60mi) (61-80mi) (81-100mi) 101								
Grand Lake Timber (9 foot only)	SF Studwood (9') SF Studwood (9')	19 (Spruce) 29 (Fir)	GMT GMT	\$65.25 \$60.25	\$68.25 \$63.25	\$71.25 \$66.25	\$74.25 \$69.25	\$74.2 \$69.2	
No Jack Pine	SF Studwood (9') SF Studwood (9')	19B (Spruce) 29B (Fir)	GMT GMT	\$67.25 \$62.25	\$70.25 \$65.25	\$73.25 \$68.25	\$76.25 \$71.25	\$76.2 \$71.2	
Sussex Sawmill	SF Studwood (9') SF Studwood (9')	19(Spruce) 29 (Fir)	GMT GMT	\$65.25 \$60.25	\$68.25 \$63.25	\$71.25 \$66.25	\$74.25 \$69.25	\$74.2 \$69.2	
	SF Studwood (9') SF Studwood (9')	19B (Spruce) 29B (Fir)	GMT GMT	\$67.25 \$62.25	\$70.25 \$65.25	\$73.25 \$68.25	\$76.25 \$71.25	\$76.2 \$71.2	
	SF Studwood (8') SF Studwood (8')	18 (Spruce) 28 (Fir)	GMT GMT	\$60.25 \$55.25	\$63.25 \$58.25	\$66.25 \$61.25	\$69.25 \$64.25	\$69.2 \$64.2	
	SF Studwood (8') SF Studwood (8')	18B (Spruce) 28B (Fir)	GMT GMT	\$62.25 \$57.25	\$65.25 \$60.25	\$68.25 \$63.25	\$71.25 \$66.25	\$71.2 \$66.2	
		Studwood S							
Species	GRADE 1 Spruce/fir only; minimu	.9 (9 foot studs) an m 60% spruce, maximur							
Age	Delivered within 3 mont		,		- 11				
Length	9 ' studs = 108 " to 112" Loads may contain up to 20% 8-foot studs 8' studs+ 99" to 103"								
Diameter	9 ' studs= 5" minimum top to 13" maximum butt (inside bark) 8' studs= 4.5" minimum top to 13" maximum butt (inside bark)								
Defects	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over the length of the bolt. In any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots > 3" diameter.								
Species	GRADE 29 (9 foot studs) and GRADE 28 (8 foot studs) Less than 60% Spruce. Jack Pine is acceptable in full loads, or separated on the truck to the Sussex Mill only.								
NOTE:	Less than 60% Spruce. Jack Pine is acceptable in full loads, or separated on the truck to the Sussex Mill only. Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 40+ piece sample extracted randomly from each load and measured using the above specifications (if spruce content in the sample is less than 60% the load shall be assessed as Grade 29 or 28. Quality (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by JD Irving Limited. Any supplier whose quality sample results fail below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.								

Contracts: Additional \$/GMT is available for signed contracts with committed volumes. Performance bonuses for individuals who fill 90% of their contract commitment is also available.

Delco Forest Products - Studwood (Rexton, NB)

CLOSED FOR SPRING


NEW Price Effective May 31st/2021

Softwood Studwood Price List Delco Forest Products, Rexton						
1999 Route 470 West Branch (NB) Gabriel LeBlanc- cell 521-0589, office 523-6480 SNB Payment 433-9866 or toll free 1 833-500-9866						
Species	Length	Diameter	Age	Price	Unit Measure	
Spruce, Fir, Jack Pine (Stick Scale for studs)	8' 4''	min 4" top to max 20"	Within 3 Months	\$155.00	cord	
Spruce, Fir, Jack Pine (Stick Scale for studs)	9' no trim required		Within 3 Months	\$155.00	cord	
QUALITY: Straight, sound, and live trees No rot or stained wood No dead wood Knots cut flush, no excessive knots No spikes, forks, or butt flare Cow pasture spruce usually unacceptable due to quality No cross sticks, brush etc. in load AGE: less than 3 months old.					quality	
DELIVERY HOURS: MonThurs.: 7 am-5 pm; Fri. 7 am-4:00						

Restricted deliveries. Producers are requested to contact the SNB office before delivering.

Devon Lumber Co. LTD - 8-foot Studwood (Fredericton, NB)

NEW Price Effective June 6, 2022



Specifications: All wood must be straight, sound, NO RED WOOD, well knotted, no flared butts, or excessive knots.

White Spruce will not be accepted as studwood

5" top and maximum 9" butt, outside bark

Scale Hours: Monday to Thursday 8:30am-4:00pm, Friday CLOSED

J.D. Irving Limited – Studwood (Truro, NS)

J.D. Irving, Limited							
JD. IRVING, LIMITED Truro Sawmill- Studwood							
GRADE 1 (1	0-foot) and GRADE 19 (9-foot) and GRADE 18 (8-foot)						
SPECIES	Spruce/fir only; minimum 75% spruce, maximum 25% fir (white-wood only)						
AGE	Delivered within 3 months of date cut (live trees at time of cut)						
LENGTH	10 foot studs (123"-127") Loads may contain up to 25% 9 foot and/or 8 foot studs						
	9 foot studs (111"-115") Loads may contain up to 25% 8 foot studs						
	8 foot studs (99"-103")						
DIAMETER	10 foot and 9 foot studs = 5" minimum to 13" maximum (inside bark)						
	8 foot studs = 4" minimum to 13" maximum (inside bark)						
DEFECTS	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over						
	the length of the bolt. In any 4 foot section of a bolt: not more than 8 knots > 3"						
	diameter (i.e., no "pasture" spruce).						
GRADE 2 (1	0-foot) and GRADE 29 (9-foot) and GRADE 28 (8-foot) as above <u>except</u> :						
SPECIES	Spruce, Balsam Fir, Jack Pine in any proportion. No other species.						
NOTE: Load	ds may be rejected by JDI scale staff prior to unloading if they do not meet minimum						
specificatio	ns. Grade shall be determined by JDI, based on a 40+ piece sample extracted randomly						
from each lo	bad and measured using the above specifications (if spruce content in the sample is less						
than 60% the load shall be assessed as Grade 2 or 29).							
Quality: (% acceptable pieces) shall be measured using the above specifications. Loads assessed as							
90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as							
determined by J.D. Irving, Limited. Any supplier whose quality sample results fall below 60% for any							
one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be							
placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality							
suspension	shall not be allowed to resume delivery until approved by the Regional Wood Buyer.						

J.D. Irving, Limited Truro Sawmill - Studwood								
Gatewood Pos	Gatewood Posted NB Prices Effective May 26, 2021 - For NB Wood							
Mill	Product	Product Grade Units N.B.						
Truro (Sproule)	SF Studwood (9')	19, 1	GMT	\$76.25				
	SF Studwood (9') 29, 2 GMT \$76.25							
	SF Studwood (9') 19B, 1B GMT \$78.25							
	SF Studwood (9')	29B, 2B	GMT	\$78.25				

Ledwidge Lumber (Enfield, NS)

NEW Price effective May 2nd. Now purchasing NB Wood. Call office for more details.

Softwood Studwood Price List Ledwidge Lumber, Enfield NS							
195 Old Post Rd., Enfield, NS (306 km from Sussex) Scaler: Shawn Turple (902)- 221-1263 SNB CONTRACT # 4484							
Species	Species Length Diameter Age Mill Price Unit Measure						
Grade 1 Spruce 100%, up to 25% Fir, Jack Pine 8' 4" (cut 100") min 4" top to max 15" Within 3 Months \$107.25 Metric Tonne							
Grade 2 Fir and Spruce	8' 4"	min 4" top to max 15"	Within 3 Months	not buying	Metric Tonne		

When drivers arrive with their first load of NB wood they must talk to Shawn, Donald, or Stephen in the scale house and sign off on a declaration about our procedures for accepting and stocking the studwood in a special area of our yard.

Our loader operators must be alerted they have NB wood and then will be unloaded in the correct area or will be directed to unload themselves.

Due to the importance of segregating the wood in our yard, the hours for delivery of NB studwood at this time will be 7:00AM to 4:30PM Monday to Friday.

Transportation certificates are mandatory and 1 copy must be left with the scale house.

Thanks for your cooperation on jumping through these hoops to make deliveries possible, we appreciate your business.

Shawn Turple- Head Scaler/Wood Procurement Team email <u>scales@ledwidgelumber.com</u> Phone 902-883-9889 ext. 226 or 902-221-1263. D. Ledwidge, President J. Ledwidge, Vice-President, Woodlands Manager M. McGrath, General Manager



www.jedwidgelumber.com sales@iedwidgelumber.com Office (902) 883-9889 Fax (902) 883-8659

LEDWIDGE LUMBER COMPANY LTD.

195 Old Post Rd. PO Box 39, Enfield, Nova Scotia, B2T 1C6

DATE

NAME_____

I, THE UNDERSIGNED, AGREE TO FOLLOW ALL RESTRICTIONS PLACED ON WOOD DELIVERIED FROM THE PROVINCE OF NEW BRUNSWICK.

RESTRICTIONS ARE AS FOLLOWS:

I WILL UNLOAD MY WOOD AT THE SIGNED 'NEW BRUNSWICK WOOD ONLY' AREA.

I WILL NEVER HAVE MY WOOD UNLOADED AT THE BROW OR IN ANY OTHER SECTION OF THE YARD.

I GUARANTEE THE WOOD I DELIVER IS FROM THE PROPER ADDRESS AND HAVE A TRANSPORTATION CERTIFICATE TO ACCOMPANY IT.

I UNDERSTAND THAT IF I VIOLATE ANY PROCEDURES FOR DELIVERING NB WOOD, THAT I MAY FACE PENALTIES INCLUDING; NON-PAYMENT, REJECTION OF LOAD OR FUTURE REJECTIONS OF LOADS.

SIGNED _____

Partner of Canadian Woodlands Forum Member of Forest Nova Scotia & the Maritime Lumber Bureau

Timber Resource Group – Studwood (32 Stetson Road, East Newport, M

TRG) Timber F	leso	urce Gi	foup
	32 Stetson Rd. East Ne	wport, ME Pil	e Down Yard	
Ya	ard hours Monday-Thursday 6am	to 3pm Frida	y 6am to 11am (US tir	me)
Pricing in Can	adian Currency, may fluctuate w	ith exchange	rate. Price below @	1.29 exchange
	Prices Effectiv	ve June 20, 20	022	
Species	Length	Diameter	Age	ill Pri Unit Measure
Mixed Spruce/Fir Studwood	10' - 16'	Min 4" top Min 6" butt	Within 3 Months	\$100.70 ton equates to ~ \$111.00 gmt
Minimum Butt Diameter:	7" inside the bark			
Minimum Top Diameter:	4" inside the bark			
Studwood Length:	10' - 16' @ 2-foot increments			
Rot	Not accepted			
Scale Rule:	Weight scale - Wood is paid by the ton			