



**Southern
New Brunswick**
Forest Products
Marketing Board

PO Box 4969 Sussex, NB E4E 5L1
Email: snbmarketingboard@snbfpmmb.ca
Phone (506)433-9866 Toll Free (833)500-9866 Fax (506)433-9869
Web: www.snbfpmb.ca

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

HARDWOOD SAWLOG,VENEER, & SPOOLWOOD PRICES AND SPECS

Contents

Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME)	2
Groupe Savoie Saint Quentin, Hardwood Logs.....	3
Groupe Savoie Westville Division, Hardwood Logs (Westville Nova Scotia)	6
Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)	7
Biomass Products Inc. Hardwood Logs	8
Seacoast Fishing Supplies. Hardwood Sawlogs.....	10
Hardwood Products Company LLC, Guilford Maine	11
J.D. Irving Limited. Hardwood Sawlogs (Sussex).....	12

Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME)

Columbia Forest Products, Presque Isle, Maine 04769
Tyler Smith, Log Buyer
(506) 323-0942



These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.

Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11' 5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13	1/3 Heart Center Straight No Defects No Butt Swell	\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	# 1 SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	# 1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	# 2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	# 4	8'9", 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

Defect Description:

- 2"-3" Sound knot – One Defect
- Larger Sound Knots- one or more defects depending on log size and quality. Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.
- No sweep in 9", 10", 11" log.
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter, 1 ½" of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length. Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

Groupe Savoie Saint Quentin, Hardwood Logs



PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180
Saint-Quentin, N.-B.
E8A 2K9

CONTACT: Yves O'Brien, VP Procurement
Cell: (506) 235-0508
yves.obrien@groupe-savoie.com

May 2021

Scale house: 506-235-1086

Scale hours: Mon-Thur 6:00 am to 5:00 pm
Friday 6:00 am to 3:00 pm

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE * 200KM + *****

LOGS : (class A)			(rock maple) SUGAR MAPLE sound and straight less than 50% heart	YELLOW and WHITE BIRCH sound and straight	RED MAPLE (Soft) BEECH sound and straight
small end diameter	length	# clear faces	\$/m3	\$/m3	\$/m3
36 cm + (14 in +)	7'6"-8'9"	4 2 - 3 0 - 1	160 -832\$/Mmp 100 -520\$/Mmp 50 -260\$/Mmp	150 -780\$/Mmp 95 -494\$/Mmp 50 -260\$/Mmp	65 70 60 65
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4 2 - 3 0 - 1	100 -520\$/Mmp 70 -364\$/Mmp 50 -260\$/Mmp	90 -468\$/Mmp 65 -338\$/Mmp 50 -260\$/Mmp	60 65 55 60
20 à 22cm (8 in)	8'9" straight	4	55 -286\$/Mmp	55 -286\$/Mmp	* Soft Maple 10 in. (25cm) and up NA

Heated and/or stained logs will be paid at 35\$/m³ or 45\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 35 \$ / m³ roadside (class B logs)

Pieces declassified to pallet will be paid at 30 \$ / m³ roadside

Specifications:

Length: 8'9" (>11 inch can produce 7'0" long for recovery logs)

Clear face: Perfect face (no knot)

Forks: not accepted

Straight crack: accepted but loss in clear faces

Delimbing: knots flush with log

Class B log: do not respect class A logs specs

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide

All pieces measured one by one in solid m³ (1 cord = 2.26m³)






Prices in Mbf are approximate (factor 5.2)

VENEER: (11 inch +) at small end
Birch: 8'9", 9'6", 10'6" and 11'6"
Maple: 9'6", 10'6" and 11'6"
Possible pieces will be put aside to be
measured by an independant certified
veneer scaler

*** Deduction of 15\$/m³ for veneer transport




Information
Yves O'Brien
Cell: (506) 235-0506 Office: (506) 235-1066
yves.obrien@groupe-savoie.com

Private wood

Saw logs						
Criteria	Specifications	Photos				
Diameter	<table><tr><th>Min</th><th>Max</th></tr><tr><td>9" s.e (23 cm)</td><td>28" (70 cm)</td></tr></table> <p>s.e = Small end</p>	Min	Max	9" s.e (23 cm)	28" (70 cm)	
Min	Max					
9" s.e (23 cm)	28" (70 cm)					
Length	<p>7'6"- 8'9" (+/- 2 in)</p> <p>Min 7'0" for recovery logs</p>					
Heart rot	<p>> 10 inches: less than 33%</p> <p>Less than 10 inches: No rot</p>					
Sweep	<p>> 10 inches: Maximum of 30% (1/3) of diameter</p> <p>< 10 inches: straight</p>					
Split	<p>Accepted on 1 faces max.</p> <p>Twisted split is not tolerated if the 2nd face is affected</p>					

Information
Yves O'Brien
Cell: (506) 235-0506 Office: (506) 235-1066
yves.obrien@groupe-savoie.com

Private wood

Saw logs		
Criteria	Specifications	Photos
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).	
Plywood logs (Veneer)	Maple: 9'5", 10'5", 11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight	
Important		
<ul style="list-style-type: none"> - Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain 		

Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)

GRUPE SAVOIE - WESTVILLE DIVISION PRICE LIST AND SPECIFICATIONS PURCHASING HARDWOOD LOGS AND VENEER



2649 Foxbrook Road
Westville, Nova Scotia
B0K 2A0
Tel: (902) 396-3960
Fax: (902) 396-3962

Jody Hamper
(902) 759-3234

Effective May 1, 2019

Logs must be shipped within 2 weeks in summer to prevent stain.
Net Price Roadside \$/Mfbm Canadian dollars

Species	Code	Grade	Lengths	Min Diameter	Allowable Defects	Prices/MBFM
Y&W Birch	Y+	Slicer	8'9" 9'5" 10'5" 11'5"	14" and up	Straight, No Butt Swirls	\$2,687.03
Y&W Birch	Y+	Select Plus	8'9" 9'5" 10'5" 11'5"	12" 13"	1/3 Heart center Straight no Defects	\$2,387.03
Y&W Birch	YP	Prime	8'9" 9'5" 10'5" 11'5"	14" and up	No surface or end defects	\$1,487.03
Y&W Birch	YS	Select	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	No Defects	\$1,137.03
Y&W Birch	YO	#1 Special	8'9" 9'5" 10'5" 11'5"	14" and Up	One Defect	\$1,137.03
Y&W Birch	Y1	# 1	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	One defect & 3" End Defect	\$987.03
Sugar Maple	M+	Slicer	9'5" 10'5" 11'5"	14" and up	Straight, No Defects & 1/3 heart centered	\$2,987.03
Sugar Maple	MP	Prime	9'5" 10'5" 11'5"	14" and up	No Defect 1/3 heart	\$2,637.03
Sugar Maple	MS	Select	9'5" 10'5" 11'5"	11" 12" 13"	No Defect 1/3 heart	\$1,487.03
Sugar Maple	MO	#1 Special	9'5" 10'5" 11'5"	14" and Up	One Defect 1/3 heart	\$1,487.03
Sugar Maple	M1	#1	9'5" 10'5" 11'5"	11" 12" 13"	One Defect 1/3 heart	\$1,012.03
Sugar Maple	M2S	#2	9'5" 10'5" 11'5"	14" and up	No Defect 1/2 heart	\$1,012.03

Specifications:

Yard hours Mon - Thurs 7am - 5 pm
Fri 7 am - 4 pm

Straight = less than 1 1/2" sweep at 12"+

Biomass Products Inc. Hardwood Logs

BIOMASS PRODUCT INC.

3394 RICHMOND CORNER , ROUTE 540

506-328-8797

AS of May 1/2020

ASH

\$550.00	13" & up	diameter
\$500.00	10" - 12"	diameter
\$400.00	8" - 9"	diameter

HARD MAPLE

\$600.00	13" & up	diameter
\$500.00	10" -12	diameter

YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU	10-11-12"
\$500.00	13" & UP

LOG SHEET SPECS

- 1.) 9" minimum top - inside bark
- 2.) Gradual sweep - no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8', 10', 12', 14', 16'
- 6.) 4-6 inches of Trim



Seacoast Fishing Supplies. Hardwood Sawlogs

July 24/2020

Currently only purchasing White Ash logs

Contact: Don Boudreau: (506) 533-0455

Price: \$244.66/cord delivered

Specifications:

Length: 8' 6" and up

Top Diameter: 7" minimum

Quality: 2 clear faces

Limited deliveries, please contact office prior to cutting.

506 433-9865

Hardwood Products Company LLC, Guilford Maine

Hardwood Products Company LLC

P.O. Box 149
31 School Street
Guilford, Maine 04443

Wood Specifications – January 1, 2021

Scale Rule: Maine Log Rule

Plus: We give a 1" rise on 21' and longer logs

White Birch / Grade 1:

10" minimum diameter; 10'-6" minimum length (scaled every foot above 10'-6")

At least 3" of white wood from inside the bark to the closest point of the heart.

20" maximum diameter, outside the bark

\$705.23/mbf CAD

White Birch / Grade 2:

7" minimum diameter; 8'-6" minimum length (scaled every foot above 8'-6")

At least 2" of white wood from inside the bark to the closest point of the heart.

20" maximum diameter, outside the bark.

\$566.63/mbf CAD

Pallet Grade:

If a log does not have the minimum required white wood and it is solid, it will be graded as a Pallet log

7" minimum diameter, 20" maximum diameter, 8'-6" minimum length, no rot or holes

No more than 6" of surface defect per 4' section. (bump / burl / cat face / knot / crotch)

No seams, splits, rot, holes, dead wood, checked or stained wood

The length of the log with the defects will be discounted on scale.

Any amount of sweep is acceptable.

Wood must be delivered within 2 weeks of harvest from April 1 to November 1

CULL LOGS: Will be marked with a "0", and saved for Contractor for 10 Business days unless other arrangements have been made.

PAYMENT: Processed each Friday for wood delivered during the previous weekly period (The previous Monday through Friday). Payment will be based on our mill scale.

SCALE HOURS: 5:00 AM - 3:00 PM Monday – Friday

WOOD YARD CLOSED:


Monday – May 31, 2021

Monday – September 6, 2021

Thursday – November 25, 2021

J.D. Irving Limited. Hardwood Sawlogs (Sussex)

JD Irving, is currently not purchasing hardwood logs. Effective at the end of the day, May 16th 2020.

J.D. Irving, Limited	
	Sussex- HARDWOOD SAWLOG SPECIFICATIONS
Grade 2	
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)
LENGTH	8'6", 10'6" and 12'6"
DIAMETER	10" minimum top diameter (inside bark)
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt
	Maximum butt rot is 1/3 the smallest diameter of the bolt
	No stained logs accepted
	No split logs accepted
	No forked trees, butts cut flush and square with the centre line of the tree
PRICE	\$0 /GMT Currently not buying
<p>All loads containing burned wood, unacceptable species, or logs containing metal shall be rejected. Defective bolts within loads may be deducted from the scale and sent back to producers on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the attention of the scale staff or District Administrator Sussex Region at the time of delivery by the trucker or producer and, if unloaded, piled separately.</p> <p>These specifications are subject to change by J.D. Irving, Limited with minimal notice.</p>	