

#### Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

#### HARDWOOD SAWLOG, VENEER, & SPOOLWOOD PRICES AND SPECS

#### **Contents**

Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME)	2
Groupe Savoie Saint Quentin, Hardwood Logs	3
Groupe Savoie Westville Division, Hardwood Logs (Westville Nova Scotia)	6
Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)	7
Biomass Products Inc. Hardwood Logs	8
Seacoast Fishing Supplies. Hardwood Sawlogs	10
Hardwood Products Company LLC, Guilford Maine	11
J.D. Irving Limited. Hardwood Sawlogs (Sussex)	12

### Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME)

#### Columbia Forest Products, Presque Isle, Maine 04769 Tyler Smith, Log Buyer (506) 323-0942



#### These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.

Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11'5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13 1/3 Heart Center Straight No Defects No Butt Swell		\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	#1SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	#1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	# 2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	#4	8'9" <i>,</i> 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

#### **Defect Description:**

- 2"-3" Sound knot One Defect
- Larger Sound Knots- one or more defects depending on log size and quality. Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.
- No sweep in 9", 10", 11" log.
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter, 1 ½" of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length. Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

## Groupe Savoie Saint Quentin, Hardwood Logs



# PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180 Saint-Quentin,N.-B. E8A 2K9 CONTACT: Yves O'Brien, VP Procurement Cell:(506) 235-0506 <u>wes.obrien@groupesavoie.com</u> Scale house: 506-235-1066

May 2021

Scale hours: Mon-Thur 6:00 am to 5:00 pm Friday 6:00 am to 3:00 pm

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE \*\*\* 200KM + \*\*\*

LOGS : (class A)			(rock maple) SUGAR MAPLE			and WHITE RCH	RED MAPLE (Soft) BEECH		
small end	length	# clear	sound and straight less than 50% heart		sound and straight		sound and straight Prime Red M <50% har		
diameter		faces	\$/m3		\$/m3		\$/m3	(Class D)	
36 cm + (14 in +)	7'6"-8'9"	4 2-3 0-1	160 100 50	-832\$Mpmp -520\$Mpmp -260 \$Mpmp	150 95 50	-780\$/Mpmp -494\$/Mpmp -260 \$/Mpmp	65 60	70 65	
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4 2-3 0-1	100 70 50	-520\$Mpmp -364\$Mpmp -260 \$Mpmp	90 65 50	-468\$/Mpmp -338\$/Mpmp -260 \$/Mpmp	60 55 * Soft Maple 10	65 60 ) In. (25cm) and up	
20 à 22cm (8 in)	8'9'' Straight	4	55	-286 \$/Mpmp	55	-286\$/Mpmp		NA	

Heated and/or stained logs will be paid et 35\$/m³ or 45\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will pe paid at 35 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 30 \$ / m3 roadside

#### Specifications:

Length: 8'9" ( >11 inch can produce 7'0" long for recovery logs)

CIEAF TACE: Perfect face (no knot)

FORKS: not accepted

Straight crack: accepted but loss in clear faces

Delimbing: knots flush with log

Class B log: do not respect class A logs specs

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide All pieces mesured one by one in solid m3 (1 cord = 2.26m\*) Prices in Mbf are approximate (factor 5.2)

VENEER: (11 inch +) at small end Birch: 89,96,106 and 116 Maple: 96,106 and 116 Possible pieces will be put aside to be mesured by an independant certified veneer scaler

\*\*\* Deduction of 15\$/m³ for veneer transport



SPEC-FOR-A-101 (Quality specifications - Log - Private wood)



Information

YvesO'Brien

Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupesavoie.com

### Private wood

Saw logs								
Criteria	Specifications	Photos						
Diameter	Min Max   9"s.e 28"   (23 cm) (70 cm)   s.e Small end							
Length	7'6''- 8'9''(+/- 2 in) Min 7'0'' for recovery logs	Coupezici						
Heart rot	> 10 inches: less than 33% Less than 10 inches: No rot	3 po.						
Sweep	> 10 inches: Maximum of 30% (1/3) of diameter < 10 inches: straight							
Split	Accepted on 1 faces max. Twisted split is not tolerated if the 2nd face is affected	ОК						

Revision #9 (28-07-2017)

Page 1 of 2



SPEC-FOR-A-101 (Quality specifications - Log - Private wood)



Information

Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupesavoie.com

yrostophonegrooposaroioicom

### Private wood

Saw logs								
Criteria	Specifications	Photos						
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	dib A						
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).							
Plywood logs (Veneer)								
	Important							
(A)(2)	Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain							

Revision #9 (28-07-2017)

Page 2 of 2

# Groupe Savoie Westville Division, Hardwood Logs (Westville Nova Scotia)

.

GROUPE	λ	1	26	49 Fox	brook Road			Jody H	lamper				<u> </u>	2/26	/2019
Westville, Nova Scotia								Office	: (902)	396-3	960				
			BOK 2A0 Cell: (902) 759-3234												
								email:	jody.h	amper	@groupesav	oie.coi	n		
Westville Div	vision														
Net Roadside Log Pri	ice	\$/MFBM			NB log Rule										
Grades (clear faces)	Dia"	Sugar Maple	\$/gmt	Dia"	Red Maple	\$/gmt	Dia"	Birch	\$/gmt	Dia"	Ash	\$/gmt	Dia"	Oak	\$/gmt
Prime (4)	10+	\$587.03	(113) \$	12+	\$387.03	(74) \$	10+	\$562.03	(108)\$	10+	\$562.03	(108)\$	10+	\$562.03	(108) \$
1 (3)	10+	\$487.03	(94) \$	10+	\$337.03	(65)\$	10+	\$367.03	(71)\$	10+	\$437.03	(84) \$	10+	\$437.03	(84) \$
2 (2)	9+	\$387.03	(74) \$	9+	\$287.03	(55) \$	9+	\$312.03	(60)\$	9+	\$362.03	(70) \$	9+	\$287.03	(55)\$
3 (2)	8+	\$287.03	(55) \$	8	\$262.03	(50)\$	8	\$262.03	(50)\$	8	\$262.03	(50)\$	8	\$262.03	(50)\$
Pallet wood	8+	\$227.03	(44) \$	8+	\$227.03	(44) \$	8+	\$227.03	(44) \$	8+	\$227.03	(44) \$	8+	\$227.03	(44) \$
Tie Logs (0)	11+	\$287.03/ MF	BM -su	ıgar maj	ole, red maple, b	irch, oa	k, beed	h- lengths 8' 9	", straig	ht and :	sound, no rot				
Lengths -Saw logs		8'6", 7'6", 6'6'	Rot a	ccepte	d 30% diamet	er									
•			Maxi	mum s	weep 2" at 8 f	t									
Lengths -Veneer		3'9", 9'5", 10'5					manl	oc (cugar and	l rod) a	rada 2					
Lengths -veneer	ć	59,95,105													
					Monday to Th					iday- 7	2:00 AM to 4	:00 PM			
					No clear face			ood, 8+ inch	es						
					approximate				-		_				
				ner cut	logs must be	delive	red w	ithin 2 week	s after	harve	sting				
Trucking is paid b	y Gro	oupe Savoie													

#### Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)

## **GROUPE SAVOIE - WESTVILLE DIVISION** PRICE LIST AND SPECIFICATIONS PURCHASING HARDWOOD LOGS AND VENEER



2649 Foxbrook Road Westville, Nova Scotia B0K 2A0 Tel: (902) 396-3960 Fax: (902) 396-3962 Jody Hamper (902) 759-3234

Effective May 1, 2019

#### Logs must be shipped within 2 weeks in summer to prevent stain. Net Price Roadside \$/Mfbm Canadian dollars

Species	Code	Grade	Lengths	Min Diameter	Allowable Defects	Prices/MBFM
Y&W Birch	Y+	Slicer	8'9" 9'5" 10'5" 11'5"	14" and up	Straight, No Butt Swirls	\$2,687.03
Y&W Birch	Y+	Select Plus	8'9" 9'5" 10'5" 11'5"	12" 13"	1/3 Heart center Straight no Defects	\$2,387.03
Y&W Birch	YP	Prime	8'9" 9'5" 10'5" 11'5"	14" and up	No surface or end defects	\$1,487.03
Y&W Birch	YS	Select	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	No Defects	\$1,137.03
Y&W Birch	YO	#1 Special	8'9" 9'5" 10'5" 11'5"	14" and Up	One Defect	\$1,137.03
Y&W Birch	Y1	# 1	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	One defect & 3" End Defect	\$987.03
Sugar Maple	M+	Slicer	9'5" 10'5" 11'5"	14" and up	Straight, No Defects & 1/3 heart centered	\$2,987.03
Sugar Maple	MP	Prime	9'5" 10'5" 11'5"	14" and up	No Defect 1/3 heart	\$2,637.03
Sugar Maple	MS	Select	9'5" 10'5" 11'5"	11" 12" 13"	No Defect 1/3 heart	\$1,487.03
Sugar Maple	MO	#1 Special	9'5" 10'5" 11'5"	14" and Up	One Defect 1/3 heart	\$1,487.03
Sugar Maple	M1	#1	9'5" 10'5" 11'5"	11" 12" 13"	One Defect 1/3 heart	\$1,012.03
Sugar Maple	M2S	#2	9'5" 10'5" 11'5"	14" and up	No Defect 1/2 heart	\$1,012.03
Specificatio	ons:		Yard I	nours Mon -	Thurs 7am - 5 pm	
					Fri 7 am - 4 pm	

Straight = less than 1 1/2" sweep at 12"+

#### **Biomass Products Inc. Hardwood Logs**

# BIOMASS PRODUCT INC. 3394 RICHMOND CORNER, ROUTE 540 506-328-8797 AS of May 1/2020

# **ASH**

\$550.00	13" & up	diameter
\$500.00	10" - 12"	diameter
\$400.00	8" - 9"	diameter

## HARD MAPLE

\$600.00	13" & up	diameter
\$500.00	10" -12 dia	meter

# YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU 10-11-12" \$500.00 13" & UP

8

**Biomass Products Inc. Log Sheet Specs** 

. .

1. 1.

# LOG SHEET SPECS

- 1.) 9" minimum top inside bark
- 2.) Gradual sweep no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8', 10', 12', 14',16'
- 6.) 4-6 inches of Trim



Seacoast Fishing Supplies. Hardwood Sawlogs

### July 24/2020

Currently only purchasing White Ash logs

**Contact:** Don Boudreau: (506) 533-0455

Price: \$244.66/cord delivered

**Specifications:** 

Length: 8' 6" and up


Top Diameter: 7" minimum

Quality: 2 clear faces

Limited deliveries, please contact office prior to cutting.

506 433-9865

### Hardwood Products Company LLC, Guilford Maine



# J.D. Irving Limited. Hardwood Sawlogs (Sussex)

JD Irving, is currently not purchasing hardwood logs. Effective at the end of the day, May 16<sup>th</sup> 2020.

IRVING	J.D. Irving, Limited						
J.D. IRVING, LIMITED	J.D. IRVING, LIMITED SUSSEX- HARDWOOD SAWLOG SPECIFICATIONS						
Grade 2							
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch						
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)						
LENGTH	ENGTH 8'6", 10'6" and 12'6"						
DIAMETER	TER 10" minimum top diameter (inside bark)						
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt						
	Maximum butt rot is 1/3 the smallest diameter of the bolt						
	No stained logs accepted						
	No split logs accepted						
	No forked trees, butts cut flush and square with the centre line of the tree						
PRICE	\$0 /GMT Currently not buying						
All loads co	All loads containing burned wood, unacceptable species, or logs containing metal shall be						
rejected. D	rejected. Defective bolts within loads may be deducted from the scale and sent back to						
producers of	producers on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the						
attention o	f the scale staff or District Administrator Sussex Region at the time of delivery by						
the trucker	or producer and, if unloaded, piled separately.						
These spec	ifications are subject to change by J.D. Irving, Limited with minimal notice.						