



FOREST PRODUCTS MARKETING BOARD

13 DRURYS COVE ROAD P.O. BOX 4473 SUSSEX, N.B. E4E 5L6

PHONE (506) 433-9860 TOLL FREE (888) 762-1555 FAX (506) 433-3623 EMAIL: snb@nbnet.nb.ca

Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

SNB Spec Package

UPDATED December 17th /2020

The prices and specifications in this booklet may change without notice. It is always recommended to call the office (506) 433-9865 or toll free 1-888-762-1555 prior to cutting, to confirm current market opportunity and prices.

NOTE: Levies are deducted in the prices shown in this spec package


Contents

- SFTWOOD SAWLOGS..... 4
 - J.D. Irving Limited. Softwood Sawlogs (Grand Lake Timber and Sussex)..... 5
 - J.D. Irving Limited. White Pine Sawlogs (Doaktown) 6
 - Pleasant River Lumber, Woodland Maine Pile Down Yard..... 8
 - Ayat Timbers International. White Pine Logs (Penobsquis)..... 9
- SFTWOOD STUDWOOD 10
 - J.D. Irving Limited, Studwood (Sussex and Chipman) 11
 - Delco Forest Products, Studwood (Rexton NB) 12
 - Devon Lumber Co. LTD, 8 foot Studwood (Fredericton NB) 13
 - J.D. Irving Limited, Studwood (Truro Sawmill) 14
 - Pleasant River Lumber, Woodland Maine Pile Down Yard 15
 - Ledwidge Lumber, Enfield NS 16
- SFTWOOD & HARDWOOD PULPWOOD 18
 - J.D. Irving Limited, Softwood Pulpwood (Sussex) 19
 - Arbec, Softwood and Hardwood Pulpwood (Miramichi NB) 21
 - Arbec, Zone Map..... 22
 - Woodland Pulp, Hardwood Pulpwood (Woodland Maine NB) 25
 - AV Group, Hardwood Pulpwood (Nackawic NB) 29
 - J.D. Irving Limited, Hardwood Pulpwood (Sussex)..... 30
 - Louisiana-Pacific, Hardwood Pulpwood (Houlton Maine) 31
- BIOMASS 32
 - AV Group, Biomass (Nackawic NB) 33
- CEDAR, HEMLOCK, AND TAMARACK 34
 - McMillan Forest Products, Cedar,Hemlock, Oversize Spruce (Belleisle Creek)..... 35
 - Devon Lumber , Tree length & 10’6” Cedar (Fredericton NB) 36
 - Hanson Sawmill , 8 foot Cedar (Killarney Rd, Fredericton NB) 37
 - Marwood : Little’s Lumber , Hemlock Logs (Harvey, NB) 38
 - Other small mills that purchase Cedar, Hemlock, Tamarack, and Oversize Spruce. 39
- HARDWOOD SAWLOGS AND VENEER..... 40
 - Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME) 41
 - Groupe Savoie Saint Quentin, Hardwood Logs..... 42

Groupe Savoie Westville Division, Hardwood Logs (Westville Nova Scotia)	45
Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)	46
Biomass Products Inc. Hardwood Logs	47
Seacoast Fishing Supplies. Hardwood Sawlogs.....	49
J.D. Irving Limited. Hardwood Sawlogs (Sussex).....	50
RED PINE STUDWOOD, LOGS, POSTS, POLES, & PILING	51
J.D. Irving Limited. Red Pine Studwood (Truro, Nova Scotia)	52
Marwood : Little’s Lumber , Red Pine Logs (Harvey, NB)	53
Marwood : Little’s Lumber , Red Pine Studwood (Harvey, NB)	54
Marwood Tracyville Site, Red Pine Fence Posts (Tracyville, NB)	55
Marwood Tracyville Site, Red Pine Poles (Tracyville, NB).....	56
Marwood Tracyville Site, Red Pine Piling (Tracyville, NB)	57
Marwood Tracyville Site, Red Pine Barn Poles (Tracyville, NB)	58
Portable and Stationary Sawmill Contact Information	59
NICHE MARKET OPPORTUNITY	60
Specs for Birch Branches 2019.....	61

SOFTWOOD SAWLOGS

J.D. Irving Limited. Softwood Sawlogs (Grand Lake Timber and Sussex)

J.D. Irving, Limited Sawlogs Gatewood Posted Prices Effective June 8th, 2020								
								
Mill	Product	Grade	Units	Zone 1 (1-40mi)	Zone 2 (41-60mi)	Zone 3 (61-80mi)	Zone 4 (81-101mi)	Zone 5 (101mi+)
Grand Lake Timber	SF Sawlogs	1,2	GMT	\$71.25	\$74.25	\$77.25	\$80.25	\$83.25
	SF Sawlogs	1B,2B	GMT	\$73.25	\$76.25	\$79.25	\$82.25	\$85.25
Sussex Sawmill	SF Sawlogs	1,2	GMT	\$66.25	\$66.25	\$66.25	\$66.25	\$66.25
	SF Sawlogs	1B,2B	GMT	\$68.25	\$68.25	\$68.25	\$68.25	\$68.25
Sawlog Specifications								
GRADE 1 Note: Diameters are measured inside bark (ISB)								
Species	Spruce/fir only; minimum 75% spruce, maximum 25% fir (white wood only)							
Age	Delivered within 3 months of date cut (live trees at time of cut)							
Length	12' and 16' plus 3" to 7" trim; loads must contain greater than 50% 16' logs.							
Diameter	16' logs = 6" minimum to 20" maximum (with excess butt flare trimmed) 12' logs = 8" minimum to 20" maximum (with excess butt flare trimmed)							
Quality Defects	Not more than 25% diameter rot or 1/3 of gross log volume in defects from damage, sweep, porcupine chews, or other non-merchantable defect. Excessive knots: not more than 12 knots 1"-3" in diameter in any 4-foot section of a log.							
GRADE 2 As above except for the following:								
Species	As for Grade 1 except: Loads may contain less than 75% Spruce. Jack Pine is acceptable but must be separated for unloading.							
Length	As for Grade 1 except there may be less than 50% 16' logs in the load.							
NOTE:	Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 20+ log sample extracted randomly from each load and measured using the above specifications. Quality (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by JD Irving Limited. Any supplier whose quality sample results fail below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.							

Contracts: Additional \$/GMT is available for signed contracts with committed volumes. Performance bonuses for individuals who fill 90% of their contract commitment is also available.

Please call Wendell Munn (Regional Wood Buyer for JDI) (506) 648-3561, if interested in signing a contract, with a committed volume for sawlogs.

J.D. Irving Limited. White Pine Sawlogs (Doaktown)

Deliveries can resume July 2nd/2020. See next page for further details.

White Pine Sawlog Price List				
Russell & Swim, Doaktown				
DELIVERED PRICES PER MBF				
Miles	Grade 16	Grade 1	Grade 2	Grade 3
1-40	\$392.03	\$342.03	\$222.03	\$137.03
41-60	\$397.03	\$347.03	\$227.03	\$137.03
61-80	\$407.03	\$357.03	\$237.03	\$137.03
81-100+	\$407.03	\$357.03	\$237.03	\$137.03
101+	\$407.03	\$357.03	\$237.03	\$137.03



Specifications for all grades:

All logs must be cut from live trees. Logs not within length specs are unacceptable and shall be scaled the next shorter length acceptable or rejected. Rejected logs must be picked up by the supplier within 48 hours of notification or they will be disposed of. During the summer months, logs must be delivered within a couple days of harvest, otherwise within 3 months.

No forked logs. No burned or charred wood. No stain or insect/worm damage. Knots and butt flare trimmed flush with log. Excessively knotty logs will be rejected. All defects will be deducted from scaled volume including: damage, rot, sweep, seams, porcupine chews, or other defects. Logs with 50% or more defect volume will be rejected. Maximum sweep is 1" per 4-feet of log length. Forked ends and sharp crooks are not acceptable. All knots and excessive butt flare must be trimmed close to the log. Maximum allowable sweep is 1 inch per 4 feet of length. Length of a log must be marked on the top end of each log.

GRADE 16

ALL 16' (16'3" to 16'60") must meet Grade 1 Specs.

GRADE 1

DIAMETER: Minimum top – 10", Maximum butt 40" (inside bark)
LENGTH: 12' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Up to 1 inch; no knot clusters
MAXIMUM ROT: Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.

GRADE 2

DIAMETER: Minimum top – 8.0", Maximum butt 40" (inside bark)
LENGTH: 10', 12', 14' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Red knots up to 3 inches; black knots up to 2 inches; no knot clusters
MAXIMUM ROT: L Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.

GRADE 3

DIAMETER: Minimum top – 6.0", Maximum butt 40" (inside bark)
LENGTH: 10', 12', 14' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Red knots up to 3 inches; black knots up to 2 inches; cluster knots on not more than 2 faces.
MAXIMUM ROT: L Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.



NOTICE

To All Our Purchase Wood Suppliers

Please be advised that effective July 2nd, 2020 J. D. Irving, Limited will be open to all deliveries of **white pine logs** at our **Doaktown Sawmill and associated yards**. Logs produced during summer months must be delivered within a couple of days of harvest to avoid the risk of stain. Loads containing stained logs will be rejected.

Thank you for your continued support.

Sincerely,

A handwritten signature in black ink, appearing to read "B. Thompson", with a long horizontal flourish extending to the right.


Brent Thompson
J.D. Irving, Limited

Copy: N.B. Forest Product Marketing Boards

Pleasant River Lumber, Woodland Maine Pile Down Yard

Treelength Studwood & Spruce Logs				
Pleasant River Lumber				
Woodland Pile Down Yard- Woodland Pulp LLC				
Yard hours Monday-Friday 7am to 5pm (NB time)				
Pricing in Canadian Currency, may fluctuate with exchange rate. (Below price is 1.28 exchange)				
Species	Length	Diameter	Age	Mill Price Unit Measure
Spruce 10% Balsam Fir allowed	Treelength Min 29' (Longer trees cut 16 foot log off butt)	Min 4" top Min 7" butt	Within 3 Months	\$67.91 ton equates to ~ \$74.70 metric tonne
Spruce 10% Balsam Fir allowed	12, 14, and 16 foot 4" trim	Min 5" top max 22" butt		\$74.31 ton equates to ~ \$81.74 metric tonne

Ayat Timbers International. White Pine Logs (Penobsquis)

<p style="text-align: center;">Softwood Sawlogs Price List</p> <p style="text-align: center;">Eastern White Pine, and Red Pine</p>					
<p>158 Portagevale Road Javed Mian (306) 491-5224</p>					
Species	Length	Diameter	Age	Mill Price	Unit Measure
White Pine	10' (4-6" trim)	min 8" top NO Less no max butt	Within 3 Months	\$387.03	mbf
	14' (4-6" trim)				
White Pine	8' (4-6" trim) not full loads	min 8" top NO Less no max butt	Within 3 Months	\$237.03	mbf

Quality:

- No rot, no forks, ends to be cut square.
- Sweep must be less than 2" over length of bolt.
- Excessively knotty wood is not acceptable.
- Wood must be delivered within 3 months of harvest.
- Knots up to 1 "
- No Knot clusters.
- No rot
- Porcupine damage is acceptable on one face.
- One straight seam is acceptable


Hours: Monday to Friday: 7am-4pm

Note: **CALL JAVED (306) 491-5224 PRIOR TO LOADING & DELIVERY**

- **All logs not meeting the above specs will be rejected. The producer will have three (3) working days to pick up rejected logs or they will be disposed of by the mill.**

SOFTWOOD STUDWOOD

J.D. Irving Limited, Studwood (Sussex and Chipman)

J.D. Irving, Limited Studwood								
Gatewood Posted Prices Effective June 8th, 2020								
								
Mill	Product	Grade	Units	Zone 1 (1-40mi)	Zone 2 (41-60mi)	Zone 3 (61-80mi)	Zone 4 (81-100mi)	Zone 5 101mi+
Grand Lake Timber (9 foot only) No Jack Pine	SF Studwood (9')	19 (Spruce)	GMT	\$57.25	\$60.25	\$63.25	\$66.25	\$66.25
	SF Studwood (9')	29 (Fir)	GMT	\$52.25	\$55.25	\$58.25	\$61.25	\$61.25
	SF Studwood (9')	19B (Spruce)	GMT	\$59.25	\$62.25	\$65.25	\$68.25	\$68.25
	SF Studwood (9')	29B (Fir)	GMT	\$54.25	\$57.25	\$60.25	\$63.25	\$63.25
Sussex Sawmill	SF Studwood (9')	19(Spruce)	GMT	\$57.25	\$60.25	\$63.25	\$66.25	\$66.25
	SF Studwood (9')	29 (Fir)	GMT	\$52.25	\$55.25	\$58.25	\$61.25	\$61.25
	SF Studwood (9')	19B (Spruce)	GMT	\$59.25	\$62.25	\$65.25	\$68.25	\$68.25
	SF Studwood (9')	29B (Fir)	GMT	\$54.25	\$57.25	\$60.25	\$63.25	\$63.25
	SF Studwood (8')	18 (Spruce)	GMT	\$52.25	\$55.25	\$58.25	\$61.25	\$61.25
	SF Studwood (8')	28 (Fir)	GMT	\$47.25	\$50.25	\$53.25	\$56.25	\$56.25
	SF Studwood (8')	18B (Spruce)	GMT	\$54.25	\$57.25	\$60.25	\$63.25	\$63.25
	SF Studwood (8')	28B (Fir)	GMT	\$49.25	\$52.25	\$55.25	\$58.25	\$58.25


Studwood Specifications

GRADE 19 (9 foot studs) and GRADE 18 (8 foot studs)	
Species	Spruce/fir only; minimum 60% spruce, maximum 40% fir (white wood only)
Age	Delivered within 3 months of date cut (live trees at time of cut)
Length	9' studs = 108" to 112" Loads may contain up to 20% 8-foot studs 8' studs+ 99" to 103"
Diameter	9' studs= 5" minimum top to 13" maximum butt (inside bark) 8' studs= 4.5" minimum top to 13" maximum butt (inside bark)
Defects	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over the length of the bolt. In any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots > 3" diameter.
GRADE 29 (9 foot studs) and GRADE 28 (8 foot studs)	
Species	Less than 60% Spruce. Jack Pine is acceptable in full loads, or separated on the truck to the Sussex Mill only.
NOTE:	Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 40+ piece sample extracted randomly from each load and measured using the above specifications (if spruce content in the sample is less than 60% the load shall be assessed as Grade 29 or 28. Quality (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by JD Irving Limited. Any supplier whose quality sample results fail below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.

Contracts: Additional \$/GMT is available for signed contracts with committed volumes. Performance bonuses for individuals who fill 90% of their contract commitment is also available.

Please call Wendell Munn (Regional Wood Buyer for JDI) (506) 648-3561, if interested in signing a contract, with a committed volume.

Delco Forest Products, Studwood (Rexton NB)

<p style="text-align: center;">Softwood Studwood Price List</p> <p style="text-align: center;">Delco Forest Products, Rexton</p> 					
1999 Route 470 West Branch (NB) Gabriel LeBlanc- cell 521-0589, office 523-6480 SNB Payment 433-9865 or 1-888-762-1555					
Species	Length	Diameter	Age	Mill Price	Unit Measure
Spruce, Fir, Jack Pine (Stick Scale for studs)	8' 4"	min 4 1/2" top to max	Within 3 Months	\$150.00	cord
Spruce, Fir, Jack Pine (Stick Scale for studs)	9' no trim required	20"	Within 3 Months	\$150.00	cord

QUALITY:

Straight, sound and live trees
 No rot or stained wood
 No dead wood
 Knots cut flush, no excessive knots
 No spikes, forks or butt flare
 Cow pasture spruce usually unacceptable due to quality
 No cross sticks, brush etc. in load
 AGE: less than 3 months old.

DELIVERY HOURS:

Mon.-Thurs.: 7 am-5 pm; Fri. 7 am-4:00

Devon Lumber Co. LTD, 8 foot Studwood (Fredericton NB)

Softwood Studwood Price List			
Devon Lumber Co. LTD			
200 Gibson Street, Fredericton (114 km from Sussex) Office 457-7120			
Species	Length	Diameter	Mill Price
Balsam Fir	8' 4"-8'6"	min 5" top outside bark	\$38.52m3st (\$139.64/cd)
		max 9" butt outside bark	
Red & Black Spruce (white spruce not accepted)	8' 4"-8'6"	min 5" top outside bark	\$37.69/m3st(\$136.64/cd)
		max 9" butt outside bark	



Specifications: All wood must be straight, sound, NO RED WOOD, well knotted, no flared butts, or excessive knots.


White Spruce will not be accepted as studwood

*****NEW:** Specification change, effective June 29/2020. Maximum butt size is now 9", and no longer 12".

Scale Hours: Monday to Friday 7:30am-4:30pm

J.D. Irving Limited, Studwood (Truro Sawmill)

NOTE: Truro sawmill is not purchasing NB wood, effective December 23 2019.


 J.D. Irving, Limited Truro Sawmill- Studwood	
All Grades	
SPECIES	Spruce, Balsam Fir, and Jack Pine in any proportion. No other species.
AGE	Delivered within 3 months of date cut (live trees at time of cut)
LENGTH	10 foot studs (123" -127") Loads may contain up to 25% 9 foot and/or 8 foot studs
	9 foot studs (111" -115") Loads may contain up to 25% 8 foot studs
	8 foot studs (99" -103")
DIAMETER	10 foot and 9 foot studs = 5" minimum to 13" maximum (inside bark)
	8 foot studs = 4" minimum to 13" maximum (inside bark)
DEFECTS	No rot, no forked bolts, ends cut square. Taper or sweep must be less than 2" over the length of the bolt. In any 4 foot section of a bolt: not more than 8 knots > 3" diameter (i.e., no "pasture" spruce).
PRICE	Not currently buying from SNB Board Area
<p>NOTE: Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications.</p> <p>Quality: (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by J.D. Irving, Limited. Any supplier whose quality sample results fall below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and delivers immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.</p>	

Pleasant River Lumber, Woodland Maine Pile Down Yard

Treelength Studwood & Spruce Logs				
Pleasant River Lumber				
Woodland Pile Down Yard- Woodland Pulp LLC				
Yard hours Monday-Friday 7am to 5pm (NB time)				
Pricing in Canadian Currency, may fluctuate with exchange rate. (Below price is 1.28 exchange)				
Species	Length	Diameter	Age	Mill Price Unit Measure
Spruce 10% Balsam Fir allowed	Treelength Min 29' (Longer trees cut 16 foot log off butt)	Min 4" top Min 7" butt	Within 3 Months	\$67.91 ton equates to ~ \$74.70 metric tonne
Spruce 10% Balsam Fir allowed	12, 14, and 16 foot 4" trim	Min 5" top max 22" butt		\$74.31 ton equates to ~ \$81.74 metric tonne

Please call the office 506 433-9865, prior to cutting for this market.

Ledwidge Lumber, Enfield NS

<p style="text-align: center;">Softwood Studwood Price List Ledwidge Lumber, Enfield NS</p> 					
<p>195 Old Post Rd (306 km from Sussex) Scaler: Shawn Turple (902)- 221-1263 SNB CONTRACT # 4484</p>					
Species	Length	Diameter	Age	Mill Price	Unit Measure
Grade 1 Spruce 100%, up to 25% Fir	8' 4" or 100"	min 4" top to max 14"	Within 3 Months	\$90.25	Metric Tonne
Grade 2 Fir and Spruce	8' 4"	min 4" top to max 14"	Within 3 Months	not buying	Metric Tonne

Ledwidge Lumber will begin accepting NB Wood on **Wednesday September 23/2020**.

When drivers arrive with their first load of NB wood they must talk to Shawn, Donald, or Stephen in the scalehouse and sign off on a declaration about our procedures for accepting and stocking the studwood in a special area of our yard.

Our loader operators must be alerted they have NB wood and then will be unloaded in the correct area or will be directed to unload themselves.

Due to the importance of segregating the wood in our yard, **the hours for delivery of NB studwood at this time will be 7:00AM to 4:30PM Monday to Friday.**

Transportation certificates are mandatory and 1 copy must be left with the scalehouse.

Thanks for your cooperation on jumping through these hoops to make deliveries possible, we appreciate your business.

Shawn Turple- Head Scaler/Wood Procurement Team
 email scales@ledwidge.com
 Phone 902-883-9889 ext. 226 or 902-221-1263.

D. Ledwidge, President
J. Ledwidge, Vice-President, Woodlands Manager
M. McGrath, General Manager



www.ledwidelumber.com
sales@ledwidelumber.com
Office (902) 883-9889
Fax (902) 883-8659

LEDWIDGE LUMBER COMPANY LTD.

195 Old Post Rd. PO Box 39, Enfield, Nova Scotia, B2T 1C6

DATE _____

NAME _____

I, THE UNDERSIGNED, AGREE TO FOLLOW ALL RESTRICTIONS PLACED ON WOOD DELIVERED FROM THE PROVINCE OF NEW BRUNSWICK.

RESTRICTIONS ARE AS FOLLOWS:

I WILL UNLOAD MY WOOD AT THE SIGNED 'NEW BRUNSWICK WOOD ONLY' AREA.

I WILL NEVER HAVE MY WOOD UNLOADED AT THE BROW OR IN ANY OTHER SECTION OF THE YARD.

I GUARANTEE THE WOOD I DELIVER IS FROM THE PROPER ADDRESS AND HAVE A TRANSPORTATION CERTIFICATE TO ACCOMPANY IT.

I UNDERSTAND THAT IF I VIOLATE ANY PROCEDURES FOR DELIVERING NB WOOD, THAT I MAY FACE PENALTIES INCLUDING; NON-PAYMENT, REJECTION OF LOAD OR FUTURE REJECTIONS OF LOADS.


SIGNED _____

PARTNER OF CANADIAN WOODLANDS FORUM
MEMBER OF FOREST NOVA SCOTIA & THE MARITIME LUMBER BUREAU

SOFTWOOD & HARDWOOD PULPWOOD

J.D. Irving Limited, Softwood Pulpwood (Sussex)

Effective Monday October 26, JDI will temporarily stop purchasing softwood pulpwood from producers/suppliers that is not under an individual contract or a marketing board contract(i.e.,no gatewood or non-contract purchases).

Softwood Pulpwood Price List						
Irving, Sussex Chip Plant						 J.D. IRVING, LIMITED
Spruce, Fir, & Jack Pine (up to 5% tamarack and/or white pine should be separated on load)						
Species	Length	Diameter	Age	Miles to Mill	Mill Price	Unit Measure
Spruce/fir/jack pine up to 5% tamarack and/or white pine separated NO hemlock or red pine	8'	min 3 1/2" top to max butt 20"(inside bark)	Within 6 Months	1-40	\$34.04	Metric Tonne
	9' up to 20% 8' allowed					
Spruce/fir/jack pine up to 5% tamarack and/or white pine separated NO hemlock or red pine	8'	min 3 1/2" top to max butt 20"(inside bark)	Within 6 Months	41-60	\$36.04	Metric Tonne
	9' up to 20% 8' allowed					
Spruce/fir/jack pine up to 5% tamarack and/or white pine separated NO hemlock or red pine	8'	min 3 1/2" top to max butt 20"(inside bark)	Within 6 Months	61-80	\$36.04	Metric Tonne
	9' up to 20% 8' allowed					
White Pine or Tamarack greater then 5% of load NO hemlock or red pine	8'	min 3 1/2" top to max butt 20"(inside bark)	Within 6 Months	n/a	\$27.04	Metric Tonne
	9' up to 20% 8' allowed					
Note * An Additional \$4/tonne may be available with a contract						

Defects: Not more than 5% rot per load. Individual pieces cannot have more than 50% total deductions for rot and/or defects. No forked pieces or excessively crooked pieces. Bolts must be able to pass through the 20" diameter chipper infeed. (like going through a 20" culvert pipe).

Defective bolts may be rejected and load back on truck. Any disputes regarding scale must be brought to the attention of the JDI scale staff at the time of delivery by the trucker or producer. Specs subject to change with minimum notice per JDI.



Memo

To: New Brunswick Forest Products Marketing Boards
From: Brent Thompson
CC: New Brunswick Forest Products Commission
Date: 21 October 2020
Re: Gatewood (non-contract) Pulpwood Deliveries

In order to ensure we have the capacity to purchase all of the softwood pulpwood in the wood supply contracts we have in place with private wood suppliers, private woodlot owners, and in marketing board contracts, we must stop deliveries of softwood pulpwood from suppliers and boards that is not under these contracts.

This means, **effective Monday October 26th JDI will temporarily stop purchasing softwood pulpwood from producers/suppliers that is not under an individual contract or a marketing board contract** (i.e., no gatewood or non-contract purchases).

This action is necessary to control our softwood pulpwood inventory levels and to ensure we can keep the volume commitments we have made in contracts with individual suppliers and with marketing boards.

Sincerely,

A handwritten signature in black ink, appearing to read "B. Thompson", with a long horizontal flourish extending to the right.

Brent Thompson
J.D. Irving, Limited

Arbec, Softwood and Hardwood Pulpwood (Miramichi NB)

<p style="text-align: center;">Softwood/Hardwood Pulpwood Price List</p> <p style="text-align: center;">Arbec Forest Products, Miramichi NB Poplar, Mixed Hardwoods (Maples, Birches, Ash, Oak) All Softwood species except Cedar. FIR MUST BE WHITE WOOD</p>						
CONTRACT # SNB-B-1-20						
Species	Length	Diameter	Age	Zone	Mill Price	Unit Measure
Poplar	84"-106" (96") No Tolerance for over 106"	min 3" top to max butt 25" (inside bark)	Within 3 Months	5	\$56.55	Metric Tonne
				6	\$59.05	
Hardwoods	84"-106" (96") No Tolerance for over 106"	min 3" top to max butt 25" (inside bark)	Within 3 Months	5	\$51.71	Metric Tonne
				6	\$54.19	
Softwood	84"-106" (96") No Tolerance for over 106"	min 3.5" top to max butt 25" (inside bark)	Within 3 Months	5	\$50.03	Metric Tonne
				6	\$52.87	
<p>Note * Two loads of Poplar/Hardwood required for one load of Softwood</p> <p>Requirement: Prior to Delivery, all deliveries are to be allocated weekly via SNB</p> <p>Contact SNB: 433-9865</p>						

Quality:

Sweep: No more than 6 inches of sweep over the entire length

Knots: Knots must be trimmed flush with the stem

Rot: No more than 50% rot for hardwood and poplar & no more than 20% rot for softwood

Unacceptable: Forks, crotches, doglegs, splits, burned or charred wood, excessive crooks.

Loading Quality:


All loads must have a rounded top lower than the stakes. No cross piling, mud, brush, etc., will be allowed in the road. All trucks must have four (4) solid stakes. Trailers loaded length ways required 2 feet of clearance between tiers. All wood must be secured with 2 binders.

Safety: Drivers will take directions from Company staff and obey all safety order while on company property. Please see next page for further information on safety.

Scalehouse: Monday – Thursday: 5:30 am – 10:00 pm

Friday: Closes at 5:00 pm

Arbec, Zone Map



ARBEC

Appendix "D" Safety Orders for Logyard

- Speed limit **20 km/h**
- **Safety hat, boots, eye protection and hi-visibility vest are required**
- Log trucks must have lights on at all times while in the Logyard
- 20 lb. Fire extinguisher (or equivalent capacity) on all mobile equipment
- No smoking or littering
- Loads are to be rounded with all wood lower than stakes
- All wood deliveries are to be neatly loaded with **2 binders** on each pile
- Length-ways loads require clearance between tiers
- All loaded vehicles parked on an incline must have parking brake applied and either the driver in the cab or chocks immediately installed upon exiting the cab
- Passengers must remain in cab at all times
- A 360° walk-around must be performed before removing binders
- Binders are only to be removed after leaving scales
- No walking on top of loads or wood piles
- Self-Loaders directed to Hot Pond unloading area **must not** raise their booms until they are at the unloading area due to overhead power lines
- Drivers must stay in cab while getting unloaded
- Truckers are required to use stairs and avoid crossing empty truck boxes or trailers at scalehouse when weighing out
- Accidents/Spills must be reported immediately to the scaler
- ~~Truck beds are to be thoroughly cleaned in the designated clean-off area after weighing out~~
- ~~No trimming of wood allowed on Arbec property~~
- **Failure to comply with Logyard safety orders will result in disciplinary action**

May 25, 2019

Over



Appendix "D"
Arbec Forest Products Inc.
Progressive Discipline

Non-conformance with the Arbec's *Gross Vehicle Weight Limits* or *Arbec's Logyard Safety Orders* will result in the following corrective actions:

- First Offense: Written warning
- Second Offense: Second written warning
- Third Offense: 3 Scaling Days suspension from the Logyard
- Fourth Offense: 5 Scaling Days suspension from the Logyard
- Fifth Offense: 20 Scaling Days suspension from the Logyard
- Sixth Offense: **Reviewed by Advisory Committee and Suspension will be decided.**

By signing below, I hereby agree to comply with Arbec Forest Products Inc. Logyard Safety Orders

Truck Driver (Print)

Truck Driver (Signature)

Truck #

Date

Scaler

May 25, 2019

Woodland Pulp, Hardwood Pulpwood (Woodland Maine NB)

Hardwood Deliveries will resume Oct 1st/2020

Species		Length	Diameter	Location	Mill Price
Maple, Birch, Ash, Oak, Beech, and Basswood. Max 10% Poplar/Load Oak deliveries require prior approval	TL Hardwood	12'-50'	min top 4" max butt 25" inside bark	Woodland, Maine	\$57.34 imperial ton equates to: (\$63.07 metric tonne)
		8'-16'	min top 2" max butt 27" inside bark	St. Stephen Yard	Not Open
Spruce/Fir Only		Random Length	min top 3" max butt 25" inside bark	Woodland, Maine	\$41.23 imperial ton equates to: (\$45.35 metric tonne)
Contract # 191					

St.Stephen Yard: This yard is run by HC Haynes Inc. Take exit 4, at stop sign turn right onto Church St., travel ½ mile to stop sign & yard is straight ahead.

Age: Maximum of 3 months off the stump and cut from live trees.

Quality: SWEEP - Stems must be able to pass through an 8' cylinder 30" in diameter for 8' – 16' and an 8' cylinder 25" in diameter for treelength.

KNOTS - Knots must be trimmed flush with the stem.

ROT - 8'-16' up to 1/3 of diameter
TL - Rot should be kept to a minimum. Firm heart rot is acceptable. Hollow heart is acceptable as long as there is 3" of sound wood surrounding the hole.

UNACCEPTABLE - Forks, crotches, doglegs, brush, splits, burned or charred wood, excessive crooks and butt flare.

DISCOUNTS: No discounts or deductions will be made for defects but if, in the Scaler's judgement, the load does not meet the above Wood Quality Specifications, it will be rejected.

NOTE: 8 foot wood needs to be hauled separate from the long wood due to the wood handling system at Woodland.

Please review additional attached information prior to delivering to Woodland Pulp.

PER WOODLAND PULP LLC

Wood Specifications & Delivery Request

Proper Loading

All roundwood loads should be prepared for unloading by overhead cranes.

1. Headboards
 - A. Headboards are required on all log trucks.
 - B. Headboard must extend 12" above cab.
 - C. Inadequate headboard protection could result in cab damage. Claims for tractor damage will be denied if headboard protection is inadequate.
 - D. Tops should not stick over headboard.
2. Stakes – Trailer stakes should be a minimum of 8' apart.
3. Load height

All pieces must rest with at least one half of their diameter below the top of any trailer stake.
4. Bunks
 - A. Bunks on frame trailers must be a least 8' above top of the frame.
 - B. Trailers must be equipped with risers at **least 6" thick and firmly attached to the trailer.**
 - C. Multiple Bunks – cut to length loads should have 1 foot separation between bunks to allow inspection.
5. Tiers
 - A. Two tier and Split loads – All loads with butts both ways must be equipped with two (2) dividers between the tiers. The front divider must be at least 8" thick and the rear divider must be at least 12" thick. The bottom tier should have the butts facing forward.
 - B. Single Tier – No load dividers are required on single tier loads with all butts facing forward.
 - C. Risers –Bottom Tier must have at least 6" risers unless drop deck or rail frame leaves room for grapple bite.
 - D. All bottom and single tier loads should be loaded butts forward unless prior arrangement with your Procurement Forester has been made.
6. Securing Loads – Loads must meet State of Maine requirements for binding and securing the load to the trailer.

PER WOODLAND PULP LLC

Wood Specifications & Delivery Instructions

Safety Gear for Truck Drivers

The following Personal Protective Equipment (PPE) is required for all drivers entering the mill property. All drivers delivering to mills must be prepared to exit their trucks.

1. Hard Hat
2. Safety shoes or boots
3. Safety glasses with side shields or safety goggles
4. Safety Vest

Shorts and sandals are not acceptable. Guards at the specific mills will enforce this policy – Scalers will warn drivers when they observe inadequate dress or PPE. All PPE must meet or exceed current OSHA or MSA specifications. Tyvek coveralls appropriate for one time use are available for purchase at the scale house.

Safety Requirements and Mill Site Procedures

1. Do not unbind or uncover your load until inside the mill at the area designated for unbinding or uncovering.
 - A. Fulghum – After crossing railroad tracks
 - B. Kraft Mill – Beside or in front of chip dumpers
2. If any piece of the load extends more than half the diameter of that piece above stakes, the load will be refused for unloading.
3. Stop at marked Railroad Crossings.
4. Do not stop on railroad tracks – your truck, trailer, and load must be at least 10 feet clear of any track when your vehicle stops. Orange flashing light signals train operating in area.
5. Observe posted speed limits and stop signs. Other drivers and pedestrians are counting on your compliance.
6. Drivers are to exit their trucks and stand two trucks lengths clear of unloading operations unless the loader operator instructs otherwise. At Fulghum, drivers are to be in the yellow driver hut.
7. At Fulghum, the drivers hut has a CB radio for communications with the loader operator. You can assist the loader operator by use of this radio.
8. Clean off trucks after leaving scale house in the designated area – ask crane operator for instructions.
9. If you are injured in any way on the mill site report it to the nearest mill personnel.
10. If you are involved in an accident, or observe an accident, report it immediately to the nearest mill personnel.

PER WOODLAND PULP LLC

Wood Specifications & Delivery Instructions

Damage During Unloading

1. If your equipment is damaged during unloading immediately report the damage to the loader operator.
2. The loader operator will instruct you where to go to complete reporting.
 - a. Fulghum Fibres....Mark Seavey or Shift Supervisor
 - b. Kraft Mill....Operator or Guard House
3. **Do NOT leave the mill premises before reporting any damage.**
4. Scalers are not able to assist in reporting damage to equipment. If a loader operator tells you there is a risk of damage because of the way a load was prepared, unloading proceeds at the drivers option; however, any subsequent damage will not be covered by Fulghum Fibres, or **Woodland Pulp LLC.**

Additional Information for Drivers

1. A bathroom is available for truck drivers at the Scale House. This is the only toilet near unloading facilities.
2. Passengers are not allowed on mill property unless the contractor delivering wood employs them. Adult passengers may wait in the Scale House.
3. Pets are not allowed on mill property.
4. Weapons of any sort are not allowed on mill property.
5. Trailers are to be cleaned off in the designated area beside the Scale House. Risers may be discarded here also.

Hours of Operation and Schedule

For current hours and days of operation contact you're Procurement Forester or the Scale House phone is (207) 427-3311, ext 4730.

CB Radio Frequencies

Fulghum Fibres Chip Plant.....10

Hardwood Piledown.....24


Kraft Mill.....19

(19 is not monitored by mill personnel)

AV Group, Hardwood Pulpwood (Nackawic NB)

Please Note: New specs and pricing effective April 23rd/2020.

- AV Group will no longer accept mixed loads of poplar, mixed hardwood, and birch.
- A cut to length spec (8-9') for poplar, and a cut to length spec (8-9') for birch is now included.
- After April 23rd 2020, AV will no longer accept tree length pulpwood.

<div style="text-align: center;"> <h3>Hardwood Pulpwood Price List</h3> <p>Av Group, Nackawic</p> <p>Mixed hardwood includes: maples, beech, ash, ironwood, & oak</p> <p>Mixed loads of hardwood, birch, and poplar are no longer accepted, unless an arrangement has been agreed upon.</p> </div> <div style="text-align: right;">  </div>					
Species	Length	Diameter	Age	Mill Price	Unit Measure
Mixed Hardwood	Random Length 8'-22'	min top 3" inside bark max butt 24" outside bark	2 months preferred	\$53.17	Metric Tonne
Poplar	Random Length 8'-22'	min top 3" inside bark max butt 24" outside bark	2 months preferred	\$46.17	Metric Tonne
Birch	Random Length 8'-22'	min top 3" inside bark max butt 24" outside bark	2 months preferred	\$44.17	Metric Tonne
Poplar	Cut to Length 8' or 9'	min top 3" inside bark max butt 24" outside bark	2 months preferred	\$44.17	Metric Tonne
Birch	Cut to Length 8' or 9'	min top 3" inside bark max butt 24" outside bark	2 months preferred	\$44.17	Metric Tonne
SNB's ID Card at Scalehouse					
Notice- All Trucks required to have headache rack 12" above cab or no unloading wood.					

Quality:

Rot: Bolts containing more than 50% rot will be culled.

No burnt wood, no forks, knots must be cut flush. Must be free of foreign material such as rocks, metal, plastic, etc.

J.D. Irving Limited, Hardwood Pulpwood (Sussex)

<p style="text-align: center;">Hardwood Pulpwood Price List</p> <p style="text-align: center;">J.D. Irving Ltd. Sussex Red & Sugar Maple and White & Yellow Birch</p>					
Species	Length	Diameter	Age	Mill Price	Unit Measure
Red & Sugar Maple	8'	Min top: 4" outside bark	Within 6 Months	\$48.17	Metric Tonne
Red & Sugar Maple	9' up to 20% 8' allowed	Max butt: 18" outside bark			
White & Yellow Birch	8'	Min top: 4" outside bark	Within 6 Months	\$48.17	Metric Tonne
White & Yellow Birch	9' up to 20% 8' allowed	Max butt: 18" outside bark			
Mixed (Birch & Maple)	8'	Min top: 4" outside bark	Within 6 Months	\$38.17	Metric Tonne
Mixed (Birch & Maple)	9' up to 20% 8' allowed	Max butt: 18" outside bark			
<p style="text-align: center;">Note * An Additional \$/tonne may be available with a contract volume of 300 tonne</p>					

Unacceptable: Loads containing more than 5% rot.
 Individual pieces with greater than 50% diameter rot.
 No forked pieces or excessively crooked pieces.
 No burned or charred wood.

Loads containing more than 5% rot shall be rejected. Individual pieces with greater than 50% diameter rot are unacceptable. Defective bolts within accepted loads may be deducted from the dale at the discretion of the scale staff on duty.

Note:

Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Quality (% acceptable pieces) shall be measured using the above specifications. Any supplier whose quality sample results fall below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4 week period, shall be place on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.

The trucker or producer must notify the JDI scale staff or Chief Scaler of any disputes regarding scale or sample selection at the time of delivery. JDI will make best efforts to hold quality samples for 24 hours when results fall below 85% to allow time for inspection. These specifications are subject to change by JDI with minimum notice.

Louisiana-Pacific, Hardwood Pulpwood (Houlton Maine)

<p style="text-align: center;">Hardwood Pulpwood Price List Louisiana-Pacific, Houlton Maine (Station Road, New Limerick, Maine)</p>				
Species	Length	Diameter	Age	Mill Price Unit Measure
9' Poplar	Cut to Length Only 8'11"-9'5" Target is 110" +/- 3"	min top 4" max butt 30"	Green Wood only. No Dead wood.	\$59.61 imperial ton equates to: (\$65.57 metric tonne)
SNB Vendor # 24978				
<p>SNB Transportation Certificates are required. Houlton Price/Ton is in Canadian \$ *Prices may fluctuate with exchange rate. ** Above pricing is considered minimum gatewood pricing. Please call the office for special pricing, with volume commitments.</p>				

QUALITY:

ROT: not to exceed half of the diameter.

SWEEP: less than 6" sweep, no doglegs.


AGE: green wood only. No dead wood.
 Limbs cut flush and otherwise well prepared,
 reasonably straight.

BIOMASS

AV Group, Biomass (Nackawic NB)

Please be advised, Effective April 7, 2020, AV Nackawic will not be accepting round-wood bio mass deliveries until further notice.

This curtailment is due to the mills reduced consumption requirement during the milder temperatures.

Biomass					
Av Group, Nackawic					
(Any Species)					
					
Species	Length	Diameter	Quality	Mill Price	Unit Measure
Any Species	Random Length 8'-20' Max 10% < 10 feet	1-2 " top maximum butt 22"	No Forks	\$24.23	Metric Tonne
SNB's ID Card at Scalehouse: Delivered between 6am-10pm					
Notice- All Trucks required to have headache rack 12" above cab or					

CEDAR, HEMLOCK, AND TAMARACK

McMillan Forest Products, Cedar, Hemlock, Oversize Spruce (Belleisle Creek)

<p style="text-align: center;">McMillan Forest Products Belleisle Creek, NB Trevor McMillan (506) 485-1010</p> 				
Species	Length	Diameter	Mill Price	Unit Measure
Cedar	8'	6" top, no max butt	\$114.64	Cord
Cedar	10',12'	6" top, no max butt	\$214.64	Cord
Hemlock	10', 12', 16'	7" top, no max butt	\$317.03	mbf
Oversize Red or Black Spruce	10', 12', 16'	12" top, no max butt	\$437.03	mbf
Please contact Trevor at the mill (485-1010) ahead of time.				

QUALITY DEFECTS:

Oversize spruce needs to be clean, no washer knots.

Prior to harvest or delivery, please call to confirm current market specs and prices.

Devon Lumber , Tree length & 10'6" Cedar (Fredericton NB)



TREELNGTH CEDAR – \$92.25/tonne

Min. Top – 4" (inside bark) Min. Butt – 6" (inside bark) Min. Length – 10'

UNACCEPTABLE: Broken or dead trees, woodpecker holes, butt flare or shattered butts, old growth cedar (thick spiral bark), scars or cat faced trees, pencil rot, forked trees. Sweep or crook in excess of 3" in 10', semi tree unless for stems trimmed to meet specs.

ROT: 6" – 12" – No rot of black heart
13" + maximum 3" rot or black heart

RISERS: **Please include for tree length to avoid damage to wood and trailers**

Premium

10'6" cedar fence rail

Min. top – 4 ½"

Max. Butt – 6"

All wood must be straight, sound, no pencil rot and no butt flare.

Price: \$4.84/pc

(Any rails not meeting specifications will be deemed second grade and paid \$1.84/pc)

Office: 457-7120

Scale Hours: Monday to Thursday 7:30 am – 4:30 pm

Hanson Sawmill , 8 foot Cedar (Killarney Rd, Fredericton NB)

CEDAR

DELIVERED TO: Hanson Sawmill, **FREDERICTON**
Entrance located just before 362 Killarney Rd.

SPECIES: Cedar

QUALITY: Must be straight & sound

4" & up

8'4" – 8'6"

HOURS: Mon.-Fri. 8 am – 5 pm

Price / Cord

\$164.64

PRIOR TO HARVESTING, LOADING OR DELIVERING

CONTACT SNB: SNB – 433-9860 / 1-888-762-1555

Marwood : Little's Lumber , Hemlock Logs (Harvey, NB)



**Delivered to Littles Lumber Sawmill
Hemlock Sawlogs**

SPECIES	Hemlock Only	
LENGTH	10', 12', 14', 16' lengths, with 6" trim	
DIAMETER	9" min top diameter and 30" max butt diameter (inside bark measurements)	
DEFECTS	maximum 5% butt rot	
	excessive sweep unacceptable	
	knots cut flush with stem	
	no knot pulls (mechanical delimber)	
	no shake	
	defects such as porcupine chews, dog legs and seams are unacceptable	
NOTE:	Price is delivered to Littles Lumber Sawmill where logs will be scaled, scalers tally is final. Any logs exceeding half the gross volume with defects will be culled entirely. Also buying 18' logs, minimum 12" top and Straight.	
CONTACT:	Mark Shannon (506) 440-0000 (cell) Email: mark.shannon@marwoodltd.com	
PRICE	Zone 1: \$307.02/mbf (0-120 km from mill)	Zone 2: \$327.03/mbf (120+ km from mill)
"New"	Please note that unacceptable logs will be loaded back on truck	
DESTINATION	Littles Lumber: 75 Frog Lake Road Harvey Station, NB E6K 2C7	

Other small mills that purchase Cedar, Hemlock, Tamarack, and Oversize Spruce.

The following are some mills which operate in the SNB area on a regular or seasonal basis.

Please check with these mills prior to harvesting or delivery, to verify product specifications, prices, and delivery schedules.

Tony Boyd, 696 Salmon Creek Rd, Salmon Creek

Contact: (506) 362-9105

(Buys cedar, hemlock, and oversized spruce) Other species at special request.

Gary Johnson, 7620 Rte 102, Browns Flat. Johnson's Lumber

Contact: (506) 468-2457

(Buys cedar, hemlock, and oversized spruce)

Ron Alward, 396 Hicks Settlement Rd., Havelock. Ridgebrook Lumber

Contact: (506) 534-2277

(Buys cedar, hemlock, tamarack, and oversized spruce)

Walter Teehan, 284 Parlee Brook Rd.


Contact: (506) 434-3937

(Buys hemlock, cedar, white pine, and the odd load of red pine)

****Currently looking for 12 foot hemlock logs (Jan 3/2020)**

HARDWOOD SAWLOGS AND VENEER

Columbia Forest Products, Hardwood logs & Veneer (Presque Isle, ME)

Columbia Forest Products, Presque Isle, Maine 04769 Tyler Smith, Log Buyer (506) 323-0942						
These are Roadside Prices, in Canadian \$. Prices may fluctuate with exchange.						
Species	Code	Grade	Lengths	Min Diameter "	Allowable Defects	Price/MBF
Y & W Birch	17	SLICER	9' 5", 10' 5", 11' 5"		Straight grain centered hearts 4 FC	
Y & W Birch	25	SELECT PLUS	8'9", 9'5", 10'5", 11'5"	12, 13	1/3 Heart Center Straight No Defects No Butt Swell	\$2,587.03
Y & W Birch	10	PRIME	8'9", 9'5", 10'5", 11'5"	14 and up	No Surface or End Defect	\$1,807.03
Y & W Birch	20	SELECT	8'9", 9'5", 10'5", 11'5"	11, 12, 13	No Defects	\$1,417.03
Y & W Birch	33	# 1 SPECIAL	8'9", 9'5", 10'5", 11'5"	14 and up	One Defect	\$1,417.03
Y & W Birch	30	# 1	8'9", 9'5", 10'5", 11'5"	11, 12, 13	One Defect and Small End Defect	\$117.03
Y & W Birch	40	# 2	8'9", 9'5", 10'5"	11 and up	Two Surface Defects and Small End Defect	\$637.03
Y & W Birch	60	# 4	8'9", 9'5"	10	No Defects Straight	\$897.03
Hard Maple	17	SLICER	9'5", 10'5", 11'5"		Straight grain centered hearts 4 FC	
Maple	10	PRIME	9'5", 10'5", 11'5"	14 and up	No Defects 1/3 Heart	2847.03
Maple	20	SELECT	9'5", 10'5", 11'5"	11, 12, 13	No Defects 1/3 Heart	1807.03
Maple	33	#1 Special	9'5", 10'5", 11'5"	14 and up	One Defect 1/3 Heart	1807.03
Maple	30	#1	9'5", 10'5", 11'5"	11, 12, 13	One Defect 1/3 Heart	1287.03
Maple	42	#2 Special	9'5", 10'5", 11'5"	14 and up	No Defects up to 1/2 Heart	1287.03
Maple	40	#2	9'5", 10'5", 11'5"	11, 12, 13	No Defects up to 1/2 Heart	1027.03
Maple	50	#3	9'5", 10'5"	11 and up	Two Defects 1/3 Heart	767.03
Maple	60	#4	9'5"	10	No Defects Straight, 1/3 Heart	1027.03

Defect Description:

- 2"-3" Sound knot – One Defect
- Larger Sound Knots- one or more defects depending on log size and quality. Other knots will be graded as they affect quality of the log.
- A three foot tight seam is acceptable in birch.
- Burls, swells, cat faces, dote, checking, shake, work track, mineral, grubs and spiral grain are defects and will be graded as they affect the value of the log.
- Two defects in a straight line will be graded as a one defect log.
- No sweep in 9", 10", 11" log.
- No butt swell or excessive flare.
- In logs 12" to 14" in diameter, 1 ½" of sweep will be allowed. In logs 15" and over, 3" sweep is acceptable. Necessary scale deductions will be made.
- All logs not meeting lengths specified will be cut back to next acceptable length. Need to have full 5" trim.
- Length of logs will be measured from top of scarf.

Groupe Savoie Saint Quentin, Hardwood Logs



PRICE AND SPECIFICATIONS SEASON 2019 HARDWOOD LOGS

251, Route 180
Saint-Quentin, N.-B.
E8A 2K9
Scale house: (506) 235-1066
Fax: (506) 235-9837

CONTACT: Yves O'Brien, BUYER
Cell: (506) 235-0506, email: yves.obrien@groupe savoie.com
Serge Laplante, Dir. Approv.
Tel: (506) 235-1070

June 2019
version 1

Scale hours: Mon-Fri 6:00 am to 5:00 pm

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE * 200KM + *****

NEW: PAIEMENT WILL BE SEND TO YOUR MARKETING BOARD

LOGS : (class A)			SUGAR MAPLE (Rock Maple)	YELLOW and WHITE BIRCH	RED MAPLE (Soft Maple)	Prime Red Maple <50% hart (Class D)
			sound and straight less than 50% heart	sound and straight	sound and straight	
small end diameter	length	# clear faces	\$/m3	\$/m3	\$/m3	
36 cm + (14 in +)	7'6"-8'9"	4	140 -728\$/Mbfm	140 -728\$/Mbfm	45	50
		2 - 3	85 -442\$/Mbfm	85 -442\$/Mbfm	45	50
		0 - 1	45 -234\$/Mbfm	45 -234\$/Mbfm		
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4	85 -442\$/Mbfm	85 -442\$/Mbfm	40	50
		2 - 3	60 -312\$/Mbfm	60 -312\$/Mbfm	35	50
		0 - 1	45 -234\$/Mbfm	45 -234\$/Mbfm		

Heated and/or stained logs will be paid at 35\$/m³ or 45\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 35 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 30 \$ / m3 roadside

Specifications:

Length: 7'6"-8'9" / 7'0" for recovery logs

Clear face: Perfect face (no knot)

Forks: not accepted

Straight crack: accepted but loss in clear faces

Delimiting: knots flush with log

Class B log: do not respect class A logs specs

VENEER: (11 inch +) at small end
Birch: 8'9", 9'6", 10'6" and 11'6"
Maple: 9'6", 10'6" and 11'6"
 Possible pieces will be put aside to be
 mesured by an independant certified
 veneer scaler

*** Deduction of 15\$/m³ for veneer transport

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide
 All pieces mesured one by one in solid m3 (1 cord = 2.26m³)
 Prices in Mbf are approximate (factor 5.2)






Our buyer is always open to doing business with you ! Call (506-235-0506)



Our purchases need to comply with best management practices.
 We promote Sustainable Forestry Practices and Quality Logging Professionnal (QLP training)




Information
Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe Savoie.com

Private wood


Saw logs						
Criteria	Specifications	Photos				
Diameter	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="background-color: #92d050;">Min</th> <th style="background-color: #92d050;">Max</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">9" s.e (23 cm)</td> <td style="text-align: center;">28" (70 cm)</td> </tr> </tbody> </table> <p style="text-align: center;">s.e = Small end</p>	Min	Max	9" s.e (23 cm)	28" (70 cm)	
Min	Max					
9" s.e (23 cm)	28" (70 cm)					
Length	<p style="text-align: center;">7'6'' - 8'9'' (+/- 2 in)</p> <p style="text-align: center;">Min 7'0'' for recovery logs</p>					
Heart rot	<p>> 10 inches: less than 33%</p> <p>Less than 10 inches: No rot</p>					
Sweep	<p>> 10 inches: Maximum of 30% (1/3) of diameter</p> <p>< 10 inches: straight</p>					
Split	<p>Accepted on 1 faces max.</p> <p>Twisted split is not tolerated if the 2nd face is affected</p>					

Information
<p>Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe Savoie.com</p>

Private wood

Saw logs		
Criteria	Specifications	Photos
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).	
Plywood logs (Veneer)	Maple: 9'5", 10'5", 11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight	
Important		
<p>- Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain</p>		

Groupe Savoie Westville Division, Hardwood Logs (Westville Nova Scotia)

		2649 Foxbrook Road Westville, Nova Scotia B0K 2A0				Jody Hamper Office: (902) 396-3960 Cell: (902) 759-3234 email: jody.hamper@groupe-savoie.com				2020					
Westville Division															
Net Roadside Log Price		\$/MFBM		NB log Rule											
Grades (clear faces)	Dia"	Sugar Maple	\$/gmt	Dia"	Red Maple	\$/gmt	Dia"	Birch	\$/gmt	Dia"	Ash	\$/gmt	Dia"	Oak	\$/gmt
Prime (4)	10+	\$587.03	(113) \$	12+	\$387.03	(74) \$	10+	\$562.03	(108) \$	10+	\$562.03	(108) \$	10+	\$562.03	(108) \$
1 (3)	10+	\$487.03	(94) \$	10+	\$337.03	(65) \$	10+	\$367.03	(71) \$	10+	\$437.03	(84) \$	10+	\$437.03	(84) \$
2 (2)	9+	\$387.03	(74) \$	9+	\$287.03	(55) \$	9+	\$312.03	(60) \$	9+	\$362.03	(70) \$	9+	\$287.03	(55) \$
Pallet log	8+	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$	8	\$287.03	(55) \$
Tie Logs (0)	11+	\$287.03/ MFBM -sugar maple, red maple, birch, oak, beech- lengths 8' 9", straight and sound, no rot													
Lengths -Saw logs	8'6", 7'6", 6'6"	Rot accepted 30% diameter Maximum sweep 2" at 8 ft													
Lengths -Veneer	8'9", 9'5", 10'5"	Maximum 50% (1/2) heart in all maples (sugar and red) grade 2 and up Yard hours- Monday to Thursday 7:00 AM to 5:00 PM, Friday- 7:00 AM to 4:00 PM Palletwood- No clear faces, stained wood, 8+ inches \$/GMT is an approximate value Summer cut logs must be delivered within 2 weeks after harvesting													
Trucking is paid by Groupe Savoie															

Groupe Savoie Westville Division, Hardwood Veneer (Westville NS)

**GROUPE SAVOIE - WESTVILLE DIVISION
PRICE LIST AND SPECIFICATIONS
PURCHASING HARDWOOD LOGS AND VENEER**



2649 Foxbrook Road
Westville, Nova Scotia
B0K 2A0
Tel: (902) 396-3960
Fax: (902) 396-3962

Jody Hamper
(902) 759-3234

Effective May 1, 2019

**Logs must be shipped within 2 weeks in summer to prevent stain.
Net Price Roadside \$/Mfbm Canadian dollars**

Species	Code	Grade	Lengths	Min Diameter	Allowable Defects	Prices/MBFM
Y&W Birch	Y+	Slicer	8'9" 9'5" 10'5" 11'5"	14" and up	Straight, No Butt Swirls	\$2,687.03
Y&W Birch	Y+	Select Plus	8'9" 9'5" 10'5" 11'5"	12" 13"	1/3 Heart center Straight no Defects	\$2,387.03
Y&W Birch	YP	Prime	8'9" 9'5" 10'5" 11'5"	14" and up	No surface or end defects	\$1,487.03
Y&W Birch	YS	Select	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	No Defects	\$1,137.03
Y&W Birch	YO	#1 Special	8'9" 9'5" 10'5" 11'5"	14" and Up	One Defect	\$1,137.03
Y&W Birch	Y1	# 1	8'9" 9'5" 10'5" 11'5"	11" 12" 13"	One defect & 3" End Defect	\$987.03
Sugar Maple	M+	Slicer	9'5" 10'5" 11'5"	14" and up	Straight, No Defects & 1/3 heart centered	\$2,987.03
Sugar Maple	MP	Prime	9'5" 10'5" 11'5"	14" and up	No Defect 1/3 heart	\$2,637.03
Sugar Maple	MS	Select	9'5" 10'5" 11'5"	11" 12" 13"	No Defect 1/3 heart	\$1,487.03
Sugar Maple	MO	#1 Special	9'5" 10'5" 11'5"	14" and Up	One Defect 1/3 heart	\$1,487.03
Sugar Maple	M1	#1	9'5" 10'5" 11'5"	11" 12" 13"	One Defect 1/3 heart	\$1,012.03
Sugar Maple	M2S	#2	9'5" 10'5" 11'5"	14" and up	No Defect 1/2 heart	\$1,012.03

Specifications: Yard hours Mon - Thurs 7am - 5 pm
Fri 7 am - 4 pm

Straight = less than 1 1/2" sweep at 12"+

Biomass Products Inc. Hardwood Logs

BIOMASS PRODUCT INC.

3394 RICHMOND CORNER , ROUTE 540

506-328-8797

AS of May 1/2020

ASH

\$550.00	13" & up	diameter
\$500.00	10" - 12"	diameter
\$400.00	8" - 9"	diameter

HARD MAPLE

\$600.00	13" & up	diameter
\$500.00	10" -12	diameter

YELLOW BIRCH-WHITE BIRCH-SOFT MAPLE

\$450.00/THOU	10-11-12"
\$500.00	13" & UP

LOG SHEET SPECS

- 1.) 9" minimum top - inside bark
- 2.) Gradual sweep - no crooks
- 3.) Absolutely No checks- cracks
- 4.) No excessive knots
- 5.) Even lengths- 8', 10', 12', 14', 16'
- 6.) 4-6 inches of Trim



Seacoast Fishing Supplies. Hardwood Sawlogs

July 24/2020

Currently only purchasing White Ash logs

Contact: Don Boudreau: (506) 533-0455

Price: \$244.66/cord delivered

Specifications:

Length: 8' 6" and up

Top Diameter: 7" minimum


Quality: 2 clear faces

Limited deliveries, please contact office prior to cutting.

506 433-9865

J.D. Irving Limited. Hardwood Sawlogs (Sussex)


JD Irving is currently not purchasing Hardwood Sawlogs, effective at the end of the day, May 16th 2020.

 J.D. Irving, Limited Sussex- HARDWOOD SAWLOG SPECIFICATIONS	
Grade 2	
SPECIES	Hard Maple, Yellow Birch and White Birch; maximum 25% White Birch
AGE	Delivered within 2 weeks of date cut (live trees at time of cut)
LENGTH	8'6", 10'6" and 12'6"
DIAMETER	10" minimum top diameter (inside bark)
DEFECTS	Sweep must be no more than 1/3 the smallest diameter of the bolt
	Maximum butt rot is 1/3 the smallest diameter of the bolt
	No stained logs accepted
	No split logs accepted
	No forked trees, butts cut flush and square with the centre line of the tree
PRICE	\$0 /GMT Currently not buying
<p>All loads containing burned wood, unacceptable species, or logs containing metal shall be rejected. Defective bolts within loads may be deducted from the scale and sent back to producers on the truck OR downgraded to pulp grade (Sussex Chip Plant specifications) at the attention of the scale staff or District Administrator Sussex Region at the time of delivery by the trucker or producer and, if unloaded, piled separately.</p> <p>These specifications are subject to change by J.D. Irving, Limited with minimal notice.</p>	

RED PINE STUDWOOD, LOGS, POSTS, POLES, & PILING

J.D. Irving Limited. Red Pine Studwood (Truro, Nova Scotia)

NOTE: Truro sawmill is not purchasing NB wood, effective December 23 2019.

 J.D. Irving, Limited TRURO SAWMILL- RED PINE STUDWOOD	
Grade 0	9 foot
SPECIES	Red Pine Only
AGE	Delivered within 3 months of date cut (live trees at time of cut)
LENGTH	110" to 116" (9 foot studs)
DIAMETER	5" minimum to 13" maximum (inside bark measurements)
DEFECTS	No rot. No forked bolts. Ends cut square.
	Taper or sweep must be less than 2" over the length of the bolt
	In any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots > 3" diameter.
NOTE:	Grades and acceptability shall be determined by a Licensed Scaler, based on measurements and/or visual inspection of each load.
PRICE	Currently not buying
**Please call ahead of time before cutting red pine for the Truro Sawmill. (506) 433-9865	

Marwood : Little's Lumber , Red Pine Logs (Harvey, NB)



**Delivered to Little's Lumber in Harvey (506) 366-3445
Red Pine Log Specs**

SPECIES	Red Pine Only	
AGE	Fresh cut between Oct 1st and Apri 15th	
LENGTH	10', 12', 14', 16' Lengths (4-6 "trim)	
DIAMETER	9" minimum top and 36" maximum butt diameter (inside bark measurements)	
DEFECTS	Max 10% butt rot	
	Knots cut flush with stem	
	No dog legs or forks	
	Minimal sweep	
NOTE:	Delivered to Little's Lumber in Harvey, where logs will be scaled, scalers tally is final. Logs exceeding half the gross volume in defects will be culled entirely.	
"NEW"	Please note that unacceptable logs will be loaded back on the truck.	
CONTACT:	Mark Shannon (506) 440-0000 (cell) Email: mark.shannon@marwoodltd.com	
PRICE	Zone 1: \$307.03/mbf (0-120 km to mill)	Zone 2: \$327.03/mbf (120+ km to mill)
DESTINATION	Littles Lumber: 75 Frog Lake Road Harvey Station, NB E6K 2C7	

Marwood : Little's Lumber , Red Pine Studwood (Harvey, NB)



**Delivered to Little's Lumber in Harvey (506) 366-3445
8 foot Red Pine Studwood**

SPECIES	Red Pine Only	
AGE	Fresh cut between Oct 1st and Apri 15th	
LENGTH	8' lengths (4" trim)	
DIAMETER	6" minimum top and 10 " maximum butt diameter (inside bark measurements)	
DEFECTS	No Crooks, or dog legs	
	No rot	
	Knots cut flush with stem	
	8' with 10 " plus top may be sent with the long logs	
	Excessive large knots is unacceptable	
NOTE:	This products is not an open market. Please check and make sure we are buying before harvesting.	
CONTACT:	Mark Shannon (506) 440-0000 (cell) Email: mark.shannon@marwoodltd.com	
PRICE	Zone 1: \$104.64/cord (0-120 km to mill)	Zone 2: \$114.64/cord (120+km to mill)
DESTINATION	Littles Lumber: 75 Frog Lake Road Harvey Station, NB E6K 2C7	

Marwood Tracyville Site, Red Pine Fence Posts (Tracyville, NB)



**Delivered to Marwood Tracyville
Red Pine Fence Posts**

SPECIES	Red Pine Only	
AGE	Fresh cut between Oct 1st and Apri 15th	
LENGTH	12' and 14' lengths, with 3"-5" trim	
DIAMETER	4.75 " min top diameter (VERY IMPORTANT) and 7.5" max butt diameter	
DEFECTS	No rot, or dog legs	
	No large knots (to be discussed on site)	
	Should be studwood type quality	
	Minimal sweep.	
NOTE:	ALL FENCE POSTS MUST BE HAULED WITH BUTTS ALL FACING ONE WAY! THESE ITEMS WILL BE PRODUCED ON A REQUEST BASIS AS VOLUME IS SENSITIVE	
CONTACT:	Mark Shannon (506) 440-0000 (cell) Email: mark.shannon@marwoodltd.com	
PRICE	Zone 1: \$49.25/gmt (0-120 km to mill)	Zone 2: \$51.25/gmt (120+km to mill)
DESTINATION	Marwood Tracyville: 3307 Route 101, Tracyville, NB E5L 1N7	

Marwood Tracyville Site, Red Pine Poles (Tracyville, NB)



**RED PINE POLE SPECIFICATIONS
Sept 2020**

Length	Minimum Circumference at 6 feet from the butt		Minimum Circumference at the top
	Min	Max	
25'	28"		
30'	32"	44"	22"
35'	34"	47"	22"
40'	36"	50"	24"
45'	43"	55"	26"
50'	45"	57"	26"
55'	47"	60"	26"
60'	48"	62"	26"

Trim allowance of a minimum 12" in excess of the lengths above is required.

Deep side scars or surface pitch pockets are not acceptable.

Excessive crook or sweep is not accepted. The pole must stay within a line passing through the center of the butt and top. Double sweep, dog legs or sharp deviations from straight is not acceptable.

Poles delivered to Marwood Tracyville site.

Please contact Mark Shannon at (506) 440-0000 for Pricing and Assessment.

Email: mark.shannon@marwoodltd.com

Red Pine should be fresh cut between Sept 15th and Apr 15th

Marwood Tracyville Site, Red Pine Piling (Tracyville, NB)



RED PINE PILING SPECIFICATIONS
Sept 2020

Length	Minimum Diameter at the Butt		Minimum Diameter at the top
	Min	Max	
30'	14"	17"	8"
35'	14"	17"	8"
40'	14"	17"	8"
45'	14"	17"	8"
50'	14"	17"	8"
55'	14"	17"	8"
60'	14"	17"	8"

Note: Measurements for piling are "outside the bark"

Trim allowance of 12" in excess of the lengths above is required.
 Side scars or surface pitch pockets are acceptable.
 Excessive crook or sweep is not accepted.
 The piling must stay within a line passing through the center of the butt and top
 Double sweep, dog legs or sharp deviations from straight is not acceptable.
 Excessive quantities of knots or excessively large knots are acceptable.
 Piling delivered to Marwood Tracyville site.

Please contact Mark Shannon at (506) 440-0000 for Pricing and Assessment.

Email: mark.shannon@marwoodltd.com

Red Pine should be fresh cut between Sept 15th and Apr 15th

Marwood Tracyville Site, Red Pine Barn Poles (Tracyville, NB)



**Delivered to Marwood Tracyville
Red Pine Barn Pole Specs**

SPECIES	Red Pine Only
AGE	Only purchasing between October and April
LENGTH	20', 25', 30', 35' + 6" trim
DIAMETER	7-9" top diameter (inside bark) & no limit for butt size
FORM	"GUN BARREL" straight
DEFECTS	No rot
	Excessive large knots unacceptable
CONTACT:	Mark Shannon (506) 440-0000 (cell) Email: mark.shannon@marwoodltd.com
PRICE	Please contact Mark Shannon for pricing and assessment.
DESTINATION	Marwood Tracyville: 3307 Route 101, Tracyville, NB E5L 1N7

Portable and Stationary Sawmill Contact Information

Portable Sawmill Contact Information

Mark Snow, Hampton: (506) 333-6760

Jerry Nodwell, Plumsweep : (506) 433-5259

Peter McCready, Bloomfield: (506) 832-2963

Luke Coleman, Hampton: (506) 470-5927 (mobile) (506) 832-3752 (home)

Stationary Sawmill Contact Information

Peter De Graaf, 1349 Rte 880 Berwick : (506) 432-0340

Custom Sawyer who is a licensed grader for both: dimensional light structural framing and Post & Beam. Peter 'can' supply SPF material for sale; on a "pre-order" basis.

Guy Russell, 4926 Rte 114, Shepody: (506) 875-4572

Custom Sawyer who is a licensed grader for dimensional light structural framing. Stock supply of SPF material for sale.

NICHE MARKET OPPORTUNITY

Specs for Birch Branches 2019

Delivered to: Royal Gardens, 30 Royal Gardens Road, Penobsquis E4G 2C5

- **Must Report to office to get ribbon**

- Branches need to be a minimum of 3 feet and no longer than 4 feet long
- Butt must be at least ¼" thick
- 100 stems per bunch tied tight with at least 2 strings.

Payment is \$ 9.00 per bunch when they meet our spec.

Payment is made on Friday, for product up to Wednesday arrival.

Any questions please call 433-2030 and ask for Leonard