



FOREST PRODUCTS MARKETING BOARD

13 DRURYS COVE ROAD P.O. BOX 4473 SUSSEX, N.B. E4E 5L6
PHONE (506) 433-9860 TOLL FREE (888) 762-1555 FAX (506) 433-3623 EMAIL: snb@nbnet.nb.ca


Wood Producers Working Together To Help Themselves At Woodlot Management & Marketing Forest Products

SOFTWOOD SAWLOGS PRICES AND SPECS

Contents

J.D. Irving Limited. Softwood Sawlogs (Grand Lake Timber and Sussex).....	2
Pleasant River Lumber, Woodland Maine Pile Down Yard.....	3
J.D. Irving Limited. White Pine Sawlogs (Doaktown)	4
Ayat Timbers International. White Pine Logs (Penobsquis).....	6

J.D. Irving Limited. Softwood Sawlogs (Grand Lake Timber and Sussex)

J.D. Irving, Limited Sawlogs Gatewood Posted Prices Effective May 2nd, 2021								
								
Mill	Product	Grade	Units	Zone 1 (1-40mi)	Zone 2 (41-60mi)	Zone 3 (61-80mi)	Zone 4 (81-100mi)	Zone 5 101mi+
Grand Lake Timber	SF Sawlogs	1,2	GMT	\$74.25	\$77.25	\$80.25	\$83.25	\$86.25
	SF Sawlogs	1B,2B	GMT	\$76.25	\$79.25	\$82.25	\$85.25	\$88.25
Sussex Sawmill	SF Sawlogs	1,2	GMT	\$69.25	\$69.25	\$69.25	\$69.25	\$69.25
	SF Sawlogs	1B,2B	GMT	\$71.25	\$71.25	\$71.25	\$71.25	\$71.25
Sawlog Specifications								
GRADE 1 Note: Diameters are measured inside bark (ISB)								
Species	Spruce/fir only; minimum 75% spruce, maximum 25% fir (white wood only)							
Age	Delivered within 3 months of date cut (live trees at time of cut)							
Length	12' and 16' plus 3" to 7" trim; loads must contain greater than 50% 16' logs.							
Diameter	16' logs = 6" minimum to 20" maximum (with excess butt flare trimmed) 12' logs = 8" minimum to 20" maximum (with excess butt flare trimmed)							
Quality Defects	Not more than 25% diameter rot or 1/3 of gross log volume in defects from damage, sweep, porcupine chews, or other non-merchantable defect. Excessive knots: not more than 12 knots 1"-3" in diameter in any 4-foot section of a log.							
GRADE 2 As above except for the following:								
Species	As for Grade 1 except: Loads may contain less than 75% Spruce. Jack Pine is acceptable but must be separated for unloading.							
Length	As for Grade 1 except there may be less than 50% 16' logs in the load.							
NOTE:	Loads may be rejected by JDI scale staff prior to unloading if they do not meet minimum specifications. Grade shall be determined by JDI, based on a 20+ log sample extracted randomly from each load and measured using the above specifications. Quality (% acceptable pieces) shall be measured using the above specifications. Loads assessed as 90% or higher may be eligible for a QUALITY BONUS where applicable under contract terms or as determined by JD Irving Limited. Any supplier whose quality sample results fail below 60% for any one (1) load, or fall below 85% for any three (3) loads delivered within a 4-week period, shall be placed on QUALITY SUSPENSION and deliveries immediately suspended. Suppliers on quality suspension shall not be allowed to resume delivery until approved by the Regional Wood Buyer.							


Contracts: Additional \$/GMT is available for signed contracts with committed volumes. Performance bonuses for individuals who fill 90% of their contract commitment is also available.

Pleasant River Lumber, Woodland Maine Pile Down Yard

Treelength Studwood & Spruce Logs				
Pleasant River Lumber				
Woodland Pile Down Yard- Woodland Pulp LLC				
Yard hours Monday-Friday 7am to 5pm (NB time)				
Pricing in Canadian Currency, may fluctuate with exchange rate. (Below price is 1.28 exchange)				
Species	Length	Diameter	Age	Mill Price Unit Measure
Spruce 10% Balsam Fir allowed	Treelength Min 29' (Longer trees cut 16 foot log off butt)	Min 4" top Min 7" butt	Within 3 Months	\$67.91 ton equates to ~ \$74.70 metric tonne
Spruce 10% Balsam Fir allowed	12, 14, and 16 foot 4" trim	Min 5" top max 22" butt		\$74.31 ton equates to ~ \$81.74 metric tonne

Please call the office 506 433-9866, prior to cutting for this market.

J.D. Irving Limited. White Pine Sawlogs (Doaktown)

White Pine Sawlog Price List				
Russell & Swim, Doaktown				
DELIVERED PRICES PER MBF				
Miles	Grade 16	Grade 1	Grade 2	Grade 3
1-40	\$392.03	\$342.03	\$222.03	\$137.03
41-60	\$397.03	\$347.03	\$227.03	\$137.03
61-80	\$407.03	\$357.03	\$237.03	\$137.03
81-100+	\$407.03	\$357.03	\$237.03	\$137.03
101+	\$407.03	\$357.03	\$237.03	\$137.03

Specifications for all grades:

All logs must be cut from live trees. Logs not within length specs are unacceptable and shall be scaled the next shorter length acceptable or rejected. Rejected logs must be picked up by the supplier within 48 hours of notification or they will be disposed of. During the summer months, logs must be delivered within a couple days of harvest, otherwise within 3 months.

No forked logs. No burned or charred wood. No stain or insect/worm damage. Knots and butt flare trimmed flush with log. Excessively knotty logs will be rejected. All defects will be deducted from scaled volume including: damage, rot, sweep, seams, porcupine chews, or other defects. Logs with 50% or more defect volume will be rejected. Maximum sweep is 1" per 4-feet of log length. Forked ends and sharp crooks are not acceptable. All knots and excessive butt flare must be trimmed close to the log. Maximum allowable sweep is 1 inch per 4 feet of length. Length of a log must be marked on the top end of each log.

GRADE 16

ALL 16' (16'3" to 16'60") must meet Grade 1 Specs.

GRADE 1

DIAMETER: Minimum top – 10", Maximum butt 40" (inside bark)
LENGTH: 12' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Up to 1 inch; no knot clusters
MAXIMUM ROT: Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.

GRADE 2

DIAMETER: Minimum top – 8.0", Maximum butt 40" (inside bark)
LENGTH: 10', 12', 14' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Red knots up to 3 inches; black knots up to 2 inches; no knot clusters
MAXIMUM ROT: Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.

GRADE 3

DIAMETER: Minimum top – 6.0", Maximum butt 40" (inside bark)
LENGTH: 10', 12', 14' and 16" with 3-6 of trim
MAXIMUM KNOT SIZE: Red knots up to 3 inches; black knots up to 2 inches; cluster knots on not more than 2 faces.
MAXIMUM ROT: Less than ¼ diameter of log.
SEAM: One straight seam acceptable
PORCUPINE DAMAGE: Not acceptable.



NOTICE

To All Our Purchase Wood Suppliers

Please be advised that effective July 2nd, 2020 J. D. Irving, Limited will be open to all deliveries of **white pine logs** at our **Doaktown Sawmill and associated yards**. Logs produced during summer months must be delivered within a couple of days of harvest to avoid the risk of stain. Loads containing stained logs will be rejected.

Thank you for your continued support.

Sincerely,


A handwritten signature in black ink, appearing to read "B. Thompson", with a long horizontal flourish extending to the right.

Brent Thompson

J.D. Irving, Limited

Copy: N.B. Forest Product Marketing Boards

Ayat Timbers International. White Pine Logs (Penobsquis)

<p style="text-align: center;">Softwood Sawlogs Price List</p> <p style="text-align: center;">Eastern White Pine, and Red Pine</p>					
<p>158 Portagevale Road Javed Mian (306) 491-5224</p>					
Species	Length	Diameter	Age	Mill Price	Unit Measure
White Pine	10' (4-6" trim)	min 8" top NO Less no max butt	Within 3 Months	\$387.03	mbf
	14' (4-6" trim)				
White Pine	8' (4-6" trim) not full loads	min 8" top NO Less no max butt	Within 3 Months	\$237.03	mbf

Quality:

- No rot, no forks, ends to be cut square.
- Sweep must be less than 2" over length of bolt.
- Excessively knotty wood is not acceptable.
- Wood must be delivered within 3 months of harvest.
- Knots up to 1 "
- No Knot clusters.
- No rot
- Porcupine damage is acceptable on one face.
- One straight seam is acceptable

Hours: Monday to Friday: 7am-4pm

Note: **CALL JAVED (306) 491-5224 PRIOR TO LOADING & DELIVERY**

- **All logs not meeting the above specs will be rejected. The producer will have three (3) working days to pick up rejected logs or they will be disposed of by the mill.**