


Hirsh[®]

2022 Price Book & Specification Guide – FOB Dover, DE –

Revised 10/18/2024



Hirsh[®]

2022 Price Book and Specification Guide – FOB Dover, DE

Get in Touch

- 3636 Westown Parkway, Suite 100 | West Des Moines, IA 50266
 - Phone: 800.383.7414 | Fax 515.299.3300
 - www.hirshoffice.com
-

Find Your Rep

Contact your local independent sales representative for discount and freight terms: www.hirshoffice.com/contact/find-your-rep

*Published September 1, 2022
Pricing effective September 1, 2022*



Contents

■ Changelog.....	4
Contact Information	5
Corporate Profile.....	5
Warranty.....	6
Terms And Conditions	7
Quick-Ship Program	7
Shipping & Freight.....	8
Cancellation & Returns	9
Payment Terms	9
■ SHIPS FROM DOVER, DE	
Color Match Paint Program	10
HL1000 Series® Lateral Files.....	11
HL8000 Series® Personal Storage Center.....	12
HL8000 Series® Combo File	13
HL8000 Series® Lateral Storage File	14
HL10000 Series® Lateral Files	15, 16
HL10000 Series® Lateral Files with Roll-out Shelves	17
Lateral File Accessories.....	18
Lateral Files Drawer Capacity.....	19
Credenzas	20
Seat Cushions.....	21
Iron Horse® 1000 Series Riveted Shelving	22
Iron Horse® 2300 Series Riveted Shelving	23
Iron Horse® 2300 Series Riveted-Wire Shelving	24
Iron Horse® 3200 Series Concealed Riveted Shelving.....	25
Iron Horse® 3800 Series Riveted Shelving	26
Iron Horse® Archival Shelving.....	27
Utility Cart	28
Book Carts	29
File Caddy and Cabinet Dolly	30

Changelog

This is a record of updates made to the 2022 Price Book and Specification Guide. Changes to this document will be summarized here for your reference.

DATE CHANGED	CHANGES MADE
2/10/2022	Discontinued Huxley Storage Cabinet. Updated dates.
2/24/2022	Updated Contact Information. Discontinued 24861.
5/1/2022	New Pricing Implemented May 1, Cloud removed
5/17/2022	Revised to include L-Shaped desk bundle SKUs
6/20/2022	Added Black/Maple L-Shaped desk bundles
9/1/2022	Pricing updated for Sept 1, 2022
9/1/2022	Slimline Storage Cabinets added
4/12/2023	Removed divider panels for closeout/discontinuation.
8/8/2023	Discontinued Mobile Podium and Huxley Storage Locker.
8/23/2023	Discontinued Box/File Lateral Credenza
1/22/2024	Discontinued large and small 3 shelf Utility Carts
2/5/2024	Added Textured Matte Black and Textured Matte White
10/2/2024	Updated shelving weight capacity.
10/18/24	Discontinued 21199- 33"D 4-Shelf Archival Shelving

Contact Information

Dave Jensen

VP Sales
P: 515-299-3276 or 800-383-7414 x 276
C: 515-554-5931
F: 515-299-3376
jensend@hirshindustries.com

Jennifer Hester

National Sales Manager
C: 205-767-4930
F: 877-674-4518
hesterj@hirshindustries.com
sales@hirshindustries.com

Sales Support

P: 515-299-3200
F: 515-299-3300
salessupport@hirshindustries.com

Customer Service

P: 800-383-7414
F: 515-299-3374
csteam@hirshindustries.com
www.hirshoffice.com

Hirsh

3636 Westown Parkway, Suite 100
West Des Moines, Iowa 50266
P: 800-383-7414
www.hirshoffice.com

Corporate Profile

Hirsh Industries, LLC manufactures and supplies metal filing, storage, and organizational products for personal and commercial use. Hirsh has had an aggressive growth strategy through investment and expansion both organically as well as through acquisitions. Hirsh's expanding portfolio of value engineered products have applications in government, education, and business markets. Current product categories include commercial grade vertical, lateral, and pedestal files, desks, small office/home office file cabinets, and bookcases, free-standing shelving units, and storage cabinets. At Hirsh we have a storage solution for every office and business need. Hirsh prides itself on providing quality products that represent outstanding value to end-users, supply chain excellence, and world class customer service.

HISTORY

Hirsh Industries has operated continuously since 1924 when it began as the W. P. Johnson Company which specialized in metal fabrication. Eventually W. P. Johnson narrowed its focus to making steel filing cabinets. In 1989 the company changed its name to SteelWorks and continued to grow as the leader in filing products, primarily for home use. In 1999 the company took on the name Hirsh Industries as the primary product lines expanded to include commercial grade filing and commercial / industrial grade shelving items, along with a broader assortment of small office/home office file cabinets.

COMMERCIAL GRADE FILE CABINETS

Hirsh's commercial grade filing products offer premium features and unmatched value. With added functionality and ergonomic design these cabinets are welcome additions to any office. All of our cabinets are built of steel, and feature ball-bearing slides providing a long-lasting and durable product made for high volume, daily use. Hirsh's broad line of file cabinets include vertical, lateral, and pedestal files. Affordable prices make all of these filing products a great value and smart choice.

CREDENZA CABINETS

For small or large offices, the combination of our credenza cabinets offer a variety of open and closed configurations that support accessible and secured storage solutions. The credenza cabinets can be used as stand-alone pieces or they can be grouped together with open desk systems to create virtually unlimited configurations. Seat cushions are available to double their use as seating for impromptu meetings. These filing products are a great value and smart choice.

DESKS

Hirsh provides a full line of premium open desks, pedestal desks and modular desks with multiple configuration options. The HL10000® series pedestal desk is a durable solution for long-term heavy use. Available in single and double pedestal. Our metal desk is a professional solution for business, government, and school administrative offices and classrooms. The Hirsh modular desk is a flexible, freestanding desk solution that offers multiple arrangement options to fit an array of workspace needs. The modular desk system includes desk, credenza, return, bridge, and stack-on hutch.

STEEL SHELVING

Hirsh offers a full line of steel and wood shelving with a range of designs suitable for home or office use. Perfect for back office storage and break rooms. Shelving units are available in a wide range of load capacities and dimensions.

STORAGE CABINETS AND BOOKCASES

Hirsh's storage cabinets support a variety of storage solutions for various markets including business, industrial, education, hospitality and healthcare. The fully welded steel construction makes them a durable, long-lasting solution. Hirsh Bookcases are a space-efficient, flexible storage solution designed to coordinate in any office environment.



Limited Lifetime Warranty

Hirsh Industries, LLC (Hirsh) warrants, to the original purchasers of its Products only, that the Products will be free from defects in material and workmanship for as long as the original purchaser owns and possesses the Products. Subject to the terms and conditions of this Limited Lifetime Warranty, Hirsh will, at its option, repair or replace any Hirsh Product that is shown, in normal use, to be defective in material or workmanship.

EXCEPTIONS AND LIMITATIONS TO THE LIFETIME WARRANTY

12 YEARS

- Laminated surfaces, casters

5 YEARS

- Seating textiles

EXCLUSIONS

This Limited Lifetime Warranty does not cover:

- Defects or damage due to accident, abuse, misuse, unauthorized repair, extreme environmental condition or failure to the use Products for the purpose and under conditions for which they were intended
- Variations in color, color-fastness, or texture of materials
- Normal wear and tear attributable to use of the Products
- Products not installed or used in compliance with Hirsh instructions, recommendations, or warnings, including failure to follow Hirsh care and cleaning instructions
- Damage attributable to accessories, attachments, modifications or alterations not authorized or recommended by Hirsh
- Damage resulting from shipment or handling, other than damage attributable to shipping and handling by a carrier selected by Hirsh
- Products sold or used outside the United States, United States territories and Canada

LIMITATIONS

Unless otherwise provided by applicable law, Hirsh's liability and obligation, if any, for any defective Product shall be limited to repair or replacement of the Product, at Hirsh's option, and Hirsh shall not be liable for any damages, whether direct, indirect, incidental, consequential, special or otherwise (including, without limitation, damages for inconvenience or loss of use, revenue, profits or data) because of Products defects. Hirsh will be responsible for its own, or its service contractor's, labor and material expenses required to repair a Product under warranty, but will not be responsible for any labor charges resulting from the installation or removal of the existing or replacement Product.

EXCEPT AS STATED HEREIN, HIRSH MAKES NO OTHER EXPRESS WARRANTY.

The following statement applies to Products used in commercial/institutional applications only: ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

The following statements apply to Products used in consumer applications only: ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE LENGTH OF THIS WARRANTY. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state or jurisdiction to jurisdiction.

Hirsh neither makes or assumes and does not authorize any other person, including any dealer of Hirsh Products, to make or assume any obligation or liability in connection with any of its Products other than as covered by this Limited Lifetime Warranty.

OBTAINING WARRANTY SERVICE

To obtain service under this Limited Lifetime Warranty, the original purchaser must do the following:

- Within 30 days after discovery of the defect, contact the dealer from whom the Product was purchased.
- Provide verification satisfactory to the dealer and Hirsh that the warranty claim is being made by the original purchaser of the Product.
- Return or, if requested, permit inspection of, the Product.
- Provide proof satisfactory to the dealer and Hirsh of the date of purchase, if the warranty claim is for Laminated Surfaces or Textiles.

After review of all pertinent information, the dealer will contact Hirsh. Hirsh will determine the application of this Limited Lifetime Warranty to the defect and determine whether to repair or replace the defective Product. All shipping costs of defective Products to Hirsh or its distributors, dealers or contractors are the responsibility of the original purchaser. If the Product returned is found to be covered by this Limited Lifetime Warranty, return shipping charges for Products or components under warranty will be paid by Hirsh.



Price List Terms & Conditions

These conditions of sale supersede all previous selling policies. Prices, discounts, lead-times, and product offerings are subject to change without notice.

Order Placement

Hirsh Industries requires that all orders be submitted in writing to avoid errors and/or duplication. Orders may be sent through EDI or to CSteam@hirshindustries.com. All orders will be confirmed via acknowledgment. It is the dealer's responsibility to review the confirmation to insure order accuracy. Laminate, paint, and fabric colors may be viewed at www.hirshoffice.com or www.myresourcelibrary.com. You may also contact salessupport@hirshindustries.com to request samples.

Hirsh Industries will not be held responsible for extra costs due to errors resulting in purchase order inaccuracies. If a discrepancy is detected on the purchase order or acknowledgment, all corrections must be received in writing before further order processing can occur. All purchase orders placed are strictly for shipping within the continental United States.

Refer to the individual pricer for each shipping location.

- Price Book & Specification Guide, FOB Calexico, CA
- Price Book & Specification Guide, FOB Dover, DE

Quick-Ship Program

All listed items are normally in stock and will quick-ship within five business days of receiving a finalized order. Quick-ship orders are subject to inventory levels and credit approval. Contact the Hirsh Customer Care Team at csteam@hirshindustries.com or 800-383-7414 to confirm inventory availability prior to placing an order. Items excluded from the Quick-Ship Program are noted within the price book. All standard terms and conditions apply.

Lead-time & Shipping Terms

Lead-times are measured in working days and will not commence until purchase order is entered into our system. We are not responsible for delays caused by order discrepancies. Order entry typically takes 2-3 days for order processing and preparation of your shipment. Hirsh Industries ships Monday-Friday, excluding holidays. Transit times will vary based on final destination.

All products ship via select common carrier with shipping terms as FOB Destination prepaid by Hirsh Industries. This includes dock-to-dock of a single shipment to a single location within the 48 contiguous states. Hirsh Industries cannot guarantee exact time of delivery.

Contact your local Hirsh Sales Representative or salessupport@hirshindustries.com for your specific Terms and Conditions.

Special Shipping Instructions

Hirsh Industries will accommodate special shipping/delivery requests whenever possible. Purchaser will be responsible for any and all extra costs incurred by reason of Hirsh Industries complying with a special request. Contact salessupport@hirshindustries.com for a quote on any special services or handling requirements.

- Lift gate/tailgate
- Inside delivery
- Inside delivery is defined as when carrier moves all or part of a shipment to a position beyond the point directly accessible or immediately adjacent to the delivery vehicle.
- In the event that inside delivery and/or lift gate/tailgate are unforeseen, but required to complete the delivery, both the dealer and Hirsh Industries must agree to these services and subsequent invoicing by Hirsh Industries of the charges described above.
- Expediting, re-consignment, re-delivery, delays causing carrier storage
- Delivery times outside of normal business hours including weekends
- Exact, narrow scheduling window (elevator time)
- Non-commercial/residential deliveries
- Extra labor, driver assist, high cost/remote region delivery. The maximum amount of time allowed for off-loading products is 3 hours. Any additional charges associated with extra delivery time or failure to accept a shipment as agreed upon will be the responsibility of the purchaser. Please use caution when planning and communicating delivery requirements so that excessive fees will not be necessary.

Freight Damage Claims

Hirsh Industries' terms are FOB Destination. Hirsh Industries is not responsible for damage that occurs in transit. All Hirsh Industries' products are carefully inspected prior to shipment. The carrier signs for all goods received in apparent good order. It is the buyer's responsibility to inspect goods upon receipt for both apparent and concealed damage. In the instance that damage is found, we ask the purchaser to **refuse the damaged portion of the shipment**. In the case of documented shipping damage, Hirsh Industries will file a claim with the carrier and issue at no charge any replacement parts or products only if the purchaser meets the following conditions:

- Product is shipped via the Hirsh Industries designated carrier
- Retain packaging
- Inspect the shipment and document damage on the bill of lading
- Contact Hirsh Industries Customer Service immediately upon discovery and documentation of damage

Failure of purchaser to meet these conditions will prevent Hirsh Industries from obtaining carrier reimbursement and thereby require us to charge full price for product replacement. In the case of concealed damage (damage discovered after acceptance with no bill of lading documentation), Hirsh Industries should be notified immediately upon discovery by calling 1-800-383-7414. Please retain all packaging to allow carrier to inspect. Hirsh Industries liability ceases 15 calendar days after receipt of shipment. Hirsh Industries will investigate on a case-by-case basis and assumes no liability beyond the stated 15 calendar days. If the purchaser specifies their own carrier, they assume full responsibility for any freight claims and replacement orders will be sent out at a charge. The purchaser may make NO deductions under any circumstances ensuing from freight claims when settling invoices with Hirsh Industries.

Claim Policy

It is the purchaser's responsibility to examine goods upon receipt and to notify Hirsh Industries Customer Service with any concerns. Any claims against Hirsh Industries for apparent defects, errors, or shortages must be made by the purchaser within 15 calendar days after delivery. Failure by the purchaser to make any claim within 15 calendar days will constitute acceptance of the goods and relinquish any apparent defects, errors, or shortages.



Cancellation, Returns & Restocking

CANCELLATIONS

Hirsh Industries must receive a 48-hour notice on all cancellations. Method of cancellation email CSTeam@hirshindustries.com or EDI. Customer Service will notify customer when cancellation cannot be accepted. If the purchase order has already been loaded on the truck or shipped, it cannot be canceled.

RETURNS

Any product returned to Hirsh Industries, the following process applies.

1. Contact the Credit Department at Credit.Department@hirshindustries.com with the following information:
 - a. Customer Name, Location, Phone Number, and P.O. Number
2. Credit will contact with disposition:
 - a. Destroy, or RA# to return product
 - b. If product is returned the RA# must be on each product -- if not product will be refused.
 - c. Customer pays freight for all returns

RESTOCKING

Hirsh Industries charges a 25% restocking fee on returned product. The 25% restocking fee will be deducted from RA.

Color Match Paint Program (Make to Order)

MINIMUM ORDER QUANTITY FOR MAKE TO ORDER PRODUCT

A minimum order of 10 pieces per color is required. Pieces can be different sizes/models, but must be the same color.

LEAD TIMES FOR MAKE TO ORDER PRODUCT

Lead times on make to order product are subject to production capacity and material availability. Normally, this is expected to be 3-4 weeks.

CHANGES TO MAKE TO ORDER PRODUCT

A special model will be provided for each approved special item to process orders. Once an order is placed, no changes or cancellations can be made to the order without approval. Changes and cancellations within 2 days of order are subject to a 10% fee. Changes and cancellations made within 1 week of order are subject to a 50% fee. Changes and cancellations after 1 week of order are not allowed.

Payment Terms

Orders are invoiced at the time of shipment and payment is due at NET30 upon receipt of invoice. Past due accounts are subject to interest at the maximum rate permitted by law. All prices are effective September 1, 2022 and are subject to change without notice.

Remit to:

Hirsh Industries
39802 Treasury Center
Chicago, IL 60694-9800



Match Your Existing Pieces

Match your existing office pieces seamlessly with Hirsh's all new color matching powder paint program. Hirsh's premium quality commercial laterals and low credenzas are now available to order in over fifty current industry standard colors.

Each color selection is broken down into three tiers and new colors will be added on an on-going basis. 10 piece minimum order, per color, with 3-4 week lead time from receipt and acknowledgment of order.

Full list of current colors is available for viewing on the Hirsh website. Call 800-383-7414 for non-listed color opportunities or special pricing on volume opportunities.

- TIER 1** QuickShip Program for Hirsh core colors. See pricer for availability.
- TIER 2** Mid-range industry colors. 3-4 week lead time from receipt and acknowledgment of order.
- TIER 3** Premium industry colors. 3-4 week lead time from receipt and acknowledgment of order.

If a lateral file is not listed in the Hirsh pricer (available online) as part of the Quick Ship program, it can be made in any Hirsh core color under the Tier 2 program (10+ units with a 4 week lead time or 1-9 units with a 6 week lead time).

Hirsh Core Colors

Hirsh Core Colors for lateral files have been expanded to include White and Arctic Silver.

Hirsh Core Colors			
Black	Tier 1	Light Gray	Tier 1
Putty	Tier 1	Arctic Silver	Tier 2
Charcoal	Tier 1	Cloud - <i>Special Order Only</i>	Tier 2
Medium Tone	Tier 1	White	Tier 2

Hirsh Core Colors can be Tier 1 or Tier 2 based on QuickShip program status. See individual pricers.

Hirsh® Core Colors with Anti-Bacterial Silver Ion Additive

Hirsh® Core Colors can be special ordered with an anti-bacterial silver ion additive for laterals and credenzas. The anti-bacterial silver ion additive helps reduce the growth of bacteria on painted surfaces, making it ideal to help keep your offices, factories, or classrooms clean and secure.

- Tier 3 pricing
- 10 unit MOQ
- 8 week lead-time

Industry Color Matching

Hon®	
Putty	Tier 2
Black	Tier 2
Light Gray	Tier 2
Charcoal	Tier 2
Greige	Tier 2
Loft	Tier 2
Muslin	Tier 2
Shadow	Tier 2
Brilliant White	Tier 2
Brownstone	Tier 2
Bungalow	Tier 2
Parchment	Tier 2
Fossil	Tier 2
Champagne Metallic	Tier 3
Platinum Metallic	Tier 3

Knoll	
Black	Tier 2
Black Texture	Tier 2
Folkstone	Tier 2
Folkstone Texture	Tier 2
Medium Gray	Tier 2
Medium Gray Texture	Tier 2
Sandstone	Tier 2
Soft Grey Texture	Tier 2
Silver	Tier 3

Steelcase			
Black	Tier 2	Champagne Metallic	Tier 3
Black Texture	Tier 2	Milk (low gloss)	Tier 3
Merle Texture	Tier 2	Platinum Metallic	Tier 3
Sand Texture	Tier 2	Seagull Gray Texture	Tier 3
Arctic White Texture	Tier 3		

Allsteel®	
Black (HON Black)	Tier 2
Kloeber Black (new)	Tier 2
Brownstone	Tier 2
Bungalow	Tier 2
Flint (HON Charcoal)	Tier 2
Loft	Tier 2
Muslin	Tier 2
Parchment	Tier 2
Fossil	Tier 2
Brilliant White	Tier 2
Champagne Metallic	Tier 3
Platinum Metallic	Tier 3
Silver	Tier 3

Herman Miller	
White Texture	Tier 3
Medium Tone	Tier 2
Soft White	Tier 2
White (smooth)	Tier 2
Champagne	Tier 3
Cool Gray Neutral	Tier 3
Metallic Bronze	Tier 3
Silver	Tier 3
Studio White Texture	Tier 3
Warm Gray Neutral	Tier 3

Hirsh® Core Colors + Silver Ion			
Black	Tier 3	Light Gray	Tier 3
Putty	Tier 3	Arctic Silver	Tier 3
Charcoal	Tier 3	Cloud - <i>Special Order Only</i>	Tier 3
Medium Tone	Tier 3	White	Tier 3

HL1000 Series® Lateral Files

FEATURES

- 30" width, 2-drawer and 4-drawer units
- Precision ball-bearing suspension
- Interlock system
- Core-removable lock
- Two adjustable leveling glides
- Hang rails included
- Baked enamel finish
- Monochromatic handles
- Durable steel construction with non-porous surface is easy to clean and disinfect



28"H x 18.63"W

30" 2 DRAWERS



52.5"H x 18.63"W

30" 4 DRAWERS

COLOR	30" 2 DRAWERS		30" 4 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST
Putty	14954	\$1,019	14956	\$1,496
Black	14955	\$1,019	14957	\$1,496
Light Gray	19439	\$1,019	19440	\$1,496

SHIPPING

Dimensions	30.25H x 32.5W x 21.13D in.	54.75H x 32.5W x 21.13D in.
Weight	96 lbs.	140 lbs.
Cube	12.0	21.8

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh®

Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

HL8000 Series® Personal Storage Center

FEATURES

- 28" height fits under most worksurfaces
- One 12" file drawer, two 6" box drawers
- Left side shelf with door, knockout in back panel for cord management
- Precision ball-bearing suspension
- Interlock system and reinforced base construction
- Center lock secures all three drawers and door
- Four adjustable leveling glides
- Hang rails in included in 12" file drawer
- Full-width drawer pulls
- Durable steel construction with non-porous surface is easy to clean and disinfect



28"H x 18.63"W

30" 3 DRAWERS

COLOR	ITEM NO.	LIST
Black	19628	\$1,857
Medium Tone	19629	\$1,857
Tier 2		\$2,043
Tier 3		\$2,136

SHIPPING

Dimensions	30.25H x 32.5W x 21.13D in.
Weight	118 lbs.
Cube	12.0

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh®

Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

HL8000 Series® Combo File

FEATURES

- 36" width, 2-drawer and 3-drawer units
- 2 drawer - two 12" file drawers
- 3 drawer - one 12" file drawer, two 6" supply drawers
- 1 fixed shelf, 1 adjustable shelf
- Precision ball-bearing suspension
- Interlock system and core-removable lock and dual lock bars
- Four adjustable leveling glides
- Hang rails included in 12" file drawer
- Drawer dividers included in 6" supply drawers
- Full-width drawer pulls
- Durable steel construction with non-porous surface is easy to clean and disinfect



60"H x 18.63"W

36" 2 DRAWERS



60"H x 18.63"W

36" 3 DRAWERS

COLOR	36" 2 DRAWERS		36" 3 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST
Black	16778	\$1,564	19627	\$1,704
Tier 2		\$1,721		\$1,875
Tier 3		\$1,799		\$1,960

SHIPPING

Dimensions	62.25H x 38.5W x 21.13D in.	62.25H x 38.5W x 21.13D in.
Weight	150 lbs.	160 lbs.
Cube	29.3	29.3

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

HL8000 Series® Lateral Storage File

FEATURES

- 36" width, 3-drawer unit
- One 12" file drawer, two 6" supply drawers
- Precision ball-bearing suspension
- Interlock system
- Reinforced base construction
- Core-removable lock and dual lock bars
- Four adjustable leveling glides
- Hang rails included in 12" file drawer
- Drawer dividers included in 6" supply drawers
- Full-width drawer pulls
- Durable steel construction with non-porous surface is easy to clean and disinfect



28"H x 18.63"W

36" 3 DRAWERS

COLOR	ITEM NO.	LIST
Black	19626	\$1,341
Tier 2		\$1,476
Tier 3		\$1,543

SHIPPING

Dimensions	30.25H x 38.5W x 21.13D in.
Weight	131 lbs.
Cube	14.2

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units




Hirsh®

Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

FEATURES

- 30", 36", and 42" widths, 2 to 5-drawer units
- Precision ball-bearing suspension
- Roll-out binder storage and posting shelf standard on 5-drawer models
- Double-wall base construction
- Core-removable lock
- Baked enamel finish
- Four adjustable leveling glides
- Hang rails included
- Magnetic label holder
- Durable steel construction with non-porous surface is easy to clean and disinfect



28" H x 18.63" D



40.3" H x 18.63" D



52.5" H x 18.63" D



67.63" H x 18.63" D

COLOR	30" 2 DRAWERS		30" 3 DRAWERS		30" 4 DRAWERS		30" 5 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST
Putty	14970	\$1,034	14973	\$1,327	14976	\$1,543	14979	\$2,005
Black	14971	\$1,034	14974	\$1,327	14977	\$1,543	14980	\$2,005
Light Gray	14972	\$1,034	14975	\$1,327	14978	\$1,543	14981	\$2,005
White	23696	\$1,138	23697	\$1,458	23698	\$1,698	23699	\$2,205
Tier 2		\$1,252		\$1,604		\$1,868		\$2,426
Tier 3		\$1,309		\$1,677		\$1,953		\$2,536

SHIPPING

Dimensions	30.25H x 32.5W x 21.13D in.	42.5H x 32.5W x 21.13D in.	54.75H x 32.5W x 21.13D in.	69.88H x 32.5W x 21.13D in.
Weight	101 lbs.	133 lbs.	148 lbs.	179 lbs.
Cube	12.0	16.9	21.8	27.8

COLOR	36" 2 DRAWERS		36" 3 DRAWERS		36" 4 DRAWERS		36" 5 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST
Putty	14982	\$1,109	14985	\$1,415	14988	\$1,686	14991	\$2,229
Black	14983	\$1,109	14986	\$1,415	14989	\$1,686	14992	\$2,229
Light Gray	14984	\$1,109	14987	\$1,415	14990	\$1,686	14993	\$2,229
Charcoal	16065	\$1,109	16066	\$1,415	16067	\$1,686	16068	\$2,229
White	23700	\$1,221	23701	\$1,554	23702	\$1,853	23703	\$2,451
Arctic Silver	23744	\$1,221	23745	\$1,554	23746	\$1,853	23747	\$2,451
Lava Red	24249	\$1,221	24252	\$1,554	24255	\$1,853	24258	\$2,451
Screamin' Green	24250	\$1,221	24253	\$1,554	24256	\$1,853	24259	\$2,451
Classic Blue	24251	\$1,221	24254	\$1,554	24257	\$1,853	24260	\$2,451
Textured Matte Black	25837	\$1,221	25838	\$1,554	25839	\$1,853		
Textured Matte White	25893	\$1,221	25894	\$1,554	25895	\$1,853		
Tier 2		\$1,344		\$1,710		\$2,039		\$2,697
Tier 3		\$1,405		\$1,788		\$2,131		\$2,819

SHIPPING

Dimensions	30.25H x 38.5W x 21.13D in.	42.5H x 38.5W x 21.13D in.	54.75H x 38.5W x 21.13D in.	69.88H x 38.5W x 21.13D in.
Weight	124 lbs.	154 lbs.	175 lbs.	202 lbs.
Cube	14.2	20.0	25.8	32.9

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units




FEATURES

- 30", 36", and 42" widths, 2 to 5-drawer units
- Precision ball-bearing suspension
- Roll-out binder storage and posting shelf standard on 5-drawer models
- Double-wall base construction
- Core-removable lock
- Baked enamel finish
- Four adjustable leveling glides
- Hang rails included
- Magnetic label holder
- Durable steel construction with non-porous surface is easy to clean and disinfect



28" H x 18.63" D



40.3" H x 18.63" D



52.5" H x 18.63" D



67.63" H x 18.63" D

	42" 2 DRAWERS		42" 3 DRAWERS		42" 4 DRAWERS		42" 5 DRAWERS	
COLOR	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST
Putty	14994	\$1,251	14997	\$1,575	15000	\$1,835	15003	\$2,378
Black	14995	\$1,251	14998	\$1,575	15001	\$1,835	15004	\$2,378
Light Gray	14996	\$1,251	14999	\$1,575	15002	\$1,835	15005	\$2,378
Charcoal	16069	\$1,251	16070	\$1,575	16071	\$1,835	16072	\$2,378
White	23704	\$1,375	23705	\$1,731	23706	\$2,020	23707	\$2,617
Arctic Silver	23748	\$1,375	23749	\$1,731	23750	\$2,020	23751	\$2,617
Tier 2		\$1,513		\$1,905		\$2,222		\$2,879
Tier 3		\$1,582		\$1,991		\$2,323		\$3,010

SHIPPING

Dimensions	30.25H x 44.5W x 21.13D in.	42.5H x 44.5W x 21.13D in.	54.75H x 44.5W x 21.13D in.	69.88H x 44.5W x 21.13D in.
Weight	145 lbs.	174 lbs.	196 lbs.	230 lbs.
Cube	16.5	23.1	29.8	38.0

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



HL10000 Series® Lateral Files with Roll-out Shelves

FEATURES

- 36" and 42" widths, 4 and 5-drawer units
- Precision ball-bearing suspension
- Double-wall base construction
- Interlock system
- Fixed bottom drawer
- Binder storage top two drawers of 5-drawer units
- Dual lock bars
- Core-removable lock
- Baked enamel finish
- Four adjustable leveling glides
- Hang rails included
- Magnetic label holders
- Durable steel construction with non-porous surface is easy to clean and disinfect



52.5"H x 18.63"D

36" 4 DRAWERS



68.63"H x 18.63"D

36" 5 DRAWERS

COLOR	36" 4 DRAWERS		36" 5 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST
Putty	17898	\$2,107	17901	\$2,460
Black	17899	\$2,107	17902	\$2,460
Tier 2		\$2,318		\$2,706
Tier 3		\$2,424		\$2,829

SHIPPING

Dimensions	54.75H x 38.5W x 21.13D in.	70.88H x 38.5W x 21.13D in.
Weight	186 lbs.	203 lbs.
Cube	25.8	33.4

42" 4 DRAWERS

42" 5 DRAWERS

COLOR	42" 4 DRAWERS		42" 5 DRAWERS	
	ITEM NO.	LIST	ITEM NO.	LIST
Putty	17972	\$2,210	17975	\$2,650
Black	17973	\$2,210	17976	\$2,650
Tier 2		\$2,431		\$2,915
Tier 3		\$2,542		\$3,048

SHIPPING

Dimensions	54.75H x 44.5W x 21.13D in.	70.88H x 44.5W x 21.13D in.
Weight	203 lbs.	232 lbs.
Cube	29.8	38.6

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh®



Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Lateral File Accessories

FEATURES

- Drawer Divider 5"H x 12.38"D
- Drawer Divider fits all Hirsh brand lateral files
- Durable steel construction with non-porous surface is easy to clean and disinfect
- Two rails per drawer are needed for front-to-back filing
- Front-to-Back filing options:
 - 30": two rows letter
 - 36": two rows letter, two rows legal, or one row each letter/legal
 - 42": three rows letter, two rows legal, or one row each letter/legal
- Durable steel construction with non-porous surface is easy to clean and disinfect



COLOR	DRAWER DIVIDER			FRONT TO BACK RAILS		
	ITEM NO.	LIST	QTY	ITEM NO.	LIST	QTY
Platinum Gray	15299	\$72	10-Pack	15300	\$39	4-Pack

SHIPPING

Dimensions	1H x 5.5W x 13.5D in.	19.5H x 2.75W x 2.75D in.
Weight	8.5 lbs.	2.5 lbs.
Cube	0.04	0.09

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh®

Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Lateral Files Drawer Capacity

FEATURES

- Side-to-Side Filing
 - Two hang rails included per drawer for side-to-side filing
- Front-to-Back Filing
 - 30": two rows letter
 - 36": two rows letter, two rows A4, two rows legal
 - 42": three rows letter, two rows A4, two rows legal
- Two rails per drawer are required for front-to-back filing

FILING CAPACITY

	30" Letter	30" A4	30" Legal	36" Letter	36" A4	36" Legal	42" Letter	42" A4	42" Legal
Side-to-side filing	26.38"	26.38"	26.38"	32.38"	32.38"	32.38"	38.38"	38.38"	38.38"
Front-to-back filing	30.2"	15.1"	15.1"	30.2"	30.2"	30.2"	45.3"	30.2"	30.2"


FILING COMPARISON

30" WIDE

Side-to-side Letter, A4, Legal
26.38" of filing



Front-to-back Letter
30.2" of filing



Front-to-back A4, Legal
15.1" of filing



note: 14% more filing capacity than side-to-side filing.

36" WIDE


Side-to-side Letter, A4, Legal
32.38" of filing



Front-to-back Letter
30.2" of filing




Front-to-back A4, Legal
30.2" of filing




42" WIDE

Side-to-side Letter, A4, Legal
38.38" of filing



Front-to-back Letter
45.3" of filing



Front-to-back A4, Legal
30.2" of filing



note: 18% more filing capacity than side-to-side filing.

Credenzas

FEATURES

- 36" W, 22" H
- Durable steel construction with non-porous surface is easy to clean and disinfect
- Box/File Lateral
 - Precision ball-bearing suspension
 - Interlock system, core removable lock
 - Reinforced base construction
 - Drawer dividers included in box drawer
- Credenza, Sliding Door
 - Core-removable lock
 - Sliding door locks on either side
 - Fixed upper shelf
- Credenza, Open
 - Shelf adjustable in 1/2" increments



22"H x 18.63"D



22"H x 18.63"D

36" CREDENZA, SLIDING DOOR

36" CREDENZA, OPEN

COLOR	ITEM NO.	LIST	ITEM NO.	LIST
Black	20506	\$1,142	20508	\$1,019
Charcoal	20507	\$1,142	20509	\$1,019
Tier 2		\$1,257		\$1,121
Tier 3		\$1,314		\$1,172

SHIPPING

Dimensions	24.25H x 38.5W x 21.13D in.	24.25H x 38.5W x 21.13D in.
Weight	77 lbs.	68 lbs.
Cube	11.4	11.4

- Please refer to the Hirsh Color Match program guidelines on **Page 10** of the 2022 Price Book & Specification Guide for additional paint options, or view online at www.hirshoffice.com/resources/color-match-program

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Seat Cushions


FEATURES

- Available in 18.63"x 36" to fit Hirsh low credenzas
- Available in 15"x 19.88" to fit Hirsh pedestals
- Available in two upholstery options



2"H x 36"W x 18.63"D

36" CREDENZA SEAT CUSHION



2"H x 15"W x 19.88"D

20" PEDESTAL SEAT CUSHION

COLOR	36" CREDENZA SEAT CUSHION		20" PEDESTAL SEAT CUSHION	
	ITEM NO.	LIST	ITEM NO.	LIST
Heat Wave	20510	\$379	20529	\$188
Chinchilla	20511	\$379	20530	\$188

SHIPPING

Dimensions	3H x 37W x 21D in.	3H x 17W x 21D in.
Weight	12 lbs.	6 lbs.
Cube	1.4	.6

SHIPPING DETAILS

- FOB Calexico, CA
- Country of Origin: Mexico

STANDARDS & CERTIFICATIONS

- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh[®]


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24


Iron Horse® 1000 Series Riveted Shelving

FEATURES


- Three sizes available, 30"H, 48"H and 60"H
- 150 lb weight capacity per shelf
- 12" deep units fit almost anywhere
- Steel frame with rust-resistant, powder-coat finish
- Riveted steel construction
- Simple assembly, boltless design
- Assembles vertically or horizontally
- Durable steel construction with non-porous surface is easy to clean and disinfect



30"H x 30"W x 12"D



48"H x 30"W x 12"D



60"H x 30"W x 12"D

COLOR	3-SHELF UNIT		4-SHELF UNIT		5-SHELF UNIT	
	ITEM NO.	LIST	ITEM NO.	LIST	ITEM NO.	LIST
Black	22539	\$141	22540	\$183	22541	\$211

SHIPPING

Dimensions	2.25H x 30.88W x 11.75D in.	2.75H x 30.88W x 11.75D in.	2.75H x 30.88W x 11.75D in.
Weight	15 lbs.	20 lbs.	24 lbs.
Cube	.47	.58	.58

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- ANSI/BIFMA – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Iron Horse® 2300 Series Riveted Shelving

FEATURES

- 4-shelf and 5-shelf units, 60" and 72" heights
- 4-shelf model: total capacity 1,840 lbs. of evenly distributed weight
- 5-shelf models: total capacity 2,300 lbs. of evenly distributed weight
- Riveted steel construction
- Assembles vertically or horizontally
- Riveted shelf attachments
- Black crinkle coat powder coat finish
- Assembles with rubber mallet
- Durable steel construction with non-porous surface is easy to clean and disinfect



DESCRIPTION	PRODUCT	ITEM NO.	LIST	SHIPPING DIMENSIONS	WEIGHT	CUBE
4-Shelf Riveted	60"H x 36"W x 18"D	20991	\$243	3.5H x 30.88W x 16.5D in.	44 lbs.	1.0
5-Shelf Riveted	72"H x 36"W x 18"D	20992	\$282	4H x 37.25W x 18.75D in.	53 lbs.	1.6
5-Shelf Riveted	72"H x 48"W x 18"D	20993	\$325	3.63H x 49.25W x 18.5D in.	67 lbs.	1.9
5-Shelf Riveted	72"H x 48"W x 24"D	20994	\$384	4.38H x 49.25W x 24.75D in.	87 lbs.	3.1

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- ANSI/BIFMA – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®

Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Iron Horse® 2300 Series Riveted-Wire Shelving

FEATURES

- 4-shelf and 5-shelf units, 60" and 72" heights
- 4-shelf models: total capacity 1,840 lbs. of evenly distributed weight
- 5-shelf models: total capacity 2,300 lbs. of evenly distributed weight
- Riveted steel construction
- Wire shelving for easy cleaning
- Assembles vertically or horizontally
- Riveted shelf attachments
- Black crinkle coat powder coat finish
- Assembles with rubber mallet
- Durable steel construction with non-porous surface is easy to clean and disinfect



DESCRIPTION	PRODUCT	ITEM NO.	LIST	SHIPPING DIMENSIONS	WEIGHT	CUBE
4-Shelf Riveted-Wire	60"H x 36"W x 18"D	22129	\$276	3.5H x 16.5W x 30.88D in.	44 lbs.	1.0
5-Shelf Riveted-Wire	72"H x 36"W x 18"D	22130	\$317	4H x 18.75W x 37.25D in.	53 lbs.	1.6
5-Shelf Riveted-Wire	72"H x 48"W x 18"D	22131	\$377	3.63H x 18.5W x 49.25D in.	67 lbs.	1.9

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Iron Horse® 3200 Series Concealed Riveted Shelving

FEATURES

- 4-shelf and 5-shelf units, 60" and 72" heights
- 4-shelf models: total capacity 2,560 lbs. of evenly distributed weight
- 5-shelf models: total capacity 3,200 lbs. of evenly distributed weight
- Riveted steel construction
- Concealed posts for clean look
- Black laminate shelves
- Assembles vertically or horizontally
- Riveted shelf attachments
- Assembles with rubber mallet
- Gunmetal gray powder coat finish
- Durable steel construction with non-porous surface is easy to clean and disinfect



DESCRIPTION	PRODUCT	ITEM NO.	LIST	SHIPPING DIMENSIONS	WEIGHT	CUBE
4-Shelf Riveted-Wire	60"H x 36"W x 18"D	20995	\$295	3.5H x 30.88W x 16.5D in.	47 lbs.	1
5-Shelf Riveted-Wire	72"H x 36"W x 18"D	20996	\$344	4H x 37.25W x 18.75D in.	57 lbs.	1.6
5-Shelf Riveted-Wire	72"H x 48"W x 18"D	20997	\$388	3.63H x 49.25W x 18.5D in.	71 lbs.	1.9
5-Shelf Riveted-Wire	72"H x 48"W x 24"D	20998	\$454	4.38H x 49.25W x 24.75D in.	86 lbs.	3.1

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Iron Horse® 3800 Series Riveted Shelving

FEATURES

- 4-shelf and 5-shelf units, 60", 72", and 84" heights
- Total capacity 3,800 lbs. of evenly distributed weight
- Riveted steel construction
- Simple assembly, boltless design
- Assembles vertically or horizontally
- Riveted shelf attachments
- Assembles with rubber mallet
- Black powder coat finish
- Durable steel construction with non-porous surface is easy to clean and disinfect



DESCRIPTION	PRODUCT	ITEM NO.	LIST	SHIPPING DIMENSIONS	WEIGHT	CUBE
4-Shelf Riveted	60"H x 30"W x 16"D	17125	\$252	3.5H x 16.5W x 30.88D in.	52 lbs.	1.0
5-Shelf Riveted	60"H x 36"W x 16"D	17126	\$314	4H x 16.75W x 37.25D in.	69 lbs.	1.4
5-Shelf Riveted	72"H x 36"W x 18"D	17127	\$345	4H x 18.75W x 37.25D in.	77 lbs.	1.6
5-Shelf Riveted	72"H x 48"W x 18"D	17313	\$403	3.63H x 18.5W x 49.25D in.	93 lbs.	1.9
5-Shelf Riveted	72"H x 48"W x 24"D	19453	\$506	4.38H x 24.75W x 49.25D in.	131 lbs.	3.1
5-Shelf Riveted	84"H x 48"W x 24"D	19454	\$525	4.38H x 24.75W x 49.25D in.	137 lbs.	3.1

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Iron Horse® Archival Shelving

FEATURES

- 4-Shelf unit
- Shelf capacity of 900 pounds per shelf of evenly distributed weight
- Shelves adjust in 1.50" Increments to accommodate items of varying heights
- Assembles vertically or horizontally
- Assembles with a rubber mallet (not included)
- Durable powder Coat Finish - rust resistant
- Riveted Steel Construction
- Durable steel construction with non-porous surface is easy to clean and disinfect



DESCRIPTION	PRODUCT	ITEM NO.	LIST	SHIPPING DIMENSIONS	WEIGHT	CUBE
4-Shelf Archival	84"H x 69"W x 18"D	21198	\$621	2.5H x 69.25W x 18.25D in.	113 lbs.	1.8

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: USA

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units
- Contains PB or MDF that complies with Phase 2 emission limits per California CARB rule 93120.2
- TSCA Title VI Compliant



Hirsh®


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Utility Cart


FEATURES

- Ideal for offices, schools, stockrooms or the manufacturing floor
- Four sizes available
- Shelves offer a convenient worksurface and spacious storage
- Shelves feature a 3.25" lip on all sides
- Total weight capacity of 400 lbs
- Industrial strength casters, two locking
- Constructed of durable steel
- Contains up to 30% recycled material
- Durable steel construction with non-porous surface is easy to clean and disinfect



32"H x 16"W x 30"D

SMALL UTILITY CART - 2 SHELF



32"H x 24"W x 36"D

LARGE UTILITY CART - 2 SHELF

COLOR	ITEM NO.	LIST	ITEM NO.	LIST
Black	22639	\$334	22641	\$434

SHIPPING

Dimensions	6.1H x 18.5W x 33.07D in.	6.1H x 26.38W x 38.98D in.
Weight	36 lbs.	48 lbs.
Cube	2.2	3.6

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: China

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



Hirsh[®]


Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24

Book Carts


FEATURES

- Available in double-sided and single-sided
- Durable welded construction
- Four industrial casters, all locking
- Smooth rounded handles
- Perforated side panels
- Durable steel construction with non-porous surface is easy to clean and disinfect
- Double-Sided
 - Six sloped shelves, each shelf 36" w x 7.5" d
- Single-Sided
 - Three sloped shelves, each shelf 29" w x 9.5" d
- 12.5" clearance between shelves



46.25"H x 38"W x 18"D

DOUBLE SIDED BOOK CART



46.25"H x 30.75"W x 13"D

SINGLE SIDED BOOK CART

COLOR	DOUBLE SIDED BOOK CART		SINGLE SIDED BOOK CART	
	ITEM NO.	LIST	ITEM NO.	LIST
Putty	21785	\$1,009	21788	\$820
Black	21786	\$1,009	21789	\$820
Classic Blue	21787	\$1,009	21790	\$820

SHIPPING

Dimensions	43.13H x 40.25W x 20.38D in.	43.13H x 33.38W x 15.5D in.
Weight	72 lbs.	47 lbs.
Cube	20.5	12.9

SHIPPING DETAILS

- FOB Dover, DE
- Country of Origin: China

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



File Caddy™ and Cabinet Dolly



FEATURES

File Caddy

- File Caddy™ for vertical file cabinets
- File Caddy™ adjustable for 14.25", 15", 17.25", and 18" wide metal file cabinets
- File Caddy™ adjustable for 18", 22", 25", and 26.5" deep metal file cabinets
- File Caddy™ assembles without tools
- Durable steel construction with non-porous surface is easy to clean and disinfect

Cabinet Dolly

- Cabinet Dolly for lateral files or storage cabinets
- Cabinet Dolly adjustable to 30", 36", and 42" widths
- Cabinet Dolly adjustable for 18", 18.63", 19.25", and 24" depths
- Cabinet Dolly has heavy duty casters, two locking



COLOR	FILE CADDY™		CABINET DOLLY	
	ITEM NO.	LIST	ITEM NO.	LIST
Black	10035	\$90	15030	\$290
SHIPPING				
Dimensions	4H x 11.25W x 17.25D in.		5.5H x 5.5W x 27D in.	
Weight	6 lbs.		21 lbs.	
Cube	0.5		0.5	

SHIPPING DETAILS

- FOB Calexico, CA (File Caddy), FOB Dover, DE (Cabinet Dolly)
- Country of Origin: Mexico (File Caddy), USA (Cabinet Dolly)

STANDARDS & CERTIFICATIONS

- **ANSI/BIFMA** – Product meets or exceeds ANSI/BIFMA performance standards for storage units



(File Caddy)



Visit us at hirshoffice.com • 800.383.7414 • Please contact us with questions and representative locations

© 2024 Hirsh Industries, LLC
10.18.24