

*Balsan*  
BALSAN

# **QUICKSHIP USA**

**18** REFERENCES  
Available immediately

 Designed & Made in France

# trust stripes

Click [here](#) for more information




50 x 50 cm




▲ TRUST STRIPES • 910

L 47 - p 16,7\*



▲ TRUST STRIPES • 970

L 23,7 - p 4,5\*




▲ TRUST STRIPES • 975

L 23,7 - p 4\*



TRUST STRIPES • 914 / TRUST LINK • 930 / TRUST • 920 - 940



▲ TRUST STRIPES • 914


L 36 - p 9,7\*

trust

Click [here](#) for more information



50 x 50 cm




▲ TRUST • 920

L 49,6 - ρ 18,1\*



TRUST • 920




▲ TRUST • 940

L 36,6 - ρ 9,3\*



▲ TRUST • 750

L 36 - ρ 9\*



▲ TRUST • 960

L 23,7 - ρ 4\*



▲ TRUST • 610

L 49,5 - ρ 18\*


\* Light Reflectance Value (L: CIE Lab - ρ: Rhô)

# trust link

Click [here](#) for more information




50 x 50 cm




▲ TRUST LINK • 930

L 44,2 - p 14,3\*



▲ TRUST LINK • 950

L 31,8 - p 7\*



▲ TRUST LINK • 590

L 26,7 - p 5,1\*




TRUST LINK • 590 / TRUST • 960

# karma


Click [here](#) for more information



50 x 50 cm



▲ KARMA • 910 L 56,2 - ρ 24,1\*



▲ KARMA • 550 L 30,2 - ρ 6,3\*



▲ KARMA • 730 L 43,7 - ρ 13,6\*



▲ KARMA • 930 L 43,9 - ρ 13,8\*



▲ KARMA • 960 L 29,9 - ρ 6,2\*



▲ KARMA • 990 L 19,6 - ρ 2,9\*



KARMA • 550 - 960


\* Light Reflectance Value (L: CIE Lab - ρ: Rhô)

# QUICKSHIP USA

## Technical details

### TECHNICS

	<b>TRUST</b> 19.7 x 19.7" 5 colors BBack	<b>TRUST LINK</b> 19.7 x 19.7" 3 colors BBack	<b>TRUST STRIPES</b> 19.7 x 19.7" 4 colors BBack	<b>KARMA</b> 19.7 x 19.7" 6 colors BBack	EN 14041 DOP 1009-125359 (TR) 1009-125358 (KA) Textile floor covering EN 1307	€ € € € (TR)	€ € € € (KA)						
<b>Construction</b>	Carpet in tiles, loop pile				<b>Backing</b>	BBack							
<b>Pile material</b>	100% solution dyed nylon				<b>Gauge, Rows (points), Tufts</b> NF ISO 1763	Trust / Trust Link / Trust Stripes (TR)							
<b>Pile weight</b> - NF ISO 8543	Trust / Trust Link / Trust Stripes (TR)		Karma (KA)			1/10° 12.7 SPI 165136 sti/sq yd							
<b>Surface pile weight</b> NF ISO 8543	Trust / Trust Link / Trust Stripes (TR)		Karma (KA)		Karma (KA)		1/12° 10.9 SPI 168982 sti/sq yd						
<b>Total weight</b> - NF ISO 8543	Trust / Trust Link / Trust Stripes (TR)		Karma (KA)		<b>Fire resistance</b> Bfl-s1 - Free-floating on cement								
<b>Total thickness</b> - NF ISO 1765	Trust / Trust Link / Trust Stripes (TR)		Karma (KA)		<b>HQE* / LEED* + Laying, cleaning, treatment</b> balsan.com								
<b>Pile height</b> - NF ISO 1766	Trust / Trust Link / Trust Stripes (TR)		Karma (KA)		<b>Sound absorption</b> NF EN ISO 11654								
					TR	αw	f/Hz	125	250	500	1000	2000	4000
					KA	0,15	as	0,01	0,03	0,07	0,14	0,29	0,36
						0,20	as	0,02	0,03	0,07	0,18	0,33	0,38



Edition 07/2022

*Balsan*  
**BALSAN**



modular

LVT

wall to wall

custom

rugs