



### SURFACES<sup>M</sup>

These revolutionary floorings systems with patented technologies are the most innovative of the century.

The surfaces are resistant to scuffs, scratches, and stains. They are easy to clean and maintain.


They come in a variety of colors and finishes to suit every taste.







4083 | Venderbilt Ave.



3073 | Lenox Ave.



0220 | Wall Street



2063 | Washington Ave.



5093 | Fashion Ave.



0703 | Broadway

URETHANE WITH CERAMIC BEAD FINISH

**VINYL WEAR LAYER** 

#### Manhattan

100% phthalate-free extruded closed-cell core provides exceptional rigidity, dimensional stability, and anti-telegraphing performance.

UNICLIC LOCKING SYSTEM

QUIET INTEGRATED SOUND - REDUCTION UNDERLAYMENT

**HD DECORATIVE FILM** 



ATTACHED

UNDERLAYMENT

EASY

INSTALLATION Unclick Drop & Lock



8 mm thick DIMENSIONS: 7 1/16" wide X 48" long QUANTITY: 10 planks per box COVERAGE: 23.40 sq. ft. per box







401 | Comet



403 | Cartwheel



405 | Milkyway

URETHANE WITH CERAMIC BEAD FINISH

VINYL WEAR LAYER

### **FlexCORE**™

100% phthalate-free extruded closed-cell core provides exceptional rigidity, dimensional stability, and anti-telegraphing performance.

UNICLIC LOCKING SYSTEM

QUIET INTEGRATED SOUND - REDUCTION UNDERLAYMENT

HD DECORATIVE FILM



UNDERLAYMENT ATTACHED



EASY INSTALLATION Unclick Drop & Lock

WARRANTY
25 years on residential use
10 years on commercial use





8 mm thick DIMENSIONS: 7 1/16" wide X 48" long QUANTITY: 10 planks per box COVERAGE: 23.40 sq. ft. per box



**402** | Omega



404 | Whirlpool





**501** | Jasper



502 | Obsidian



503 | Silver Leaf



504 | Carnelian



505 | Hessonite



506 | Dolomite



507 | Andesite



508 | Siliceous

URETHANE WITH CERAMIC BEAD FINISH

VINYL WEAR LAYER

### Maxcore<sup>™</sup>

100% phthalate-free extruded closed-cell core provides exceptional rigidity, dimensional stability, and anti-telegraphing performance.

UNICLIC LOCKING SYSTEM

QUIET INTEGRATED SOUND - REDUCTION UNDERLAYMENT

**HD DECORATIVE FILM** 



ATTACHED

UNDERLAYMENT

LAYER



INSTALLATION Unclick Drop & Lock

WARRANTY 25 years on residential use



100% WATERPROOF Thick mm DIMENSIONS: 7 1/16" wide X 48" long QUANTITY: 10 planks per box COVERAGE: 23.40 sq. ft. per box

## MT MT **P** 1



101 | Tiffany



102 | River Rock

105 | Winter Wood



103 | Cascada







106 | Marquee



104 | Urban Safari

107 | Timberwolf

110 | Storm Grey







109 | Deep Forest

112 | Royale Slate





111 | Fuzzy Grey







Aluminum Oxide Wear-Resistant Top Seal



Patented nuClick™ Interlocking System



Patented mBrace™ 100% Water-Resistant Casing

Balance Paper Layer

Premium Pressed Poplar Wood Board

Laser-Printed Wood-Look Design Layer



**EASY INSTALLATION** Patented nuClick™ Interlocking Systeme

WARRANTY

thick DIMENSIONS: 6 2/3" wide X 47 2/3" long QUANTITY: 8 planks per box COVERAGE: 18 sq. ft. per box





601 | White Wash



603 | Abstract



602 | Graphite



604 | Oatmeal

URETHANE WITH CERAMIC BEAD FINISH

VINYL WEAR LAYER

### Terracore\*

100% phthalate-free extruded closed-cell core provides exceptional rigidity, dimensional stability, and anti-telegraphing performance.

UNICLIC LOCKING SYSTEM

QUIET INTEGRATED SOUND - REDUCTION UNDERLAYMENT

HD DECORATIVE FILM



ATTACHED

UNDERLAYMENT

LAYER

EASY

INSTALLATION Unclick Drop & Lock

WARRANTY





# Design your own floor



301 | Clement



302 | Cashmere



303 | Silver Grey



304 | Mountain Peak



**305** | Coffee




**306** | Ash Grey

**309** | Ombré




308 | Charred Brown 307 | Medley









Hardened vinyl layer provides excellent resistance to scuffs and abrasions. Minimizes impact and transmitted sound, provides underfoot warmth and comfort, and mitigates subfloor imperfections. Anti-microbial.

HD DECORATIVE FILM



GLUE APPLICATION IS REQUIRED

**12**<sub>MIL</sub>

**WEAR LAYER** 



WARRANTY
25 years on residential use 10 years on commercial use



**DIMENSIONS:** 7" wide X 48" long **QUANTITY:** 15 planks per box **COVERAGE:** 35 sq. ft per box





#### Dimensions

_	
Step	
Lenght	11 13/16'
Width	47 1/4'
Thikness	12 mm
Riser	
Lenght	7 11/18'
Width	47 1/4'

### Accessories



"T" molding



Reducer




End Cap



Stair Nose



Quarter Round



Underlayment

USA	USA	CANADA
Billing address	Office/Warehouse	Lucida Surfaces Canada
P.O. BOX 327 Tallman NY 10982	525A south ave Plainfield NJ 07060	8620 Pascal-Gagnon, Montreal QC H1P 1Z1
1-845 877-7008	1-845 877-7008	1-514 587-9926



www.LiveOnLucida.com









