




O.A.M
TRADING



GEMSTONE COLLECTION

Let durability and elegance grace your parking lot with tiles from the masterfully crafted Gemstone Collection. Their raw and sturdy look enhances the aura of surroundings, while the functional attributes make them the perfect choice for exteriors.




Floor

ALISO IVORY DECORE 1, 2 & 3
40X40cm
MATT





1 FACE

ACIER GREY



1 FACE

ACIER SAND



1 FACE

ACIER CEMENTO




ACIER SAND

SIZE – 40x40cm
FINISH – MATT
COLLECTION – GEMSTONE COLLECTION


SIZE – 40x40cm
FINISH – MATT
COLLECTION – GEMSTONE COLLECTION




ACIER BROWN



1 FACE



ACIER IVORY



1 FACE

SIZE
FINISH
COLLECTION

- 40x40cm
- MATT
- GEMSTONE COLLECTION

ACIER IVORY





ALISO IVORY DECORE 1



ALISO IVORY DECORE 3




ALISO IVORY DECORE 2

SIZE - 40x40cm
FINISH - MATT
COLLECTION - GEMSTONE COLLECTION


ALISO IVORY DECORE





4 FACE

BIRON SAND



4 FACE

BIRON CEMENTO



4 FACE

BIRON NERO



BIRON SAND



EBANO BEIGE DECORE 1



EBANO BEIGE DECORE 2



EBANO BEIGE DECORE 3

SIZE
FINISH
COLLECTION

- 40x40cm
- MATT
- GEMSTONE COLLECTION

EBANO BEIGE DECORE





4 FACE

FIRENZE GREY



4 FACE

FIRENZE SAND

SIZE - 40x40cm
FINISH - MATT
COLLECTION - GEMSTONE COLLECTION

FIRENZE GREY





3 FACE

MERRAKI BEIGE

MERRAKI BEIGE







1 FACE

ARDEN BROWN



1 FACE

ARDEN NATURAL



1 FACE

ARDEN GREY





ARDEN NATURAL

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION



1 FACE

CANDIDUS CEMENTO



1 FACE



CANDIDUS SAND

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION


CANDIDUS CEMENTO






3 FACE

CAVALLINA GREY



3 FACE

CAVALLINA BEIGE



3 FACE

CAVALLINA BROWN




CAVALLINA BEIGE




1 FACE

DOREX BROWN




1 FACE

DOREX COTTA



1 FACE

DOREX MULTY



1 FACE

DOREX GREY

DOREX MULTY





1 FACE

HYDRA BROWN



1 FACE

HYDRA GRIGIO



1 FACE

HYDRA NATURAL



HYDRA GRIGIO




1 FACE

MENHIR BROWN



1 FACE

MENHIR NATURAL



1 FACE

MENHIR RED



1 FACE

MENHIR WALLNUT

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - GEMSTONE COLLECTION

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - GEMSTONE COLLECTION


MENHIR BROWN





1 FACE

OIKOS BLUE



1 FACE

MONIER BLACK



1 FACE

OIKOS BROWN




OIKOS BROWN




1 FACE

PETRIS MULTY



1 FACE

PETRIS BROWN



1 FACE

PETRIS CEMENTO



PETRIS BROWN


SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - GEMSTONE COLLECTION

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - GEMSTONE COLLECTION



4 FACE

QUARTER BEIGE



4 FACE

QUARTER GREY

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION

QUARTER BEIGE





1 FACE

ROBUR BLUE



1 FACE

ROBUR EARTH



1 FACE

ROBUR GREY



1 FACE



ROBUR RED

SIZE – 40x40cm
FINISH – RUSTIC
COLLECTION – GEMSTONE COLLECTION

SIZE – 40x40cm
FINISH – RUSTIC
COLLECTION – GEMSTONE COLLECTION


ROBUR GREY







4 FACE

TESEO CEMENTO





4 FACE

TESEO NATURAL



4 FACE

TESEO GREY



4 FACE

TESEO MULTY

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION

SIZE
FINISH
COLLECTION


- 40x40cm
- RUSTIC
- GEMSTONE COLLECTION

TESEO GREY



AMSTEL COLLECTION


Elevate your parking experience with meticulously crafted parking tiles from the Amstel Collection. These tiles seamlessly integrate durability with the timeless beauty of ceramic. The flawless designs, texture, and anti-skid properties of the tiles are worthy of excellence.



Wall - 1
ABRIL WENGUE
40X40cm
RUSTIC



SLATE CREMA



4 FACE



SLATE BRONZE



4 FACE

SIZE - 40x40cm
FINISH - MATT
COLLECTION - AMSTEL COLLECTION

SLATE CREMA + SLATE BRONZE






4 FACE

SLATE CEMENTO



4 FACE

SLATE GREY




4 FACE

SLATE NERO





SLATE GREY



1 FACE

ABRIL GRIS




1 FACE

ABRIL SANDAL




1 FACE

ABRIL BLUE



1 FACE

ABRIL WENGUE



1 FACE

AVLON IVORY



1 FACE

AVLON MOKA



1 FACE

AVLON COTTO



AVLON MOKA



1 FACE


AVLON GREY



1 FACE


AVLON BLACK

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - AMSTEL COLLECTION



8 FACE

GARGIO BEIGE



8 FACE


GARGIO ASH

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - AMSTEL COLLECTION



4 FACE

BLIZZART IVORY




4 FACE

BLIZZART GREY




4 FACE

BLIZZART BROWN





4 FACE

BLIZZART BLACK




1 FACE

CARNELIAN DAMASK



1 FACE

CARNELIAN SUZANI




1 FACE

CARNELIAN OGEE




CARNELIAN SUZANI





4 FACE

CONTRIM CEMENTO




4 FACE

CONTRIM IVORY




4 FACE

CONTRIM BALCK




4 FACE

CONTRIM BEIGE



4 FACE

CORIA COTTO



4 FACE



CORIA NATURAL

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION



CORIA NATURAL







1 FACE

LINUS BEIGE




1 FACE

LINUS BROWN





1 FACE

LINUS COTTO





LINUS BROWN



1 FACE

LINUS GREY



1 FACE


LINUS BLACK

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION


LINUS BLACK + LINUS GREY






1 FACE

LOREN WENGE



1 FACE

LOREN GREY




1 FACE

LOREN BLUE




LOREN GREY



1 FACE



MIST ARENA



15 FACE


MIST BROWN

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - AMSTEL COLLECTION



1 FACE



OPTIMA BLUE



1 FACE



OPTIMA NERO

SIZE - 40x40cm
FINISH - RUSTIC
COLLECTION - AMSTEL COLLECTION




1 FACE

PEVER GREY



1 FACE

PEVER BLUE



1 FACE

PEVER BROWN



1 FACE



PERIDOT MULTY

SIZE
FINISH
COLLECTION

– 40x40cm
– RUSTIC
– AMSTEL COLLECTION


SIZE
FINISH
COLLECTION

– 40x40cm
– RUSTIC
– AMSTEL COLLECTION



1 FACE

PLAZO COTTO



1 FACE

PLAZO BLACK

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION


PLAZO COTTO





1 FACE

PYRITE GREY



1 FACE

PYRITE BROWN




1 FACE

PYRITE MULTI



PYRITE BROWN & PYRITE GREY



1 FACE

RUBY ASH



1 FACE

RUBY GREY



1 FACE

RUBY NATURAL



RUBY GREY

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION




SIGMA BEIGE



1 FACE




SIGMA MULTY



1 FACE





SIGMA COTTO



1 FACE





SIGMA MULTY




1 FACE

SPIKE NERO



1 FACE

SPIKE GREY



1 FACE

SPIKE COTTO



SPIKE GREY

SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION


SIZE
FINISH
COLLECTION

- 40x40cm
- RUSTIC
- AMSTEL COLLECTION



1 FACE

TORENTO COTTO



1 FACE

TORENTO BLUE



1 FACE

TORENTO NATURAL



TORENTO BLUE

TECHNICAL SPECIFICATION FOR PARKING TILES

SR. NO.	CHARACTERISTICS	IS 15622:2017 GROUP BIA E ≤ 0.08	ISO 13006:2018 GROUP BIA EV ≤ 0.5 %	EN 14411:2016 GROUP BIA EV ≤ 0.5 %	TEST METHOD	SUNHEARRT VALUE
A - DIMENSION & SURFACE QUALITY (WHICH EVER IS LESS IS APPLICABLE)						
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm	ISO 10545 - 2 IS 13630 (Part 1)	± 0.1%
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm		± 4%
iii	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm		± 0.1%
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm		± 0.1%
v	Surface Flatness					
a	Center Curvature (%)	± 0.5 %	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
b	Edge Curvature (%)	± 0.5 %	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
c	Corner Warpage (%)	± 0.5 %	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 95 % of tiles will be free from visible defects
B - PHYSICAL PROPERTIES						
i	Water Absorption	Av ,0.08 < E ≤ 3.0% Individual 3.3 max	Av ,0.5 < E v< 3.0% Individual 3.3 max	Av ,<3.0% Individual 3.3 max	ISO 10545-3 IS 13630 (Part 2)	4- 5%
ii	Modulus Of Rupture [n/mm2]	Av 30, Individual 27 min	Av 30, Individual 27 min	Av 30, Individual 27 min	ISO 10545-4 IS 13630 (Part 6)	>27
iii	Breaking Strength In N	1100	1100	1100		>1000
iv	Moisture Expansion In Mm/m	Max 0.02	0.06% /0.6mm/m	0.06% /0.6mm/m	ISO 10545-10 IS 13630 (Part 3)	Max 0.02
viii	Resistance To Surface Abrasion Of Glazed Tiles (Class I To V)	Min Class II	Abrasion Class and Cycle passed	Abrasion Class and Cycle passed	ISO 10545-7 IS 13630 (Part 11)	Class III (Depending on Surface/Texture)
vi	Coefficient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	7 X 10 ⁻⁶ K ⁻¹ max	9 X 10 ⁻⁶ K ⁻¹ max	9 X 10 ⁻⁶ K ⁻¹ max	ISO 10545-8 IS 13630 (Part 4)	7 X 10 ⁻⁶ K ⁻¹ max
vii	Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	ISO 10545-9 IS 13630 (Part 5)	10 cycle Passed
viii	Crazing Resistance	Min 4 cycle at 7.5 bar	2 Cycle (@ 5 bar))	2 Cycle (@ 5 bar))	ISO 10545-11 IS 13630 (Part 9)	4 cycle passed
ix	Frost resistance		Required	Required	ISO 10545-12 IS 13630 (Part-10)	Not Required for Indore Use
x	Impact Resistance	0.55	0.55	0.55	ISO 10545-5 IS 13630 (Part 14)	>0.55
	Bulk Density	Min 2.0			ISO 10545-3 IS 13630 (Part 2)	Min 2.0

C - CHEMICAL PROPERTIES						
i	Stain Resistance	Min Class I	Min Class 3	Min Class 3	ISO 10545-14 IS 13630 (Part 8)	Class 1
ii	Resistance To Household Chemicals	Class AA	Min Class B	Min Class B	ISO 10545-13 IS 13630 (Part 8)	Class AA
iii	Resistance To Acid And Alkalies				ISO 10545-13 IS 13630 (Part 8)	Class AA

PACKING DETAILS

SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX
40x40cm	5	8.61 sq. ft.	0.80 sq. mtr	18 Kg (approx)

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of Ceramic / Vitrified tiles.
For Normal Glossy Class III, High Glossy Class II/Class III, Matt Class III/Class IV.

TECHNICAL SPECIFICATION FOR GVT PARKING TILES

SR. NO.	CHARACTERISTICS	IS 15622:2017 GROUP BIA E ≤ 0.08	ISO 13006:2018 GROUP BIA EV ≤ 0.5 %	EN 14411:2016 GROUP BIA EV ≤ 0.5 %	TEST METHOD	SUNHEARRT VALUE
A - DIMENSION & SURFACE QUALITY (WHICH EVER IS LESS IS APPLICABLE)						
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm	ISO 10545 - 2 IS 13630 (Part 1)	± 0.1%
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm		± 4%
iii	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm		± 0.1%
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm		± 0.1%
v	Surface Flatness					
a	Center Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
b	Edge Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
c	Corner Warpage (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 95 % of tiles will be free from visible defects
B - PHYSICAL PROPERTIES						
i	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	<0.5% Ind Max 0.6%	ISO 10545-3 IS 13630 (Part 2)	<0.08%
ii	Modulus Of Rupture [n/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Av 35, Individual 32 min	ISO 10545-4 IS 13630 (Part 6)	>35
iii	Breaking Strength In N	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T		>1300
iv	Moisture Expansion In Mm/m	0.02	0.06% /0.6mm/m	0.06% /0.6mm/m	ISO 10545-10 IS 13630 (Part 3)	Nil
v	Resistance To Abrasion Of Glazed Tiles (Class I To V)	Minimum Class II	Depending on surface (As reported)	Depending on surface (As reported)	ISO 10545-7 IS 13630 (Part 11)	Min Class 3 for PCVT
	Resistance To Deep Abrasion Of Unglazed Tiles (volume Removed In Mm³)	Max-140	Max -175	Max -175	ISO 10545-6 IS 13630 (Part 12)	
vi	Coefficient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	6 X 10 -6 K-1	9 X 10 -6 K-1 max	9 X 10 -6 K-1 max	ISO 10545-8 IS 13630 (Part 4)	6 X 10 -6 K-1 max
vii	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	10 cycle min	ISO 10545-9 IS 13630 (Part 5)	10 cycle Passed
viii	Crazing Resistance	4 cycle	2 Cycle (@ 5 bar))	2 Cycle (@ 5 bar))	ISO 10545-11 IS 13630 (Part 9)	4 cycle passed
ix	Frost Resistance	100 Cycle	Required	Required	ISO 10545-12 IS 13630 (Part-10)	Passed
x	Impact Resistance	0.55	0.55	0.55	ISO 10545-5 IS 13630 (Part 14)	>0.55
xi	Bulk Density	Min 2.2			ISO 10545-3 IS 13630 (Part 2)	2.2 gm/cc.min

C - CHEMICAL PROPERTIES						
i	Stain Resistance	Min Class I	Min Class 3	Min Class 3	ISO 10545-14 IS 13630 (Part 8)	Class 3 (as per ISO)
ii	Resistance To Household Chemicals	Class AA	Min Class B	Min Class B	ISO 10545-13 IS 13630 (Part 8)	Class A(AS per ISO)
iii	Resistance To Acid And Alkalies		Decleared Value	Decleared Value	ISO 10545-13 IS 13630 (Part 8)	Class A

PACKING DETAILS

SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX
40x40cm (GVT)	5	8.61 sq. ft.	0.80 sq. mtr	20 Kg (approx)

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of Ceramic / Vitrified tiles.
For Normal Glossy Class III, High Glossy Class II/Class III, Matt Class III/Class IV.



 +971 52 172 9148

 info@oamuae.com

 www.oamuae.com