ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 13636 Rolling Hills OTHER DESCRIPTION (Lot and Block Numbers, etc.)					COMPANY NAIC NUMBER
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATIO					ZIP CODE 77713
Provide the following from the	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER 4-80878	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX SEPT 4,1987	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
a. For Zones A or V, where	no BFE is provided or	n the FIRM, ar	ase Flood Elevations (BFE) nd the community has estain FIRM datum-see Section	blished a BFE f	Other (describe on back) or this building site, indicate
	SECTIO	NC BUILDI	NG ELEVATION INFORM	ATION	
of L. L. Z. 7. L. fee (b). FIRM Zones V1-V30, ' the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The f one) the highest grade level) elevated in acco 3. Indicate the elevation dat under Comments on Page	et NGVD (or other FIR VE, and V (with BFE). is at an elevation of bFE). The floor used the highest grade ad floor used as the refere adjacent to the building rdance with the community system used in detection of the point of the second to the second the system used in detection of the second to the second the system used in detection of the second th	M datum—see The bottom of the bottom of the bottom of the bear of	Section B, Item 7). of the lowest horizontal struction in the selected diagram is a depth number is available ain management ordinance above reference level elever used in measuring the elevel of the selection in the selected diagram is a depth number in available ain management ordinance above reference level elever used in measuring the elever the selection in the selection in the selection is a depth of the selection in the	datum—see Solidagram is	bove or below (check 's lowest floor (reference No Unknown /D '29 Other (describe
equation under Commen	s, item 7], then conve its on Page 2.)	π the elevatio	ns to the datum system use	ed on the FIRM	rent than that used on and show the conversion
 Elevation reference mark The reference level eleva (NOTE: Use of constructions this certificate will or will be required once constructions. 	ation is based on: X tion drawings is only v aly be valid for the bui	actual constru ralid if the build Idina durina th	☐ No (See Instructions on action ☐ construction drawding does not yet have the e course of construction. A	wings	floor in place, in which tion Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	· ·		e building is: 1 28.	eet NGVD	(or other FIRM datum-see
	SE	CTION D CO	OMMUNITY INFORMATION	N	
is not the lowest floor at	esponsible for verifyins defined in the comm	ig building elev	vations specifies that the re ain management ordinance	eference level in	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any talse statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Milk Scall
RICHARD F. FAUST	Elocitoc Hombert (or Mix Seal)
TITLE COMP	ANY NAME
TROPESSIONAL LAND SURVEYOR	EVIION THEN THE THE THE
AUDHESS	FAUST ENGINEERING AND SURVEYING, INC.
5925 PHELAN BLVD . SUITE I-2	18 1 20 4/02 V-D- 4/
SIGNATURE	BEAUMONT ESSION TX 77706
Justine I found	2/11 DATE SURVE PHONE
Conjector	2/14/95 PMT. 860-9700 Fax 860-0500
copies should be made of this Certificate for: 1) community	official, 2) insurance agent/company, and 3) building owner.
	ometal, 2) insurance agent/company, and 3) building owner.
COMMENTS:	
COMMENTS:	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.