PRD48JDSGU 48-INCH DUAL-FUEL PRO GRAND® RANGE WITH STEAM AND GRIDDLE



5.1 / 1.4 cu. ft.

PROFESSIONAL SERIES, COMMERCIAL-DEPTH, PORCELAIN COOKTOP SURFACE





GENERAL PROPERTIES

Oven Capacity

FEATURES & BENEFITS

- The only professional range on the market with a built-in steam oven and warming drawer
- 27 Easy Cook® food programs. Pre-programmed modes automatically set the oven temperature and humidity to ensure perfect cooking results
- ★ Patented Pedestal Star® Burner with QuickClean Base® designed for easy surface cleaning and superior heat spread for any size pan
- 🖈 Powerful 22,000 BTU (NG) burner (front right)
- ★ Precision simmering capabilities as low as 100°F (375 BTU) with 4 ExtraLow® Simmer burners

TECHNICAL DETAILS	
Circuit Breaker (A)	50 A
Volts (V)	240 / 208 V
Frequency (Hz)	60 Hz
Plug Type	No Plug
Power Cord Length (in)	Purchase Separately
Energy Source	Gas and Electric
Gas Type	Natural Gas 15 mbar (USA)
Alternative Gas Type	Liquid Gas 27.5 mbar (USA)

SEE PAGE 2 FOR OPTIONAL ACCESSORIES

Oven Capacity	5.1 / 1.4 cu. π.
Cooking Modes - Main / Large Cavity	
Bake, Convection Bake, Broil, Convection Broil, R Self clean, Keep Warm	Roast, Convection Roast,
Cooking Modes - Small Cavity	
Steam, True Convection, Steam/Convection, Reh Defrost, Easy Cook®	eat, Proof, Slow Cook,
Additional Features	
Meat Probe, Sabbath Function, Cook Timer, Kitch	nen Timer
Cleaning Type	Self Clean (Primary)
Type of Grate	Continuous Cast Iron
Controls	Metal Knobs and LCD Display
Warming Drawer	1.1 cu. ft Low, Med, High
Sealed Burners	Yes
OVEN PERFORMANCE	
Bake Power	2,000 W (Lg) / 1,960 W (Sm)
Broil Power	4,000 W (Lg)
Convection Power	2,750 W (Lg)
BURNER PERFORMANCE	
Total Number of Cooktop Burners	6 + Griddle
Power of Front Left Burner BTU	18,000 and XLO (NG)
Power of Back Left Burner BTU	18,000 and XLO (NG)
Power of Back Center Burner BTU	18,000 (NG)
Power of Front Center Burner BTU	18,000 (NG)
Power of Center 12" Electric Griddle (W)	1,630 W
Power of Center 12" Electric Grill (W)	N/A
Power of Far Right 12" Electric Griddle (W)	N/A
Power of Back Right Burner BTU	18,000 and XLO (NG)
Power of Front Right Burner BTU	22,000 and XLO (NG)
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	35 7/8 "–36 3/4 " × 47 15/16 " × 28 3/4 "
Required Cutout Size (HxWxD) (in)	35 7/8 "–36 3/4 " x 48" x 24"–25 1/8 "
Adjustable Range Height (in.)	7/8"
Net Weight (lbs)	530 lbs
WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year

SEE PAGE 2 FOR INCLUDED ACCESSORIES



Page 1 of 5

HPCN48WS 48-INCH CHIMNEY WALL HOOD

PROFESSIONAL® SERIES









FEATURES & BENEFITS

- Professional® Series chimney wall hoods create a crafted, sculpted focal point
- Designed to complete the ultimate cooking system with Thermador ranges
- Powerfully Quiet® system accepts integral, inline, and remote blowers
- Dishwasher-safe stainless steel, commercial-style baffle filters
- Beautiful illumination with multi-level, vivid LED lights

ACCESSORIES (OPTIONAL)

25 ft. Blower Connector Cable - EXTNCB25W

For use with the following inline and remote blowers: VTR630W, VTR1030W, VTR1330W, VTI610W, VTI1010W

Roofplates

RFPLT600P - For use with 600 CFM remote blower VTR630W

RFPLT1000P - For use with 1000 CFM remote blower VTR1030W and 1300 CFM blower VTR1330W

6" Tall Duct Cover, 48" Wide	CHMHP486W
18"- 35" Tall Duct Cover, 48" Wide	CHMHP48TW
42"- 59" Tall Duct Cover, 48" Wide	CHMHP48XTW

Remote Control Panel

REMCPW - Ability to vertically install on cabinetry or wall to control hood in a convenient location



GENERAL PROPERTIES Features Multi-Level LED Lights with Fading Transitions, Automatic Mode, Check Filter Reminder Light, Delay Shut-Off Operating Mode Ducted **Blower Sold Separately** Maximum CFM Number of Speed Settings 4-Stage Motor Location Integral / Inline/ Remote Number of Lights LED **Bulb Type** Total Power of the Lamps (W) 4.8 W Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Stainless-Steel Commercial Style Baffle Filter Home Connect™ (Wi-Fi Enabled) No **TECHNICAL DETAILS** Watts (W) See Chart on Page 3 Current (A) See Chart on Page 3 Volts (V) 120 V Frequency (Hz) 60 Hz Plug Type Fixed Connection, No Plug **DIMENSIONS & WEIGHT** 18" x 47 **15/16**" x 24" Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of the Chimney (in) **Duct Covers Sold** Separately 30" / 30" Minimum Required Distance Above Gas / **Electric Cooking Surface** Diameter of Air Duct (in) Top 88 lbs Net Weight (lbs) **BLOWER OPTIONS** Remote Blower VTR630W - 600 CFM (Mounted to Roof or External Wall) VTR1030W - 1000 CFM VTR1330W - 1300 CFM Inline Blower VTI610W - 600 CFM

Page 1 of 5 3 / 19

VTI1010W - 1000 CFM

VTN630W - 600 CFM VTN1090R - 1000 CFM

2 Year

(Mounted Between Kitchen and External Wall)

Integrated Blower (Mounted in Hood)

Limited Warranty Parts and Labor

WARRANTY



QUIET COOL™ BUILT-IN 48"W. SIDE-BY-SIDE

Viking 5 Series - FDSB

PROCHILL TEMPERATURE MANAGEMENT SYSTEM

- ENERGY STAR Qualified
- Variable Speed DC Overdrive™ Compressor quickly chills food and saves energy
- Single compressor system is one of the quietest, most technologically advanced compressors available
- Electronic controls maintain even temperatures within one degree °F to keep food fresher longer
- Odor Eliminator™ Evaporator removes odors and excess humidity
- Maintenance-free Super Clog Resistant™ Condenser prevents dust and other airborne particles from clogging the condenser

FILTER-FREE FRESHNESS

- **EXCLUSIVE** PlasmaclusterTM Ion Air Purifier uses advanced ion technology to eliminate airborne bacteria, mold, and odors to enhance food preservation
- Functions at 100% capacity and never degrades, never needs replacing, and no maintenance is ever required

THE LATEST IN SPILL CONTROL TECHNOLOGY

- New Spillproof Plus[™] Shelves with Nano technology create an invisible barrier to contain spills
- Seamless glass shelves make cleanup easy and maximize usable space
- 3/8" thick tempered glass shelves provide industry-leading durability

LED LIGHTING

- All items are in clear view with bright energy efficient LED lighting from top and sidewalls
- Ramp on theater lighting provides better visibility

SPECIALIZED REFRIGERATION STORAGE

- Two adjustable Humidity Zone™ Drawers with NEW soft-close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
- NEW Additional space for large pizza box storage
- Four deli drawers with soft-close slides
- Two in-the-door dairy compartments with covers
- Four Patented (three are adjustable) aluminum door bins securely store heavy items
- Adjustable door stops 90,110 and 120 degrees



SPECIALIZED FREEZER STORAGE

- Three adjustable wire shelves for custom storage
- Two slide-out, large capacity wire baskets provide easy storage viewing
- Three patented adjustable aluminum door bins
- Adaptive defrost controls the timing of the defrost periods, instead of an electromechanical defrost timer
 - Extends to 96 hours improves food storage because the unit defrosts less often
- Factory-installed automatic ice maker features large-capacity ice bucket
- Door alarm sounds and glows to warn that fresh food door and/ or freezer drawer have been ajar for three minutes, and that the temperature has risen above normal operating range

MODEL NUMBERS

■ FDSB5483 – 48"W. Side-by-Side Refrigerator/Freezer – Custom Panel

ACCESSORIES

■ PBIRFTKSS - Flush mount trim kit

DESIGN OPTION

 Custom panel model (FDSB) available to blend seamlessly into cabinetry with locally supplied front panels

WARRANTY

- 2-year full covers complete unit
- 6-year full sealed refrigeration system
- 90-day full cosmetic parts such as glass, painted items, and decorative items
- 12-year limited sealed refrigeration system

24" Custom Panel Dishwasher

Benchmark Series - Custom Panel SHV89PW73N





SHV89PW73N Custom Panel

39 dBA: The quietest custom panel dishwasher Bosch offers, the near silent operation provides the ultimate peace in your kitchen.

Features & Benefits

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Telescopic glides provide a premium and smooth glide on every rack level.

A clean white light illuminates the interior when the door is open.

Water softener ensures optimal spot-free and shiny dishes.

The AquaStop Plus® premium leak protection system contains leaks through a precisely engineered tub and dual sensor system. If a leak has occured, it shuts down operation and automatically pumps out water to avoid contact with the floor. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	7
Number of options	7
dBA	39
Drying system	PureDry
Third rack	Flexible Third Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	TFT Touch Control
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop® Plus
Water softener	Yes
Five-level wash	Yes
ChildLock	No
Special features	Interior Light, Telescopic Glides on all 3 levels, Stainless Steel Toekick, InfoLight®
Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	

Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	67"
 Install length from corner of unit 	45"
Minimum water pressure (lb/sin)	7
Length inlet hose (in)	65"
Length outlet hose (in)	75"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	34 1/16" x 23 9/16" x 21 5/8"
Required cutout size (HxWxD)(in)	34 1/16 x 24" x 24"
Adjustable feet	Yes
Net weight (lbs)	118 lbs
Accessories-Optional	
Junction Box	SMZPCJB1UC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Stainless Steel Straight Bosch Bar Handle	SMZ1007UC
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC





Number of place settings 15



dishwasher with 2 racks.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.



WM9000H A

5.2 cu.ft. MEGA Capacity w/ On-Door Control Panel & TurboWash®

MAKE LAUNDRY DAY ANYTHING BUT ROUTINE

Can inspiration be found in the laundry room? Look no further than LG's stunning new front load washer. Huge 5.2 cu. ft. Mega Capacity cleans a king-size comforter and a full set of bedding in one fell swoop. And, with the turbocharged power of LG TurboWash®, a normal load gets done up to 30 minutes faster. And, master multi-taskers take note: This LG washer is TWINWash™ compatible, which means you can add the ingenious LG SideKick™ pedestal washer to tackle two loads of laundry—both large and small—all at the same time.

SPECIFICATIONS

- 29" Width
- 5.2 cu. ft. Ultra Capacity with NeveRust™ Stainless Steel Drum
- · Direct Drive Motor with 10-Year Limited Warranty
- 1,300 RPM
- 14 Washing Programs
- 5 Temperature Settings (All Cold Rinses)

STYLISH DESIGN

- On-Door Electronic Control Panel with LED Display and Dial-A-Cycle™
- · Large Tinted Glass Door with On-Door Controls
- · Ergonomically Angled Drum & Door
- Extra Wide Door Opening
- Optional Matching Drawer Pedestal
- Optional Sidekick™ Pedestal Washer (WD200)

INNOVATIONS

- 2016 ENERGY STAR® Most Efficient
- CEE Tier 3
- CSA Sustainability
- TurboWash® 2.0 Technology
- LG Steam Technology
- AAFA Qualified Allergiene™ Cycle
- Smart ThinQ™ (Wi-Fi)
- ColdWash™ Option
- 6Motion™ Technology
- SmartDiagnosis™
- TrueBalance™ Anti-Vibration System
- LoDecibel™ Quiet Operation
- SenseClean™
- Delay Wash (Up to 19 Hours)
- Easy Loading 10° TilTub™





LG TWINWash™ LG SideKick™



















KEY FEATURES

TurboWash® Technology

Soccer practice. Groceries. Dinner. Dishes. Shouldn't your laundry move as fast as you? Now it can, with LG's enhanced TurboWash® technology. Powerful high-pressure nozzles save up to 30 minutes per load* —without shortcutting cleaning performance, even on larger loads. Innovation that keeps up with your family calendar? That's not just laundry done fast-it's laundry at the speed of life.

5.2 cu.ft. MEGA Capacity

Towers of towels, piles of sweatshirts, and a mountain of jeans? Go for it. The ultra large capacity (5.2 cu.ft.) tub lets you do more laundry in fewer loads. That's time saved and sore backs avoided

Integrated Electronic Control Panel with Dual LED Display

Electronic control panel is integrated into the door for a distinct style plus the intuitive functionality you expect from an LG washer.



048231 012898

048231 015189

048231 015196

WM9000H_A

5.2 cu.ft. MEGA Capacity w/ On-Door Control Panel & TurboWash®

Capacity	5.2 cu. ft.
APPEARANCE	
Design Look	Front Control
On-Door Electronic Co	ntrol Panel with LED Display •
Touch Buttons	•
Dial-A-Cycle™	•
ENERGY	
2016 ENERGY STAR®	Most Efficient •
CEE Tier	3
WASH PROGRAMS	
No. of Programs	14
Wash Programs Sanitary, Allergi	Normal, Perm. Press, Delicates, Speed Wash, TubClean™, ene™, Heavy Duty, BrightWhites™, Towels, Rinse+Spin, Download, Jumbo Wash, Bedding
No. of Options	13
Options	Prewash, Delay Wash, Extra Rinse, Child Lock, ColdWash™, FreshCare™, n, TurboWash™, Custom Program, Drum Light, Smart Grid, Remote Start, Wi-Fi Connect
No. of Wash/Rinse Ten	
TVO. OF VVUSITYTHISE TEN	Extra Hot, Hot, Warm, Cold, Tap Cold (All Cold Rinses)
Spin Speeds	Extra High (1,300 max.), High, Medium, Low, No Spin
No. of Water Levels	Automatically adjusts to the size of load
No. of Soil Levels	5
FABRIC CARE FEATUR	RES
FABRIC CARE FEATUR TurboWash® 2.0 Techn Steam Technology	
TurboWash® 2.0 Techr	
TurboWash® 2.0 Techr Steam Technology	
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle	
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option	
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System	anology -
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System	JRES
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATU TrueBalance™ Anti-Vib 4 Tray Dispenser	JRES pration System Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vib 4 Tray Dispenser LoDecibel™ Quiet Ope	JRES pration System Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vik 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal	JRES pration System Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vib 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vik 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense Child Lock	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vik 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense Child Lock	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vib 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense Child Lock Auto Suds Removal	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vik 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense Child Lock Auto Suds Removal Forced Drain System Leveling Legs	JRES Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration
TurboWash® 2.0 Techr Steam Technology Allergiene™ Cycle Sanitary Cycle ColdWash™ Option SenseClean™ System CONVENIENCE FEATL TrueBalance™ Anti-Vib 4 Tray Dispenser LoDecibel™ Quiet Ope End of Cycle Signal LoadSense Child Lock Auto Suds Removal Forced Drain System	pressoration System Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener ration 4 Adjustable Legs

NeveRust™ Stainless Steel Drum	
Cabinet	PCN
Control Panel	Plasti
Top Plate	Painte
Door Rim	Glass/Chrom
Door Cover	Dark Black Tinted Square Cove
Door Opening	42 1/8
Available Colors	White (W), Graphite Steel (V
POWER SOURCE	
Ratings	UL Liste
Electrical Requirements	120V, 10 Amp
Туре	Electri
OPTIONS	
Pedestal	WDP5W, WDP5
Pedestal (WxHxD)	29" x 14 1/8" x 30 7/8
Sidekick™ Pedestal Washer	WD200CW, WD200C
Sidekick™ Pedestal Washer (WxHxD)	29" x 14 1/10" x 30 4/5
ACCESSORIES	
Hose Included	
DIMENSIONS	
Product (WxHxD)	29" x 41 1/4" x 33 3/4
	(55 15/16" W with door oper
Carton (WxHxD)	31 5/16" x 44 19/64" x 35 5/8
Weight (Product/Carton)	227.1 lbs / 233.7 lb
LIMITED WARRANTY	
1 Year Parts	and Labor, 10 Years Motor, Lifetime on Drun
UPC CODES	
WM9000HVA Washer (Graphite Steel)	048231 01534
WM9000HWA Washer (White)	048231 01535
DLEX9000V Electric Dryer (Graphite Steel)	048231 01536
DLEX9000W Electric Dryer (White)	048231 01537
DLGX9001V Gas Dryer (Graphite Steel)	048231 01538
DLGX9001W Gas Dryer (White)	048231 01539
WDP5V Pedestal (Graphite Steel)	048231 01290

WD200CV Sidekick™ Pedestal Washer (Graphite Steel)

WD200CW Sidekick™ Pedestal Washer (White)

WDP5W Pedestal (White)

Inverter Direct Drive Motor

Variable

1,300 Horizontal

LG Electronics U.S.A., Inc.

Design, features and specifications are subject to change without notice. Non-metric weights and measurements

Motor Type Motor Speed

Max RPM

Axis



DLEX9000_/DLGX9001_

9.0 cu.ft. MEGA Capacity TurboSteam® Dryer w/ On-Door Control Panel

DREAM BIG, STEAM BIG.

When you picture your dream laundry room, this is the dryer that you'll want to be in it. Every contour, every elegant line creates a look like no other, with unexpected touches like an integrated control panel right on the door. The 9.0 cu. ft. Mega Capacity keeps up with even LG's biggest washers, load for load. But no dream is complete without the power of LG TurboSteam® technology that lets you reduce wrinkles and odors and give favorite clothes new life in only 10 minutes.

SPECIFICATIONS

- 9.0 cu. ft. MEGA Capacity with NeveRust™ Stainless Steel Drum
- 14 Drying Programs
- 5 Temperature Settings

STYLISH DESIGN

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- · Large Tinted Glass Door with On-Door Controls
- · Optional Matching Drawer Pedestal
- · Reversible Door

INNOVATIONS

- TurboSteam® Technology
- SteamFresh™ Cycle
- Sensor Dry System
- Precise Temperature Control with Variable Heat Souce
- LoDecibel™ Quiet Operation
- SmartThinQ™ (wi-fi)
- SmartDiagnosis™
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Wrinkle Care Option
- Anti-Bacterial Cycle
- · Damp Dry Signal





SmartThinQ®

Enjoy new ways to control your home with LG smart appliances

- · Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ@app







KEY FEATURES

9.0 cu.ft. MEGA Capacity

When it comes to laundry capacity, big is good, bigger is better, but biggest is best. With 9.0 cu ft of mega capacity, now you can fit a king size comforter and full set of bedding in a single load! You'll definitely have more room to dry.

TurboSteam® Technology

LG TurboSteam® technology to the rescue. Toss the shirt in the dryer, turn on TurboSteam® and in just 10 minutes your shirt is back in tip-top shape. Also helps refresh fabrics and reduce wrinkles in half the time of other steam settings.

Integrated Electronic Control Panel with Dual LED Display

Electronic control panel is integrated into the door for a distinct style plus the intuitive functionality you expect from an LG dryer.



048231 015196

DLEX9000_/DLGX9001_

 $9.0~cu.ft.~MEGA~Capacity~TurboSteam ^{ @ }~Dryer~w/~On-Door~Control~Panel$

CAPACITY	
Capacity	9.0 cu. ft.
APPEARANCE	
Design Look	On-Door Front Control Panel
Intelligent Electronic Controls with	h Dual LED Display Yes
Touch Buttons	Yes
Dial-A-Cycle™	Yes
SmartThinQ® SMART FEATURES	
SmartDiagnosis™	Yes
wi-fi Enabled	Yes
Voice Activation	Yes
Works with	Google Assistant and Amazon Alexa
Check Remaining Time and Cycle	Yes
Remote Start On/Off	Yes
Cycle Complete Notification	Yes
DRYER PROGRAMS	
No. of Programs	14
Programs (Sensor Dry)	Cotton/Normal, Perm. Press/Casual, Towels, Delicates, Heavy Dut TurboSteam®, SteamSanitary™, Bedding, LowTemp Dr Anti-Bacterial, Jumbo Dry, Download/Super Dr
Programs (Manual Dry)	Speed Dry, Air Dry
No. of Options	13
	, Custom Program, PGM Save, Damp Dry Signal, Wrinkle Care, Child Lock, wi- onnect, Drum Light, Energy Saver, TurboSteam®, Smart Grid, Remote Star
Temperature Settings	High, Medium High, Medium, Low, Ultra Low
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Manual Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
CONVENIENCE FEATURES	
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
Drum Light	Yes
Reversible Door	Yes
FlowSense™ Duct Clogging Indicat	tor Yes
Venting Option	Electric: 4 Way Venting / Gas: 3 Way Venting
Leveling Legs	4 Adjustable Legs
Remaining Time Display/Status Inc	dicator(s) Yes
3 Minute Installation Check	Yes
SmartDiagnosis™	Yes (v 3.0)
SmartThinQ™ (wi-fi)	Smart Grid Ready, Energy Monitorin, Black Box, Remote Control, Home Cha

NeveRust™ Stainless Steel Drum	Ye
Cabinet	Painted Stee
Control Panel	Plastic
Top Cover	Painted Stee
Door	Glass/Chrome
Door Cover	Dark Black Tinted Square Cove
Available Colors	White (W), Graphite Steel (V
POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	120V, 15 Amps (Gas) / 240V, 30 Amps (Electric
Туре	Gas/Electri
BTU	20,00
OPTIONS	
LP Conversion Kit	LPK
Pedestal	WDP5W, WDP5
Pedestal (WxHxD)	29" x 14 1/8" x 30 7/8
DIMENSIONS	
Product (WxHxD)	29" x 40 7/8" x 33 3/8" (56" with door oper
Carton (WxHxD)	31 3/10" x 44 9/10" x 36 6/10
Weight (Product/Carton) Electric Weight (Product/Carton) Gas	157.4 lbs / 182.1 lb 160.7 lbs / 185.4 lb
LIMITED WARRANTY	
	1 Year Parts and Labo
UPC CODES	
DLEX9000V Electric Dryer (Graphite Steel)	048231 01536
DLEX9000W Electric Dryer (White)	048231 01537
DLGX9001V Gas Dryer (Graphite Steel)	048231 01538
DLGX9001W Gas Dryer (White)	048231 01539
WM9000HVA Washer (Graphite Steel)	048231 01534
WM9000HWA Washer (White)	048231 01535
WDP5V Pedestal (Graphite Steel)	048231 01290
WDP5W Pedestal (White)	048231 01289
WD200CV Sidekick™ Pedestal Washer (Graphite Ste	el) 048231 01518

WD200CW Sidekick™ Pedestal Washer (White)

 $Design, features \ and \ specifications \ are \ subject \ to \ change \ without \ notice. \ Non-metric \ weights \ and \ measurements \ are$

4-Burner Built-in Propane Gas Island Grill Head in Stainless Steel with Rotisserie Burner









This handsome KitchenAid 30 in. Built-In Island Gas Grill Head is constructed with premium corrosion-resistant materials for durability and ease of upkeep. Boasting 775 sq. in. of total cooking space, this unit thrusts up to 61,000 BTUs of fire-roasting energy across four main stainless steel burners and one ceramic rotisserie burner. Perched above the primary burners are angled flame tamers that deflect heat, prevent flare-ups and vaporize drippings into flavor infusions that permeate foods with a distinctive smoky taste. This Even-Heat System distributes consistent and uniform heat across the stainless steel-wrapped cooking grates so there aren't any hot spots. Electronic ignition allows burners to fire up instantly and the built-in thermometer enables precise temperature regulation.

- 30 in. wide built-in grill head for outdoor kitchen islands
- Equipped with 4 premium-grade 12,000 BTU stainless steel main burners
- 304-grade stainless steel wrapped cooking grids offer superb heat retention and produce restaurant-quality sear marks
- Supplies 61,000 total BTUs for exceptional grilling results
- Equipped with 13,000 BTU ceramic rotisserie burner (rotisserie kit, model #790-0007A sold separately)
- Built-in heat gauge allows precise temperature regulation
- 304-grade stainless steel construction offers durability and easy-to-clean surfaces
- Battery-operated electronic continuous ignition system offers quick and easy start-ups
- Conveniently included are the parts needed for conversion to natural gas use
- Dimensions of product listed represents total dimensions for overall product and do not represent island cutout dimensions;
 check instruction manual for island cutout dimensions and proper ventilation requirements



SPR627OS

34.0" x 23.63" x 23.5" (H x W x D)

Outdoor all-refrigerator for built-in use, with lock, digital thermostat, black cabinet, and stainless steel door

Highlights:

Designed and constructed for use in the outdoors

Flexible design allows built-in or freestanding use in 24" wide spaces

Stainless steel door offers a professional look

Recessed LED lighting offers attractive presentation of stored products



Built-in capable	Front-breathing design lets you make the best use of space by installing your appliance under the counter
Fully finished black cabinet	Allows the unit to be used freestanding in the outdoors
Stainless steel door	Durable construction with a professional look
Factory installed lock	Keyed lock for a secure interior
Professional handle	Includes a full-length pro handle in chrome
Frost-free operation	No-frost operation for minimum user maintenance
Digital thermostat	Electronic controls located inside the unit for precise temperature management
Recessed LED light	Elegant lighting with a convenient on/off switch on the control panel
Adjustable glass shelves	Rearrange refrigerator space to accommodate all sizes or remove shelves for simple cleanup
Internal fan	Fan-forced cooling ensures the unit is evenly cooled from top to bottom