


1



3



4

Limited Investigators Involved



5

Limited Prosecutors Involved



6

Involve Prosecutor From The Outset



7



8



9




10

Corroboration and Photos



11

An Immediate Response



- 24/7 for forensic interviews
- Always investigators, social workers and prosecutors with specialized training on call



12

Polyvictimization Research


- Exposure to multiple forms of victimization was common.
- Almost 66% of the sample was exposed to more than one type of victimization, 30% experienced five or more types, and 10% experienced 11 or more different forms of victimization in their lifetimes.
- **Poly-victims comprise a substantial portion of the children who would be identified by screening for an individual victimization type, such as sexual assault or witnessing parental violence.**
- Poly-victimization is more highly related to trauma symptoms than experiencing repeated victimizations of a single type and explains a large part of the associations between individual forms of victimization and symptom levels.

Source: Turner, Finkelhor, et al. 2010



13


Finding Corroborating Evidence



zeroabuse PROJECT

14

Closely Examine the Victim's Statement



zeroabuse PROJECT

15

Corroborating the Child's Statement


- "I remember the first time..."
- Seventeen-year-old prostitute
- The camping/fishing trip
- Don't assume you can't corroborate (giant eagle case, the worm case)
- Motive evidence
- Sexual oddities ("whinny" account)
- Fantastic statements (butterfly account, devil account, Winnie the Pooh)

zeroabuse PROJECT

16

There Is Always A Crime Scene

- Photograph the crime scene
 - jurors get visual image of coldness or lost innocence
 - can help the child testify
 - prosecutor can use photos in cross examination
 - ("Valerie liked living in the basement", closing argument)
- Videotape scene from perspective of victim
- Pictures long ago
 - victim visits LE station, sailboats on wall
- "Picture This" article in CenterPiece
 - go to www.ncptc.org & click on "publications"
- Bring crime scene to life



17




18



19

Crime Scene Photos May Corroborate Child's Testimony


- "Daddy came into my bedroom, removed a Winnie the Pooh book from the closet bookcase and then sat on the edge of my bed. As he read the book, he placed his hands between my legs and moved his hand around. He then put the book on my nightstand, pulled me on the carpeted floor and next to the bed licked my koochie." (child indicates on anatomical diagram koochie is vagina)
- *How might photos help corroborate the child's testimony?*



20

Photos Can Corroborate Ten Aspects

- The entry way (daddy came into my room)
- The child has a bedroom
- There is a closet
- There is a bookcase in the closet
- There is a Winnie the Pooh book missing from closet bookcase
- There is a bed for perp to sit on the edge of
- There is a nightstand
- There is a Winnie the Pooh book on nightstand
- There is a carpeted floor
- There is room "next to the bed" to conduct crime



21

Photographing Injuries



Credit: Adrian Diaz-Slecket, Unsplash


- High quality camera with immediate image that can be used in suspect interrogation or witness interviews
- Photograph on two dates





22

There Is Always A Crime Scene

What would you do with this crime scene?




23



24

Crime Scene Investigation

- Marks on child's neck
- Measure length of chain & child's arm span
- Can child access food? Water? Bathroom? Entertainment (TV, computer, books)? Chair? Bed?
- Can child see park from window?
- Child's clothes (wetness/soiling)
- Temperature in the house
- Can dog access food, water, bed, toys, toilet area (paper, outdoors)?



25

Consider Possibility Of Multiple Victims



26

Multiple Victims




- Men who molest girls average 19.8 victims
- Men who molest boys average 150.2 victims
– Abel, et al
- Why might it be easier to sexually abuse a boy?



27

Medical Evidence In Sexual Abuse Cases


- Physical examination positive findings no better than 3% (Kaplan, et al)
- Mental and medical health benefits to child (ACE)



28

Medical Evidence


- Physical abuse cases
 - injuries consistent or inconsistent with history
 - degree of force: ask D to demonstrate on video
 - refute claim of easy bruising
 - danger of particular instruments



29

Child Physical Abuse


- Parents can use "reasonable force"
- What is unreasonable?
 - blows that leave marks
 - blows to vital organs
 - blows to the head
 - blows that are clearly not discipline




30

Location Of Injuries

- Children are forward moving and frontal explorers, most accidental injuries are to "frontal" locations
 - forehead, nose, chin, palms, elbows, shins
- Injuries to buttocks, genitalia, abdomen, back, lateral areas of body more likely to indicate abuse
- Does child's description make sense?
 - the coffee table account



31



32



33




34




35




36



37



38



39

Effects of Exposure to IPV

	Infants	Preschool Age	School Age	Adolescents
Behavioral	<ul style="list-style-type: none">•Fussy•Decreased responsiveness•Trouble sleeping•Trouble eating	<ul style="list-style-type: none">•Aggression•Behavior problems•Regressive behavior•Yelling, irritability•Trouble sleeping	<ul style="list-style-type: none">•Aggression•Conduct problems•Disobedience•Regressive behavior	<ul style="list-style-type: none">•Dating violence•Delinquency•Running away•Truancy•Early sexual activity
Social		<ul style="list-style-type: none">•Trouble interacting with peers•Stranger anxiety	<ul style="list-style-type: none">•Few and low-quality peer relations	<ul style="list-style-type: none">•Dating violence (victim or perpetrator)•Increased risk for teen pregnancy

Source: Summers, 2006


zeroabuse PROJECT

40

Effects of Exposure to IPV


	Infants	Preschool Age	School Age	Adolescents
Emotional/ Psychological	<ul style="list-style-type: none"> •Attachment needs not met 	<ul style="list-style-type: none"> •Fear/anxiety, sadness, worry •PTSD •Negative affect •Feeling unsafe •Separation anxiety 	<ul style="list-style-type: none"> •Somatic complaints •Fear & anxiety, depression, low self-esteem, shame •PTSD •Limited emotional response 	<ul style="list-style-type: none"> •Substance abuse •Depression •Suicidal ideation •PTSD •Feeling rage, shame •Unresponsiveness
Cognitive	<ul style="list-style-type: none"> •Inability to understand 	<ul style="list-style-type: none"> •Self-blame 	<ul style="list-style-type: none"> •Self-blame •Distracted, inattentive •Pro-violent attitude 	<ul style="list-style-type: none"> •Short attention span •Pro-violent attitude •Defensive

Source: Summers, 2006



41


Understand Effects of DV on Children Through Drawings



así veo a mi papá
 porque es muy enojado
 y se pone borracho
 y se le ponen los ojos rojos

- An eight-year-old was asked to draw a picture of his father. He wrote in Spanish:
- "This is how I see my father because he often gets angry and drunk, and his eyes turn red."

— © CONNECT – Family Violence Prevention Fund



42



zeroabuse PROJECT

Victor@zeroabuseproject.org
www.zeroabuseproject.org

43