



USCHARGER PORTABLE ENERGY

ENIAC ENERGY, BORN FOR GREEN ENERGY SOLUTIONS

✉ INFO@USCHARGER.COM

🌐 [HTTPS://USCharger.com](https://USCharger.com)

📍 West Palm Beach, Fl. 33401 USA

USC 001

4kWh



YOU CAN CHARGE ANYTIME, ANYWHERE



PORTABLE

No bigger than a compact suitcase.



FLEXIBLE

A 'powerbank' for your EV that makes charging easier.



COMPATIBLE

IEC 62196 compliant, T2 Socket.



INTELLIGENT

Software automatically schedules charging at the lowest energy cost.



GREENER

Store green energy off-peak power.



DURABILITY

IP54 & IK08 protection ratings, allowing for indoors and outdoors.



DATASHEET

Model No.	JNT-ESC001
Input/Output Voltage	220Vac ± 15%
Input/Output Frequency	50Hz
Output Current	32A
Input Power	7kW
Measurement Accuracy	0.5

Battery Parameters

Energy	4kWh
Product Dimensions	600 x 400 x 250mm
Net Weight	40kg

Protection & Standard

Charging Interface	IEC 62196-2 Compliant, Type 2 Socket
Multiple Protection	UVP, OVP, RCD , SPD, Ground Fault Protection, OCP, OTP, Control Pilot Fault Protection

Environmental

Operating Temperature	-30°C ~ 60°C
Relative Humidity	5% ~ 95% non-condensing
Working Altitude	<2000m