



ACRES Product Application Information

Vegetables Bulb Garlic, Onion, Shallot

Acres Nano Organic Fert.	App. Rate	App. Time	Dilution Rate	Application Methods	Field Observations
Soil Application					
ACRES (Hydrated & Activated*)	28 fl oz/acre	Preplanting or Planting	Ground - at least 1:100 Dilution rate may vary depending on spray equipment used	Banded - Ground - Spray diluted product evenly in furrows. Plant vegetable and cover furrows with soil Rain or irrigation after application will improve performance.	INCREASED: Soil tilth, soil fertility, organic matter content, water holding capacity and drainage, soil aeration, neutralization of soil pH
Seed Application (Seeding)					
ACRES (Hydrated & Activated*)	40 fl oz/110 lb Seeds	Seeding	1:4	Spray dilute product in a fine mist to thoroughly coat seeds. After application incorporate product into soil. Rain or irrigation after application will improve performance.	IMPROVED: Plant emergence, vigor of seedlings, root development, resistance of seedlings to stress high temperature, drought, diseases, etc.
Seed Application-2 (Planting)					
ACRES (Hydrated & Activated*)	For Bulb Planting Only - 10 fl oz/1100 lb Bulbs	Planting	1:50	Spray diluted product in a fine mist to obtain thorough coating of bulb Plant bulbs as usual. Do not store treated bulb	IMPROVED: Plant emergence, vigor of seedlings, root development, resistance of seedlings to stress high temperature, drought, diseases, etc.
Foliar Application					
ACRES (Hydrated & Activated*)	14 fl oz/acre	At 6-8 leaf stage	Aerial - 1:20 to 1:50 Ground - at least 1:100 Dilution rate may vary depending on spray equipment used	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness	IMPROVED: Plant vigor, yield, quality of tubers and bulbs

NOTE: *Hydrate & Activate: For every 25 gm capsules/powder, hydrate in approximately 1lt (33.8oz) non-chlorinated water for 48 hrs in a cool place out of direct sunlight.

NOTE: The "App. Rate" suggested is for a crops 'growing season'. Should you apply multiple times during the season, the amount indicated may be divided by that number of applications