



# ACRES Product Application Information

## Vegetable-Tuber

Celeriac, Ginger, Sweet potato, Turnip, Yucca, Yam

| Acres Nano Organic Fert.                | App. Rate   | App. Time         | Dilution Rate  | Application Methods   | Field Observations  |
|---|---|-------------------|--|---|---|
| <b>Soil Application</b>                 |   |                   |  |   |   |
| <b>ACRES</b><br>(Hydrated & Activated*) | 32 fl oz/acre   | Planting          | Ground - at least 1:100 Dilution rate may vary depending on spray equipment used.                              | <b>Banded</b> - Ground - Spray diluted product evenly in furrows:<br><b>Broadcast</b> - After application incorporate product into soil. Rain or irrigation after application will improve performance.                               | <b>INCREASED:</b> Soil tilth, soil fertility, organic matter content, water holding   |
| <b>Seed Application</b>                 |   |                   |  |   |   |
| <b>ACRES</b><br>(Hydrated & Activated*) | At planting - Seed Potato Treatment<br>Only 40 fl oz/16,200 lb Seed potatoes<br>In Furrow - 9-12 fl oz/acre | Planting          | 1:100  | <b>At planting</b> - Spray diluted product in a fine mist to thoroughly coat seed potatoes. In furrow - Plant seed potatoes in furrows and spray uniformly with diluted product. Cover furrows with soil immediately after treatment. | <b>IMPROVED:</b> Plant emergence, vigor of seedlings, root development, resistance of seedlings to stress low temperature, drought, disease, etc. |
| <b>Foliar Application</b>               |   |                   |  |   |   |
| <b>ACRES</b><br>(Hydrated & Activated*) | 14 fl oz/acre   | At 6-8 leaf stage | Aerial - 1:20 to 1:50<br>Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | <b>Spray</b> diluted product evenly on plant foliage. For best uptake, apply in evening or early morning. Heavy rain within 24 hours of application will diminish product effectiveness.  | <b>IMPROVED:</b> Plant vigor, yield, quality of tubers and bulbs  |

**NOTE:** \*Hydrate & Activate: For every 25 gm capsules/powder, hydrate in approximately 1lt (33.8oz) non-chlorinated water for 48 hrs in a cool place out of direct sunlight.

**NOTE:** The "App. Rate" suggested is for a crops 'growing season'. Should you apply multiple times during the season, the amount indicated may be divided by that number of applications