




**Cultivated By:**

License Name: Joint Junkies I LLC

License Number: 0000158ESTLH17620655

**Prepared for Sale By:**

License Name: Joint Junkies I LLC

License Number: 0000158ESTLH17620655

**Strain:** Pomelo Octane

**Batch:** 251229-003

**Extraction Method:**

**Date of Harvest:** 5/28/2026

**Date of Manufacture:**

**Distributed By:** Joint Junkies I LLC - 0000158ESTLH17620655

**Warning:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Distribution:** [pinatas.co](https://pinatas.co)



## Pomelo Octane Punch Flower

Sample ID: 2606FSL0297.1113

Strain: Pomelo Octane

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch: 16 g

Harvest Date: 05/28/2026

Manufacture Date:

Received: 06/22/2026

Completed: 06/25/2026

Batch#: 251229-003

External Lot#:

Client

Joint Junkies 1 LLC dba The Social Healing

Lic. # 0000158ESTLH17620655

1830 E. Broadway Blvd Ste 124-420

Tucson, AZ 85719

Lab Sample Collection Date/Time: 06/22/2026 12:51



### Summary

| Test         | Date Tested | Result   |
|--------------|-------------|----------|
| Batch        |             | Pass     |
| Cannabinoids | 06/22/2026  | Complete |
| Microbials   | 06/22/2026  | Pass     |
| Pesticides   | 06/23/2026  | Pass     |
| Heavy Metals | 06/23/2026  | Pass     |

### Cannabinoids

Complete

| 20.68%    |      | <LOQ      |        | 24.17%                  |  |
|-----------|------|-----------|--------|-------------------------|--|
| Total THC |      | Total CBD |        | Total Cannabinoids (Q3) |  |
| Analyte   | LOQ  | Result    | Result | Qualifier               |  |
| THCa      | %    | %         | mg/g   |                         |  |
| Δ9-THC    | 0.10 | 23.29     | 232.9  |                         |  |
| Δ8-THC    | 0.10 | 0.25      | 2.5    |                         |  |
| THCV      | 0.10 | ND        | ND     |                         |  |
| CBDa      | 0.10 | ND        | ND     |                         |  |
| CBD       | 0.10 | <LOQ      | <LOQ   |                         |  |
| CBDV      | 0.10 | ND        | ND     |                         |  |
| CBN       | 0.10 | ND        | ND     |                         |  |
| CBGa      | 0.10 | 0.48      | 4.8    |                         |  |
| CBG       | 0.10 | 0.15      | 1.5    |                         |  |
| CBC       | 0.10 | ND        | ND     |                         |  |
| Total     |      | 24.17     | 241.7  |                         |  |

Date Tested: 06/22/2026

Total THC = THCa \* 0.877 + Δ9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401



*Ernest Jimenez*

Ernest Jimenez  
Technical Laboratory Director  
06/25/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez



## Pomelo Octane Punch Flower

Sample ID: 2606FSL0297.1113

Strain: Pomelo Octane

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch: 16 g

Harvest Date: 05/28/2026

Manufacture Date:

Received: 06/22/2026

Completed: 06/25/2026

Batch#: 251229-003

External Lot#:

Client

Joint Junkies 1 LLC dba The Social Healing

Lic. # 0000158ESTLH17620655

1830 E. Broadway Blvd Ste 124-420

Tucson, AZ 85719

Lab Sample Collection Date/Time: 06/22/2026 12:51

## Pesticides

Pass

| Analyte             | LOQ  | Limit | Result | Status | Qualifier | Analyte         | LOQ  | Limit | Result | Status | Qualifier |
|---------------------|------|-------|--------|--------|-----------|-----------------|------|-------|--------|--------|-----------|
|                     | µg/g | µg/g  | µg/g   |        |           |                 | µg/g | µg/g  | µg/g   |        |           |
| Abamectin           | 0.25 | 0.5   | ND     | Pass   |           | Hexythiazox     | 0.5  | 1     | ND     | Pass   |           |
| Acephate            | 0.25 | 0.5   | ND     | Pass   |           | Imazalil        | 0.1  | 0.2   | ND     | Pass   |           |
| Acetamiprid         | 0.1  | 0.2   | ND     | Pass   |           | Imidacloprid    | 0.2  | 0.4   | ND     | Pass   |           |
| Aldicarb            | 0.2  | 0.4   | ND     | Pass   |           | Kresoxim Methyl | 0.2  | 0.4   | ND     | Pass   |           |
| Azoxystrobin        | 0.1  | 0.2   | ND     | Pass   |           | Malathion       | 0.1  | 0.2   | ND     | Pass   |           |
| Bifenazate          | 0.1  | 0.2   | ND     | Pass   |           | Metaxyl         | 0.1  | 0.2   | ND     | Pass   |           |
| Bifenthrin          | 0.1  | 0.2   | ND     | Pass   |           | Methiocarb      | 0.1  | 0.2   | ND     | Pass   |           |
| Boscalid            | 0.2  | 0.4   | ND     | Pass   |           | Methomyl        | 0.2  | 0.4   | ND     | Pass   |           |
| Carbaryl            | 0.1  | 0.2   | ND     | Pass   |           | Myclobutanil    | 0.1  | 0.2   | ND     | Pass   |           |
| Carbofuran          | 0.1  | 0.2   | ND     | Pass   |           | Naled           | 0.25 | 0.5   | ND     | Pass   |           |
| Chlorantraniliprole | 0.1  | 0.2   | ND     | Pass   |           | Oxamyl          | 0.5  | 1     | ND     | Pass   |           |
| Chlorfenapyr        | 0.5  | 1     | ND     | Pass   |           | Paclobutrazol   | 0.2  | 0.4   | ND     | Pass   |           |
| Chlorpyrifos        | 0.1  | 0.2   | ND     | Pass   |           | Permethrins     | 0.1  | 0.2   | ND     | Pass   |           |
| Clofentezine        | 0.1  | 0.2   | ND     | Pass   |           | Phosmet         | 0.1  | 0.2   | ND     | Pass   |           |
| Cyfluthrin          | 0.5  | 1     | ND     | Pass   |           | Piperonyl       | 1    | 2     | ND     | Pass   |           |
| Cypermethrin        | 0.5  | 1     | ND     | Pass   |           | Butoxide        |      |       |        |        |           |
| Daminozide          | 0.5  | 1     | ND     | Pass   |           | Prallethrin     | 0.1  | 0.2   | ND     | Pass   |           |
| Diazinon            | 0.1  | 0.2   | ND     | Pass   |           | Propiconazole   | 0.2  | 0.4   | ND     | Pass   |           |
| Dichlorvos          | 0.05 | 0.1   | ND     | Pass   |           | Propoxur        | 0.1  | 0.2   | ND     | Pass   |           |
| Dimethoate          | 0.1  | 0.2   | ND     | Pass   |           | Pyrethrins      | 0.5  | 1     | ND     | Pass   |           |
| Ethoprophos         | 0.1  | 0.2   | ND     | Pass   |           | Pyridaben       | 0.1  | 0.2   | ND     | Pass   |           |
| Etofenprox          | 0.2  | 0.4   | ND     | Pass   |           | Spinosad        | 0.1  | 0.2   | <LOQ   | Pass   |           |
| Etoxazole           | 0.1  | 0.2   | ND     | Pass   |           | Spiromesifen    | 0.1  | 0.2   | ND     | Pass   |           |
| Fenoxycarb          | 0.1  | 0.2   | ND     | Pass   |           | Spirotetramat   | 0.1  | 0.2   | ND     | Pass   |           |
| Fenpyroximate       | 0.2  | 0.4   | ND     | Pass   |           | Spiroxamine     | 0.2  | 0.4   | ND     | Pass   |           |
| Fipronil            | 0.2  | 0.4   | ND     | Pass   |           | Tebuconazole    | 0.2  | 0.4   | ND     | Pass   |           |
| Flonicamid          | 0.5  | 1     | ND     | Pass   |           | Thiacloprid     | 0.1  | 0.2   | ND     | Pass   |           |
| Fludioxonil         | 0.2  | 0.4   | ND     | Pass   |           | Thiamethoxam    | 0.1  | 0.2   | ND     | Pass   |           |
|                     |      |       |        |        |           | Trifloxystrobin | 0.1  | 0.2   | ND     | Pass   |           |

Date Tested: 06/23/2026

Instrument: LC-MS/MS ; Method: FSL-SOP-411



Ernest Jimenez  
Technical Laboratory Director  
06/25/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez

## Pomelo Octane Punch Flower

Sample ID: 2606FSL0297.1113

Strain: Pomelo Octane

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch: 16 g

Harvest Date: 05/28/2026

Manufacture Date:

Received: 06/22/2026

Completed: 06/25/2026

Batch#: 251229-003

External Lot#:

Client

Joint Junkies 1 LLC dba The Social Healing

Lic. # 0000158ESTLH17620655

1830 E. Broadway Blvd Ste 124-420

Tucson, AZ 85719

Lab Sample Collection Date/Time: 06/22/2026 12:51

### Microbials

Pass

| Analyte               | Result             | Status | Qualifier |
|-----------------------|--------------------|--------|-----------|
| Aspergillus flavus    | Not Detected in 1g | Pass   |           |
| Aspergillus fumigatus | Not Detected in 1g | Pass   |           |
| Aspergillus niger     | Not Detected in 1g | Pass   |           |
| Aspergillus terreus   | Not Detected in 1g | Pass   |           |
| Salmonella SPP        | Not Detected in 1g | Pass   |           |
| E. Coli               | < 10 CFU/g         | Pass   |           |

Date Tested: 06/22/2026

Instrument: qPCR &amp; 3M PetriFilm; Method: FSL-SOP-301, FSL-SOP-302, FSL-SOP-303

### Mycotoxins

Not Tested

| Analyte | LOQ | Limit | Result | Status | Qualifier |
|---------|-----|-------|--------|--------|-----------|
|---------|-----|-------|--------|--------|-----------|

Date Tested:

### Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status | Qualifier |
|---------|-----|-------|--------|--------|-----------|
|         | PPM | PPM   | PPM    |        |           |
| Arsenic | 0.2 | 0.4   | ND     | Pass   |           |
| Cadmium | 0.2 | 0.4   | ND     | Pass   |           |
| Lead    | 0.5 | 1     | <LOQ   | Pass   |           |
| Mercury | 0.1 | 0.2   | ND     | Pass   |           |

Date Tested: 06/23/2026

Instrument: ICP-MS; Method: FSL-SOP-404




Ernest Jimenez  
Technical Laboratory Director  
06/25/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez