




SRI JAYAMARUTHE TEX'S

High Speed (Automatic)

Narrow Fabric Needle Loom

SALIENT FEATURES:

- ❖ “JM” can produce Models 8/30,3/50,6/50,4/75
2/150 & 2/200 for making Tapes 5-200 mm width.
- ❖ Simple structure, easily operated Loom runs at an economic speed.
- ❖ “PROLONG LIFE” of the Shedding Levers can be achieved by manually operate lubrication system.
- ❖ Separate assembling of Sprocket chain by Links with 8-48 repeats within the Loom Housing.
- ❖ “TWO” different types of Weaving Pattern can be achieved at a time.
- ❖ Simple adjustments of Latch Needle Timing by Four position Eccentric.
- ❖ Adjustable “CAM” Operation for Catch Thread setting.
- ❖ No requirement of Lubrication for Double sealed Bearings.
- ❖ Back Frame for Warp Beam feeding.
- ❖ Prompt supply and service of spare parts.



SPECIFICATION OF NEEDLE LOOM MODELS:

Model No.	No.of Fabrics	Fabric Width (mm)	Heald Frames	Pick Repeat	Motor (HP)	Max. Speed (ppm)
JM-8/30	8	30	8~16	8~48	1	1200~1600
JM-6/50	6	50	8~16	8~48	1	1100~1400
JM-4/75	4	75	8~12	8~48	1	800~1000
JM-2/150	2	150	6~10	8~48	1	400~600
JM-2/200	2	200	6~10	8~48	1	300~400

SPECIAL EQUIPMENT – OPTIONAL.

1. Rubber Feeding Device.
2. Cone creel Upto 600 ends.
3. Conversion parts
6/50 → 2/150 Model.
4. Front Windup Device.

SPECIFICATION OF WARP BEAM WINDER.

- # Size of Beam : Dia 360 mm X 200 mm.
- # Motor H.P : 0.5 H.P, 3 ph.
- # Counter : Mechanical.
- # Rpm : Constant.
- # Variable Speed : 0~600 (Optional).

PRODUCT RANGE:

- * Cotton Tape, Bag Belt, Bandage, Jute etc.
- * Zipper Tape, Seat Belt, Elastic Band etc.

Mfd. By:

SRI JAYAMARUTHE TEX,
32, Mahatma Gandhi Road,
Nethajipuram, SIHS Colony,
Neelikonampalayam Post,
COIMBATORE-641 033.
INDIA.
Ph.No : 0422-2272025.
Mobile : 098941 58646.
E-mail : jmtex1@gmail.com

