

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] PAULLINA, IA

Mark Hibbing, O'Brien County, IA 51046

**Ultra Early-Season Test** 95 - 100 Day CRM  
B2025IANW05u

**Top 18 of 18** For Gross Income  
(Sorted by Yield)  
Average of (3) Replications

**PREV. CROP/HERB:** Soybeans / Enlist, Dual,  
Roundup, Clethodim

**SOIL DESCRIPTION:** Primghar silty clay loam, mod.  
poorly drained, non-irrigated

**SOIL CONDITION:** Minimum W/O Fall Till, 5.28 pH,  
4.76% OM, 21.42 CEC, high P,  
high K, low S, mod. B, high Zn

**PEST MANAGEMENT:** Harness, Anthem Maxx, Impact,  
Atrazine 4l, Veltyma

**FERTILITY - Applied N:** 70 Planter, 96 Sidedress

**Applied N-P-K (units):** 166-0-0

**SEEDED - RATE - ROW:** May 1 32.0 /A 30" spacing

**HARVESTED - STAND:** Oct 11 27.8 /A

**PEST & DISEASE RISK:** Rootworm, Pythium\*

### TEST COMMENTS:

Respectable yields were observed here in Paullina. In comparison to nearby Sioux Center, which had the same wind event sweep through, lodging was noticeable but less severe. Hybrids will respond differently depending on the stage of growth and the timing of the wind event. Fungicide was applied at this site, and the plants did have noticeable tar spot lesions. Overall, it was a good finish to the growing season at this location.

Report Date: Oct. 12, 2025

Revised: 10/13/2025 Updated nitrogen applied, no data changes

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

| Company/Brand       | Product/Brand | Technol.† | RM  | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre                 | Rank |
|---------------------|---------------|-----------|-----|--------------|------------|-----------|----------------|--------------------------------------|------|
| Wyffels             | W2386RIB ↗    | VT2P      | 100 | <b>239.4</b> | 14.0       | 0         | 27.9           | 934                                  | 1    |
| Jacobsen            | JS0114 ↗      | VT2P      | 100 | <b>238.0</b> | 13.9       | 0         | 27.9           | 928                                  | 2    |
| Hoegemeyer          | 6965V ↗       | VE        | 99  | <b>236.3</b> | 13.0       | 0         | 27.9           | 922                                  | 3    |
| Augusta             | A3048-AA-EZ ↗ | AA        | 98  | 233.1        | 15.5       | 0         | 27.6           | 904                                  | 4    |
| Wyffels             | W1869RIB ↗    | STXP      | 97  | 227.7        | 13.2       | 0         | 28.2           | 888                                  | 5    |
| Jacobsen            | JS0034SS ↗    | STX       | 100 | 227.5        | 14.0       | 0         | 28.2           | 887                                  | 6    |
| Hoegemeyer          | 6653V ↗       | VE        | 96  | 227.5        | 14.0       | 0         | 27.2           | 887                                  | 7    |
| Wyffels             | W1996RIB ↗    | VT2P      | 98  | 225.2        | 12.5       | 0         | 27.6           | 878                                  | 8    |
| Jacobsen            | JS9762 VT2P ↗ | VT2P      | 96  | 220.9        | 14.2       | 0         | 27.9           | 862                                  | 9    |
| Pioneer             | P9955Q GC ↗   | QR        | 99  | 217.9        | 14.3       | 8         | 27.9           | 850                                  | 10   |
| Jacobsen            | JS0083VT2P ↗  | VT2P      | 100 | 217.9        | 13.6       | 0         | 27.2           | 850                                  | 11   |
| Titan Pro           | 48-99 PCE ↗   | PCE       | 99  | 215.3        | 13.8       | 4         | 28.2           | 840                                  | 12   |
| Viking   Blue River | 73-97 ↗       | CONV      | 97  | 213.1        | 14.3       | 14        | 27.2           | 831                                  | 13   |
| Renk                | RK579DGV2P ↗  | VT2PDG    | 99  | 207.2        | 13.1       | 1         | 27.9           | 808                                  | 14   |
| Renk                | RK583PCE ↗    | PCE       | 99  | 205.8        | 14.2       | 0         | 28.2           | 803                                  | 15   |
| Renk                | RK586VT4PRO ↗ | VT4P      | 99  | 205.4        | 13.7       | 0         | 27.6           | 801                                  | 16   |
| Jacobsen            | JS9704 ↗      | PCE       | 97  | 205.0        | 13.2       | 3         | 28.2           | 800                                  | 17   |
| Augusta             | A2246-CONV ↗  | CONV      | 96  | 200.2        | 12.9       | 17        | 27.9           | 781                                  | 18   |
|                     |               |           |     | Averages =   | 220.2      | 13.8      | 3              | 27.8                                 | 859  |
|                     |               |           |     | LSD (0.10) = | 13.2       | 0.6       | 4              |                                      |      |
|                     |               |           |     | LSD (0.25) = | 6.9        | 0.3       | 2              |                                      |      |
|                     |               |           |     | C.V. =       | 5.6        |           |                | Historic yield: 190.5 bu/a, 21 yr(s) |      |

Nick Hoffman

[nick.hoffman@firstseedtests.com](mailto:nick.hoffman@firstseedtests.com), (308) 730-7503

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.042 Prices: GMO = \$3.90

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).  
©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] PAULLINA, IA

Mark Hibbing, O'Brien County, IA 51046

|                                 |                                                                                                   |
|---------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Early-Season Test</b>        | <b>101 - 106</b> Day CRM<br>B2025IANW05a                                                          |
| <b>Top 30 of 45</b>             | For Gross Income<br>(Sorted by Yield)<br>Average of <b>(3)</b> Replications                       |
| <b>PREV. CROP/HERB:</b>         | Soybeans / Enlist, Dual,<br>Roundup, Clethodim                                                    |
| <b>SOIL DESCRIPTION:</b>        | Primghar silty clay loam, mod.<br>poorly drained, non-irrigated                                   |
| <b>SOIL CONDITION:</b>          | Minimum W/O Fall Till, 5.28 pH,<br>4.76% OM, 21.42 CEC, high P,<br>high K, low S, mod. B, high Zn |
| <b>PEST MANAGEMENT:</b>         | Harness, Anthem Maxx, Impact,<br>Atrazine 4l, Veltyma                                             |
| <b>FERTILITY - Applied N:</b>   | 70 Planter, 96 Sidedress                                                                          |
| <b>Applied N-P-K (units):</b>   | 166-0-0                                                                                           |
| <b>SEEDED - RATE - ROW:</b>     | May 1 32.0 /A 30" spacing                                                                         |
| <b>HARVESTED - STAND:</b>       | Oct 11 27.8 /A                                                                                    |
| <b>PEST &amp; DISEASE RISK:</b> | Rootworm, Pythium*                                                                                |

### TEST COMMENTS:

Respectable yields were observed here in Paullina. In comparison to nearby Sioux Center, which had the same wind event sweep through, lodging was noticeable but less severe. Hybrids will respond differently depending on the stage of growth and the timing of the wind event. Fungicide was applied at this site, and the plants did have noticeable tar spot lesions. Overall, it was a good finish to the growing season at this location.

| Company/Brand       | Product/Brand     | Technol.† | RM  | Yield Bu/A ↓                         | Moisture %   | Lodging %   | Stand (x 1000) | Gross Income \$/Acre | Rank       |
|---------------------|-------------------|-----------|-----|--------------------------------------|--------------|-------------|----------------|----------------------|------------|
| Hoegemeyer          | 7485PCE ↗         | PCE       | 104 | <b>248.2</b>                         | 14.3         | 0           | 27.2           | 968                  | 1          |
| Prairie Hybrids     | 4556 ↗            | CONV      | 106 | <b>246.7</b>                         | 16.2         | 0           | 27.2           | 949                  | 3          |
| DeKalb              | DKC106-98RIB GC ↗ | VT4P      | 106 | <b>245.5</b>                         | 16.9         | 0           | 27.6           | 938                  | 4          |
| Wyffels             | W4487 ↗           | VT4P      | 106 | <b>244.7</b>                         | 14.4         | 0           | 27.9           | 954                  | 2          |
| Jacobsen            | JS0593PCE ↗       | PCE       | 105 | <b>243.9</b>                         | 16.4         | 1           | 27.9           | 937                  | 5          |
| Jacobsen            | JS0203TRE ↗       | TRE       | 102 | <b>240.1</b>                         | 14.7         | 0           | 27.6           | 936                  | 6          |
| Miller Hybrids      | M06-96 ↗          | CONV      | 106 | <b>237.9</b>                         | 16.6         | 0           | 27.6           | 911                  | 13         |
| Prairie Hybrids     | 4470 ↗            | CONV      | 106 | <b>236.3</b>                         | 15.4         | 0           | 28.6           | 917                  | 8          |
| Renk                | RK630TRE ↗        | TRE       | 102 | 235.4                                | 14.0         | 0           | 28.2           | 918                  | 7          |
| Cornelius           | C6204 ↗           | CONV      | 102 | 235.2                                | 14.8         | 0           | 28.2           | 917                  | 9          |
| Epley               | E1540 ↗           | CONV      | 105 | 234.4                                | 15.0         | 1           | 27.6           | 914                  | 11         |
| Titan Pro           | 44-06 PCE ↗       | PCE       | 106 | 234.3                                | 15.0         | 0           | 28.2           | 914                  | 12         |
| Wyffels             | W3309RIB ↗        | STXP      | 103 | 233.6                                | 14.1         | 3           | 27.2           | 911                  | 14         |
| Viking   Blue River | 72-06 ↗           | CONV      | 106 | 232.9                                | 15.4         | 0           | 27.6           | 904                  | 15         |
| FS InVision         | FS 5159PC RA ↗    | PCE       | 101 | 231.9                                | 13.6         | 1           | 27.9           | 904                  | 16         |
| Cornelius           | C6322 ↗           | CONV      | 103 | 230.3                                | 14.0         | 0           | 27.9           | 898                  | 17         |
| Jacobsen            | JS0655PCE ↗       | PCE       | 106 | 229.8                                | 14.9         | 2           | 27.2           | 896                  | 18         |
| Hoegemeyer          | 7156PCE ↗         | PCE       | 101 | 229.5                                | 14.5         | 0           | 27.6           | 895                  | 19         |
| FS InVision         | FS 5335P RIB ↗    | STXP      | 103 | 226.7                                | 14.0         | 5           | 27.6           | 884                  | 20         |
| FS InVision         | FS 5158V RIB ↗    | VT2P      | 101 | 226.0                                | 13.6         | 0           | 28.2           | 881                  | 21         |
| Augusta             | A3152-PWE ↗       | PCE       | 102 | 225.9                                | 13.6         | 1           | 27.6           | 881                  | 22         |
| Augusta             | A2355-CONV ↗      | CONV      | 105 | 224.5                                | 14.8         | 6           | 27.6           | 876                  | 23         |
| Prairie Hybrids     | 2311 ↗            | CONV      | 103 | 224.3                                | 14.6         | 1           | 27.9           | 875                  | 24         |
| Miller Hybrids      | M04-22 ↗          | CONV      | 104 | 224.0                                | 14.3         | 0           | 26.9           | 874                  | 25         |
| Wyffels             | W4514 ↗           | PCE       | 106 | 223.8                                | 15.1         | 0           | 28.9           | 872                  | 26         |
| Epley               | E1340 ↗           | CONV      | 103 | 223.2                                | 13.9         | 1           | 27.2           | 870                  | 27         |
| Titan Pro           | 46-03 PCE ↗       | PCE       | 103 | 222.2                                | 14.2         | 2           | 27.9           | 867                  | 28         |
| Renk                | RK7577TRE ↗       | TRE       | 104 | 221.5                                | 13.6         | 1           | 28.2           | 864                  | 29         |
| Augusta             | A2252-D ↗         | D         | 102 | 221.2                                | 15.4         | 2           | 27.6           | 859                  | 30         |
| Jacobsen            | JS0414PCE ↗       | PCE       | 104 | 219.7                                | 14.1         | 0           | 27.2           | 857                  | 31         |
| DEKALB              | DKC101-33RIB CK   | STXP      | 101 | 234.9                                | 14.1         | 0           | 28.2           | 916                  | 10         |
|                     |                   |           |     | <b>Averages =</b>                    | <b>224.6</b> | <b>14.7</b> | <b>2</b>       | <b>27.8</b>          | <b>874</b> |
|                     |                   |           |     | <b>LSD (0.10) =</b>                  | 11.1         | 0.5         | ns             |                      |            |
|                     |                   |           |     | <b>LSD (0.25) =</b>                  | 5.8          | 0.2         | ns             |                      |            |
|                     |                   |           |     | <b>C.V. =</b>                        | 4.7          |             |                |                      |            |
|                     |                   |           |     | Historic yield: 190.5 bu/a, 21 yr(s) |              |             |                |                      |            |

*Nick Hoffman*

Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

### Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.042

Prices: GMO = \$3.90

Report Date: Oct. 12, 2025

Revised: 10/13/2025 Updated nitrogen applied, no data changes

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] PAULLINA, IA

Mark Hibbing, O'Brien County, IA 51046

**Full-Season Test** 107 - 111 Day CRM  
B2025IANW05b

**Top 30 of 42** For Gross Income  
(Sorted by Yield)  
Average of (3) Replications

**PREV. CROP/HERB:** Soybeans / Enlist, Dual,  
Roundup, Clethodim

**SOIL DESCRIPTION:** Primghar silty clay loam, mod.  
poorly drained, non-irrigated

**SOIL CONDITION:** Minimum W/O Fall Till, 5.28 pH,  
4.76% OM, 21.42 CEC, high P,  
high K, low S, mod. B, high Zn

**PEST MANAGEMENT:** Harness, Anthem Maxx, Impact,  
Atrazine 4l, Veltyma

**FERTILITY - Applied N:** 70 Planter, 96 Sidedress

**Applied N-P-K (units):** 166-0-0

**SEEDED - RATE - ROW:** May 1 32.0 /A 30" spacing

**HARVESTED - STAND:** Oct 11 27.7 /A

**PEST & DISEASE RISK:** Rootworm, Pythium\*

### TEST COMMENTS:

Respectable yields were observed here in Paullina. In comparison to nearby Sioux Center, which had the same wind event sweep through, lodging was noticeable but less severe. Hybrids will respond differently depending on the stage of growth and the timing of the wind event. Fungicide was applied at this site, and the plants did have noticeable tar spot lesions. Overall, it was a good finish to the growing season at this location.

| Company/Brand   | Product/Brand     | Technol.† | RM  | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|-----------------|-------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Cornelius       | C7164 ↗           | CONV      | 111 | <b>249.6</b> | 18.1       | 1         | 27.9           | 941                  | 4    |
| Wyffels         | W5129 ↗           | STXP      | 108 | <b>247.5</b> | 15.7       | 0         | 27.6           | 958                  | 1    |
| Hoegemeyer      | 7700PCE ↗         | PCE       | 107 | <b>243.9</b> | 15.9       | 1         | 27.2           | 942                  | 2    |
| Cornelius       | C6900 ↗           | CONV      | 109 | <b>237.3</b> | 16.8       | 1         | 27.9           | 908                  | 5    |
| Jacobsen        | JS1274PCE ↗       | PCE       | 111 | 235.6        | 18.1       | 3         | 26.9           | 888                  | 8    |
| Jacobsen        | JS0815TRE ↗       | TRE       | 108 | 234.3        | 16.7       | 0         | 28.6           | 897                  | 6    |
| Integra         | 5802 VT2PRIB ↗    | VT2P      | 108 | 233.9        | 16.7       | 3         | 27.2           | 896                  | 7    |
| Hoegemeyer      | 8039V ↗           | VE        | 110 | 231.9        | 17.3       | 7         | 27.2           | 882                  | 9    |
| Jacobsen        | JS1025TRE ↗       | TRE       | 110 | 231.6        | 18.4       | 0         | 27.6           | 870                  | 12   |
| FS InVision     | FS 5947T RIB ↗    | TRE       | 109 | 231.3        | 17.7       | 2         | 27.9           | 876                  | 10   |
| Miller Hybrids  | M11-66 ↗          | CONV      | 111 | 229.3        | 17.1       | 0         | 27.6           | 874                  | 11   |
| Prairie Hybrids | 6436 ↗            | CONV      | 111 | 228.7        | 17.8       | 7         | 27.6           | 865                  | 17   |
| Pioneer         | P0953AM GC ↗      | AM        | 109 | 228.2        | 17.2       | 7         | 27.9           | 869                  | 13   |
| FS InVision     | FS 6133VDG RIB ↗  | VT2PDG    | 111 | 227.3        | 18.3       | 7         | 27.9           | 855                  | 19   |
| Wyffels         | W6505RIB ↗        | TRE       | 110 | 227.1        | 17.7       | 7         | 28.2           | 860                  | 18   |
| Wyffels         | W6479RIB ↗        | STXP      | 110 | 226.5        | 18.4       | 0         | 27.9           | 851                  | 20   |
| FS InVision     | FS 5949PC RA ↗    | PCE       | 109 | 225.8        | 16.3       | 5         | 27.6           | 868                  | 14   |
| Integra         | 5775 VT2PRIB ↗    | VT2P      | 107 | 225.3        | 16.2       | 0         | 27.6           | 868                  | 15   |
| DeKalb          | DKC110-10RIB GC ↗ | STX       | 110 | 225.3        | 18.2       | 5         | 28.2           | 849                  | 21   |
| Integra         | 5935 PCE ↗        | PCE       | 109 | 224.2        | 15.9       | 1         | 27.2           | 866                  | 16   |
| DeKalb          | DKC107-69RIB GC ↗ | TRE       | 107 | 219.9        | 17.4       | 3         | 27.6           | 836                  | 22   |
| Prairie Hybrids | 6251 ↗            | CONV      | 109 | 216.9        | 16.9       | 1         | 27.9           | 829                  | 23   |
| Jacobsen        | JS0905PCE ↗       | PCE       | 109 | 215.9        | 17.0       | 22        | 27.2           | 824                  | 24   |
| Titan Pro       | 59-08 PCE ↗       | PCE       | 108 | 215.3        | 16.7       | 7         | 26.9           | 824                  | 25   |
| Cornelius       | C7120TRE ↗        | TRE       | 111 | 215.3        | 17.5       | 6         | 27.2           | 817                  | 27   |
| Titan Pro       | 53-09 SSP ↗       | STXP      | 109 | 215.1        | 17.4       | 0         | 27.6           | 817                  | 28   |
| DeKalb          | DKC108-64RIB GC ↗ | STXP      | 108 | 214.5        | 16.5       | 9         | 27.9           | 823                  | 26   |
| FS InVision     | FS 6042F RIB ↗    | VT4P      | 110 | 210.6        | 17.6       | 35        | 27.2           | 798                  | 31   |
| Miller Hybrids  | M09-63 ↗          | CONV      | 109 | 209.7        | 17.0       | 1         | 27.9           | 800                  | 29   |
| Prairie Hybrids | 6755 ↗            | CONV      | 110 | 208.7        | 16.6       | 23        | 27.6           | 800                  | 30   |
| PIONEER         | P1185AM CK        | AM        | 111 | 250.8        | 18.6       | 0         | 28.2           | 941                  | 3    |



Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Averages = **219.1** **17.2** **8** **27.7** **834**

LSD (0.10) = 16.8 0.7 11

LSD (0.25) = 8.8 0.4 6

C.V. = 7.3

Historic yield: 190.5 bu/a, 21 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.042 Prices: GMO = \$3.90

Report Date: Oct. 12, 2025

Revised: 10/13/2025 Updated nitrogen applied, no data changes

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Iowa Northwest [ IANW ]

Weather Conditions Summary at PAULLINA, IA


Weather Data Retrieved: 10/13/2025




\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


### Macronutrients




### Micronutrients



### Biofertility Analytics



### Below Ground Pest & Disease - Corn



### Above Ground Pest & Disease - Corn



### More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

## 2025 Corn - Iowa Northwest [ IANW ]

### Ultra Early-Season Test Products (18 Total)

| Company/Brand       | Product/Brand | Technology | RIB | RM  | Seed Treat.   |
|---------------------|---------------|------------|-----|-----|---------------|
| Augusta             | A2246-CONV    | CONV       | N   | 96  | CM,C5         |
| Augusta             | A3048-AA-EZ   | AA         | Y   | 98  | CM,C5         |
| Hoegemeyer          | 6653V         | VE         | Y   | 96  | Lum, L1       |
| Hoegemeyer          | 6965V         | VE         | Y   | 99  | Lum, L1       |
| Jacobsen            | JS0034SS      | STX        | Y   | 100 | F,I           |
| Jacobsen            | JS0083VT2P    | VT2P       | Y   | 100 | F,I           |
| Jacobsen            | JS0114        | VT2P       | Y   | 100 | F,I           |
| Jacobsen            | JS9704        | PCE        | Y   | 97  | F,I           |
| Jacobsen            | JS9762 VT2P   | VT2P       | Y   | 96  | F,I           |
| Pioneer             | P9955Q        | QR         | Y   | 99  | Lum, L1       |
| Renk                | RK579DGV2P    | VT2PDG     | Y   | 99  | AC,P2         |
| Renk                | RK583PCE      | PCE        | Y   | 99  | Lum           |
| Renk                | RK586VT4PRO   | VT4P       | N   | 99  | AC,P5V,EDC-EL |
| Titan Pro           | 48-99 PCE     | PCE        | Y   | 99  | CM,C2,Vi,Va   |
| Viking   Blue River | 73-97         | CONV       | N   | 97  | CM,C2         |
| Wyffels             | W1869RIB      | STXP       | Y*  | 97  | CM,C2,Vi,Va   |
| Wyffels             | W1996RIB      | VT2P       | Y*  | 98  | CM,C2,Vi,Va   |
| Wyffels             | W2386RIB      | VT2P       | Y*  | 100 | CM,C2,Vi,Va   |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2025 Corn - Iowa Northwest [ IANW ]

### Early-Season Test Products (45 Total)

| Company/Brand   | Product/Brand | Technology | RIB | RM  | Seed Treat.   |
|-----------------|---------------|------------|-----|-----|---------------|
| Augusta         | A2252-D       | D          | Y*  | 102 | CM,C2         |
| Augusta         | A2355-CONV    | CONV       | N   | 105 | CM,C5         |
| Augusta         | A2356-CONV    | CONV       | N   | 106 | CM,C5         |
| Augusta         | A3152-PWE     | PCE        | N   | 102 | CM,C5         |
| Augusta         | A3255-D-EZ    | D          | Y   | 105 | CM,C5         |
| Cornelius       | C6204         | CONV       | N   | 102 | CM,C2,Vi,Va   |
| Cornelius       | C6262PCE      | PCE        | N   | 102 | AC,P5V,Va     |
| Cornelius       | C6322         | CONV       | N   | 103 | F,I           |
| Cornelius       | C6409TRE      | TRE        | N   | 104 | AC,P5V,EDC-EL |
| Cornelius       | C6618PCE      | PCE        | N   | 106 | CM,C2,Vi,Va   |
| DeKalb          | DKC101-33RIB  | STXP       | Y   | 101 | AC,P5V,EDC-EL |
| DeKalb          | DKC103-63RIB  | STXP       | Y   | 103 | AC,P5V,EDC-EL |
| DeKalb          | DKC106-98RIB  | VT4P       | Y   | 106 | AC,P1V,EDC-EL |
| Epley           | E1340         | CONV       | N   | 103 | Vi5           |
| Epley           | E1450         | CONV       | N   | 104 | Vi5           |
| Epley           | E1540         | CONV       | N   | 105 | Vi5           |
| FS InVision     | FS 5158V RIB  | VT2P       | Y   | 101 | AC,P5V,EDC-EL |
| FS InVision     | FS 5159PC RA  | PCE        | Y   | 101 | CM,C2,Vi,Va   |
| FS InVision     | FS 5335P RIB  | STXP       | Y   | 103 | P5V           |
| FS InVision     | FS 5552F RIB  | VT4P       | Y   | 105 | AC,P5V,EDC-EL |
| FS InVision     | FS 5555P RIB  | STXP       | Y   | 105 | AC,P5V,EDC-EL |
| Hoegemeyer      | 7156PCE       | PCE        | Y   | 101 | Lum, L1       |
| Hoegemeyer      | 7485PCE       | PCE        | Y   | 104 | Lum, L1       |
| Jacobsen        | JS0203TRE     | TRE        | N   | 102 | F,I           |
| Jacobsen        | JS0375PCE     | PCE        | N   | 103 | F,I           |
| Jacobsen        | JS0414PCE     | PCE        | Y   | 104 | F,I           |
| Jacobsen        | JS0593PCE     | PCE        | Y   | 105 | F,I           |
| Jacobsen        | JS0655PCE     | PCE        | N   | 106 | F,I           |
| Miller Hybrids  | M04-22        | CONV       | N   | 104 | CM,CRM        |
| Miller Hybrids  | M06-46        | CONV       | N   | 106 | CM,Vi,Va,CRM  |
| Miller Hybrids  | M06-96        | CONV       | N   | 106 | CM,Va,CRM     |
| Prairie Hybrids | 2311          | CONV       | N   | 103 | AC,P5V,EDC-B  |
| Prairie Hybrids | 4470          | CONV       | N   | 106 | LumPro P2     |
| Prairie Hybrids | 4556          | CONV       | N   | 106 | LumPro P2     |
| Renk            | RK630TRE      | TRE        | N   | 102 | AC,P2         |
| Renk            | RK6545PCE     | PCE        | N   | 102 | Lum           |

| Company/Brand       | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------------|---------------|------------|-----|-----|-------------|
| Renk                | RK7577TRE     | TRE        | N   | 104 | AC,P2       |
| Titan Pro           | 44-06 PCE     | PCE        | Y   | 106 | CM,C2,Vi,Va |
| Titan Pro           | 46-03 PCE     | PCE        | Y   | 103 | CM,C2,Vi,Va |
| Viking   Blue River | 49-05         | CONV       | U   | 105 | CM,C2       |
| Viking   Blue River | 72-06         | CONV       | N   | 106 | CM,C2       |
| Wyffels             | W3309RIB      | STXP       | Y*  | 103 | CM,C2,Vi,Va |
| Wyffels             | W3654         | PCE        | N   | 104 | CM,C2,Vi,Va |
| Wyffels             | W4487         | VT4P       | N   | 106 | CM,C2,Vi,Va |
| Wyffels             | W4514         | PCE        | N   | 106 | CM,C2,Vi,Va |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## 2025 Corn - Iowa Northwest [ IANW ]

### Full-Season Test Products (42 Total)

| Company/Brand   | Product/Brand  | Technology | RIB | RM  | Seed Treat.   |
|-----------------|----------------|------------|-----|-----|---------------|
| AgriGold        | A641-26V       | V          | N   | 111 | AGM           |
| Augusta         | A2357-V        | V          | N   | 107 | CM,C2         |
| Cornelius       | C6900          | CONV       | N   | 109 | CM,C2,Vi,Va   |
| Cornelius       | C7120TRE       | TRE        | N   | 111 | AC,P5V,EDC-EL |
| Cornelius       | C7130SSP       | STXP       | N   | 111 | AC,P5V,EDC-EL |
| Cornelius       | C7164          | CONV       | N   | 111 | AC,P5V,Va     |
| DeKalb          | DKC107-69RIB   | TRE        | Y   | 107 | AC,P5V,EDC-EL |
| DeKalb          | DKC108-64RIB   | STXP       | Y   | 108 | AC,P5V,EDC-EL |
| DeKalb          | DKC110-10RIB   | STX        | Y   | 110 | AC,P5V,EDC-EL |
| FS InVision     | FS 5947T RIB   | TRE        | Y   | 109 | AC,P5V,Va     |
| FS InVision     | FS 5949PC RA   | PCE        | Y   | 109 | AC,P5V,Va     |
| FS InVision     | FS 6042F RIB   | VT4P       | Y   | 110 | AC,P5V,Va     |
| FS InVision     | FS 6133VDG RIB | VT2PDG     | Y   | 111 | AC,P5V        |
| FS InVision     | FS 6157T RIB   | TRE        | Y   | 111 | AC,P2         |
| Hoegemeyer      | 7700PCE        | PCE        | Y   | 107 | Lum, L1       |
| Hoegemeyer      | 8039V          | VE         | Y   | 110 | Lum, L1       |
| Integra         | 5775 VT2PRIB   | VT2P       | Y   | 107 | AC,P5V,SU     |
| Integra         | 5802 VT2PRIB   | VT2P       | Y   | 108 | AC,P5V,SU     |
| Integra         | 5935 PCE       | PCE        | Y   | 109 | AC,P5V,SU     |
| Jacobsen        | JS0815TRE      | TRE        | N   | 108 | F,I           |
| Jacobsen        | JS0905PCE      | PCE        | N   | 109 | F,I           |
| Jacobsen        | JS1025TRE      | TRE        | N   | 110 | F,I           |
| Jacobsen        | JS1074PCE      | PCE        | N   | 110 | F,I           |
| Jacobsen        | JS1274PCE      | PCE        | Y   | 111 | F,I           |
| Miller Hybrids  | M08-87         | CONV       | N   | 108 | CM,Va,CRM     |
| Miller Hybrids  | M09-63         | CONV       | N   | 109 | CM,Va,CRM     |
| Miller Hybrids  | M11-66         | CONV       | N   | 111 | Lum,CRM       |
| Pioneer         | P0953AM        | AM         | Y   | 109 | Lum, L1       |
| Pioneer         | P1185AM        | AM         | Y   | 111 | Lum, L1       |
| Prairie Hybrids | 6251           | CONV       | N   | 109 | LumPro P2     |
| Prairie Hybrids | 6436           | CONV       | N   | 111 | LumPro P2     |
| Prairie Hybrids | 6755           | CONV       | N   | 110 | LumPro P2     |
| Renk            | RK7590SSPRO    | STXP       | N   | 109 | AC,P5V,EDC-EL |
| Renk            | RK785PCE       | PCE        | N   | 109 | Lum           |
| Titan Pro       | 53-09 SSP      | STXP       | Y   | 109 | CM,C2,Vi,Va   |
| Titan Pro       | 59-08 PCE      | PCE        | Y   | 108 | CM,C2,Vi,Va   |

| Company/Brand       | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------------|---------------|------------|-----|-----|-------------|
| Viking   Blue River | 75-07         | CONV       | N   | 107 | CM,C2       |
| Viking   Blue River | 76-11         | CONV       | N   | 111 | CM,C2       |
| Wyffels             | W5129         | STXP       | N   | 108 | P5V         |
| Wyffels             | W5684         | PCE        | N   | 108 | CM,C2,Vi,Va |
| Wyffels             | W6479RIB      | STXP       | Y*  | 110 | CM,C2,Vi,Va |
| Wyffels             | W6505RIB      | TRE        | Y*  | 110 | CM,C2,Vi,Va |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## Footnotes and Abbreviations Descriptions

### Brand Footnotes

- 
- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

---

|        |                                                                  |
|--------|------------------------------------------------------------------|
| AA     | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120           |
| AM     | Optimum® AcreMax®                                                |
| CONV   | Conventional                                                     |
| D      | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| PCE    | PowerCore® Enlist®                                               |
| QR     | Qrome®                                                           |
| STX    | SmartStax®                                                       |
| STXP   | SmartStax® Pro with RNAi Technology                              |
| TRE    | Trecepta®                                                        |
| V      | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220      |
| VE     | Vorceed™ Enlist®                                                 |
| VT2P   | VT Double PRO®                                                   |
| VT2PDG | DroughtGard® with VT Double PRO®                                 |
| VT4P   | VT4Pro™ with RNAi Technology                                     |

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments\*

---

|               |                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------|
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control                                                  |
| AC,P2         | Acceleron® 250                                                                                                     |
| AC,P5V        | Acceleron® Poncho 500/Votivo                                                                                       |
| AC,P5V,EDC-B  | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control                                                   |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control                                                   |
| AC,P5V,SU     | Acceleron® Poncho 500/Votivo, StepUp                                                                               |
| AC,P5V,Va     | Acceleron® Poncho 500/Votivo, Vayantis®                                                                            |
| AGM           | AgriShield Max                                                                                                     |
| CM,C2         | CruiserMaxx® 250                                                                                                   |
| CM,C2,Vi,Va   | CruiserMaxx® 250 with Vibrance, Vayantis®                                                                          |
| CM,C5         | Cruisermaxx® 500                                                                                                   |
| CM,CRM        | Cruiser,CeraMax - I,B                                                                                              |
| CM,Va,CRM     | Cruiser,Vayantis,CeraMax-F,I,B                                                                                     |
| CM,Vi,Va,CRM  | Cruiser Vibrance, Vayantis,CeraMax - F,I,B                                                                         |
| F,I           | Fungicide, Insecticide                                                                                             |
| Lum           | LumiGEN™ (Corteva Agriscience)                                                                                     |
| Lum,CRM       | Lumiscend Pro,Lumialza,R1,CeraMax-F,I,B                                                                            |
| Lum, L1       | LumiGEN, Lumisure 1250                                                                                             |
| LumPro P2     | Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide |
| P5V           | Poncho 500/Votivo                                                                                                  |
| Vi5           | Vibrance® Cinco                                                                                                    |

---

\* Seed treatments may include unspecified plant health promoting components.