

9/30/2021	Location: Sheldon-IA	Trial: SPT-24		
PLDATE: 5/11/2021	HDATE: 9/29/2021	Irrigation:	NO	
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CP2220E	84.4	11.9	55.4	1013.25
NK22-C4E3	83.7	11.5	55.7	1003.85
CP2200X	83.5	10.8	55.8	1002.20
CP2322E	81.9	10.4	56.8	982.80
CP2520E	81.6	12.9	55.2	978.84
P22T18E	80.5	9.8	55.5	965.97
P23A15X	80.0	11.2	56.7	959.57
NK25-C9XF	79.9	11.3	55.4	958.30
CZ2360GTLL	79.6	10.7	56.8	955.09
AG26XF1	79.5	13.7	54.5	953.63
B260EE	78.9	18.1	50.9	946.28
B269EE	77.8	12.2	55.9	934.10
AG25XF1	77.7	12.3	55.9	931.85
CP2400X	77.1	10.8	57.2	925.03
CZ2550GTLL	77.0	10.7	56.7	924.24
P24T76E	76.9	10.4	55.9	922.34
CP2450XF	76.3	12.2	55.5	915.43
B240EE	75.9	13.8	53.7	910.24
CP2240XF	73.8	10.9	56.2	886.03
NK24-G7E3	70.0	11.0	57.3	839.53
AG26XF2	69.8	10.7	55.4	838.19
Mn	78.1	12.4	55.2	936.88
CVErr	5.978	14.033	2.775	5.980
LSD(.10)	7.9	3.0	2.6	95.10
#Reps	2	2	2	2

\$/Acre Assumptions = \$12.00/Bushel Selling Price





Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

 $@\ 2021\ WinField\ United.\ Answer\ Plot^{\$}, CROPLAN^{\$}\ and\ WinField^{\$}\ are\ trademarks\ of\ WinField\ United.$